

AKBai — Operations Playbook

UX Lifecycle · Business Operations · Process Flows · v5.0

 **DRAFT — FOR REVIEW**

UX 1: Onboarding UX 2: Daily Loop UX 3: Monetization & Churn UX 4: Daily Check-In
UX 5: Weekly Reconciliation UX 6: Excel Upload (Pro) UX 7: GSheets Sync (Business)
UX 8: Monthly Reconciliation Feature Tier Matrix OPS 1: Daily Rhythm OPS 2:
Support & Incidents OPS 3: Sense Check Gate

11 Additional Operational Gaps Identified in This Review

CRITICAL

OTP deliverability to Yahoo Mail PH — common among target users. Needs custom

SMTP with warmed-up domain (not Supabase default SendGrid).

CRITICAL

Webhook idempotency for Xendit — same payment webhook can fire twice on retry.

Handler must deduplicate by payment_id before processing.

CRITICAL

OR number generation legality — BIR requires sequentially numbered Official

Receipts from a registered OR series. Auto-generating receipt numbers needs legal sign-off before

Automated Self-Invoicing ships.

IMPORTANT **Dependency monitoring** — Anthropic API, Supabase, Xendit each need health

checks + graceful in-app fallback messages. Note: Claude Haiku Vision replaces Claude Haiku

Vision — single dependency instead of two.

IMPORTANT Data backup strategy — Supabase point-in-time recovery needs explicit

enablement on the paid plan + a tested restore procedure.

IMPORTANT Session expiry UX — graceful Taglish re-auth prompt when session expires mid-

use, not a raw error state.

IMPORTANT Incident response runbook — what happens at 2AM on a BIR deadline day when

the app goes down? Solo founder needs a written protocol even if it's just: detect → post status →

rollback → fix.

IMPORTANT Beta-to-paid transition — Phase 0C pilot users paying ₱99–₱199 need a defined

migration path when Phase 1 launches at ₱399. Loyalty rate? Auto-upgrade? No mention in

roadmap.

IMPORTANT PWA installation UX — no App Store listing means "Add to Home Screen" is non-

obvious. Landing page and onboarding need an explicit install guide step.

PLAN Admin observability — Anton needs a way to see: active users, MRR, feature usage

breakdown, Flag-as-Wrong queue. Even a Supabase dashboard + simple Retool view would suffice

for MVP.

PLAN Data retention policy — NPC requires a defined retention period for churned users. Must

be stated in Privacy Policy and enforced in the system (e.g., delete transactions after 1 year of

inactivity).

USER EXPERIENCE FLOWS

1

UX Flow 1 — Registration & Kilala Kita Onboarding

From first landing to Dashboard. Covers Auth (email OTP), Privacy & Terms, and all 5 Kilala Kita steps including BIR opt-in branches and 3-path data bootstrap.

Review focus: Does the BIR opt-in branch logic feel right? Are the 3 data bootstrap paths (Upload / GCash / Quick Start) in the right order? Should Terms acceptance happen before or after email verification?

flowchart TD
A([User visits projectka.ph]) --> B[Enter email address]
B --> C[/Email OTP sent via Supabase Auth/]
C --> D{OTP correct?}
D -->|No / Expired| C
D -->|Yes — New User| E[Accept Privacy Policy + Terms of Service
Checkbox required — data collection cannot begin without this]
D -->|Yes — Returning User| Z([Dashboard — Home Tab])
E --> KK1
subgraph KK [KILALA KITA — 5-Step Onboarding]
KK1[Step 1 · Quick Form 90s
Business type · Revenue range
Platforms used · What you sell]
KK1 --> KK2[Step 2 · BIR Opt-In]
KK2 --> BIR{Registered sa BIR?}
BIR -->|Yes — Registered| BIR_A[bir_opt_in = true
Capture BIR type: 8% flat / Graduated
Enable Deadline Watcher + Tanong Kay BIR]
BIR -->|Not Sure| BIR_B[One soft educational message
P250K threshold explained
Optional: alert me when I approach threshold]
BIR -->|Not Registered / Informal| BIR_C[bir_opt_in = false
Zero BIR features ever
One soft note only if approaching P250K/yr]
BIR_A --> KK3
BIR_B --> KK3
BIR_C --> KK3
KK3[Step 3 · Data Bootstrap]
KK3 --> DB{Existing records?}
DB -->|Upload CSV / XLSX| DB_A[File parsed · Column mapping
Preview shown for confirmation
KA becomes source of truth]
DB -->|GCash / Maya screenshots| DB_B[OCR extracts: amount · date · ref
Editable confirmation UI
Same flow as Saan Napunta?]
DB -->|No data — Quick Start| DB_C[Guided first transaction in Taglish chat
Warm acknowledgment after first entry
Dashboard shows first data point immediately]
DB_A --> KK4
DB_B --> KK4
DB_C --> KK4
KK4[Step 4 · AI Deepdive 3–5 min
3 open Taglish questions · 1 follow-up each
Answers captured verbatim for tone-matching]
KK4 --> KK5[Step 5 · Silent AI Synthesis user never sees
Claude API call → structured JSON profile
Stored in Supabase scoped to auth.uid
bir_opt_in · data_source · tone profile · baseline snapshot]
end KK5
KK5 --> Z
style KK fill:#D5F5E3,stroke:#1E8449
style BIR_C fill:#FDEBD0,stroke:#F59E0B
style BIR_B fill:#FEF9E7,stroke:#F9CA24
style BIR_A fill:#D5F5E3,stroke:#1E8449

Green path — registered BIR user

Orange path — informal seller, zero BIR features

Yellow path — unsure, soft education only

All paths merge at Data Bootstrap → AI Deepdive

UX Flow 2 — Daily Use Loop

Returning user from Dashboard through core feature interactions: receipt scanning, expense tracking, BIR deadlines (opt-in), and morning briefing. Includes AI loading states and error handling.

Review focus: Is the "Flag as Wrong" flow visible enough without being intrusive?

Should the duplicate receipt warning be a hard block or a soft confirm? Does the AI downtime fallback feel right?

Receipt Scanning — Tier Breakdown: Free tier has 0 receipt scans/month (no scanning capability). Pro tier unlocks 50 scans/month (covers receipts AND notebook photos). Business tier allows 80 scans/month (covers receipts AND notebook photos). Free-to-Pro upgrade is a key upsell trigger when receipt scanning is needed. This is a core monetization signal.

flowchart TD
OPEN([User opens app]) --> SESSION{Session valid?}
SESSION -->|Expired| REAUTH[Taglish re-auth prompt
nl-verify lang ulit ang email mo]
REAUTH --> SESSION
SESSION -->|Valid| DASH[Dashboard — Home Tab
Bottom nav: Dashboard · Chat · History · Settings]
DASH --> MB[Morning Briefing Card]
MB --> MB_T{Tier?}
MB_T -->|Pro/Business| MB_PRO[Full AI briefing:
ntasks · deadlines · cash status · top priority
Push notification at 7AM]
MB_T -->|Free| MB_FREE[One-liner teaser + upgrade nudge
n2 tasks · 1 deadline this week
No receipt scanning available]
DASH --> CF[Cash Flow Card
Income minus expenses · Color coded]
CF --> CF_TAP[Tap → opens Saan Napunta? thread
Context pre-loaded]
DASH --> BIR_D{bir_opt_in = true?}
BIR_D -->|Yes| BIR_CARD[BIR Deadline Countdown
Next filing + days remaining
Tap → Deadline Watcher thread]
BIR_D -->|No| BIR_HIDDEN[Card hidden entirely
No mention of BIR anywhere]
DASH --> QA[Quick Action: Scan Receipt
Free: 0 scans · Pro: 50/month · Business: 80/month
(Pool covers receipts AND notebook photos)]
QA --> FREE_CHECK{Free tier?}
FREE_CHECK -->|Yes| FREE_PROMPT[Receipt scanning for Pro users only
nl-upgrade para gamitin ang feature na ito]
FREE_CHECK -->|No| OCR_API[Single-pass OCR
Claude Haiku Vision]
FREE_PROMPT --> UPGRADE_NUDGE[Upgrade prompt triggered
Key upsell moment]
OCR_API --> OCR_DOWN{API available?}
OCR_DOWN -->|Down| OCR_FB[Graceful fallback:
Manual entry form
Nag-iisip pa ako — subukan ulit]
OCR_DOWN -->|OK| OCR_CARD[Editable Confirmation Card
Low-confidence fields in yellow]
OCR_CARD --> DEDUP{Possible duplicate?
Same vendor + amount + 24h}
DEDUP -->|Yes| DEDUP_WARN[Mukhang na-scan na ito
nl-save pa rin?]
DEDUP -->|No| SAVE[Confirmed → Saved to Saan Napunta?
Dashboard Cash Flow card updates]
DEDUP_WARN --> SAVE
DASH --> CHAT[Quick Action: Ask AKBai — Chat]
CHAT --> AI_CALL[Claude API call
System prompt: AKBai persona + user profile + history]
AI_CALL --> AI_WAIT{Response time}
AI_WAIT -->|3-10s normal| TYPING[Typing indicator shown
Nag-iisip pa ako...]
AI_WAIT -->|Timeout / error| AI_FB[Graceful fallback message
Subukan ulit in a moment]
TYPING --> AI_RESP[AI Response displayed in Taglish
BIR responses always include disclaimer]
AI_RESP --> FLAG{User flags wrong?}
FLAG -->|Yes| FLAG_Q[Logged to review queue in Supabase
Anton reviews weekly]
FLAG -->|No|

CONT[Continue conversation] style BIR_HIDDEN
fill:#F8F9FA,stroke:#BDC3C7,color:#95A5A6 style OCR_FB
fill:#FDEBD0,stroke:#F59E0B style AI_FB fill:#FDEBD0,stroke:#F59E0B style
DEDUP_WARN fill:#FEF9E7,stroke:#F9CA24 style FREE_PROMPT
fill:#FDEBD0,stroke:#F59E0B style UPGRADE_NUDGE
fill:#F59E0B,color:#fff,stroke:#D35400

Fallback / error state — always shows graceful Taglish message

Warning / confirmation prompt

Hidden from informal sellers (bir_opt_in = false)

3

UX Flow 3 — Free → Pro Upgrade & Churn/Win-Back

Free tier limit hit, upgrade checkout, payment failure grace period, downgrade flow, and win-back email trigger. Includes the beta-to-paid transition path for Phase 0C pilot users.

Review focus: Is 3 days the right grace period before downgrading a Pro user who hasn't paid? Should pilot users (P99-P199) auto-upgrade to Pro or be asked first? Does the win-back trigger (BIR deadline approach) feel right or too pushy?

flowchart TD
FREE[Free User in App] --> LIMIT{Free limit hit?}
LIMIT -->|Needs receipt scanning| FREE
LIMIT -->|Free tier: 0 scans| BUMP_R[Upgrade prompt — Taglish
Receipt scanning unlocked sa Pro
50 scans/month (receipts + notebook photos) + unlimited messages
nl-upgrade para sa full features]
LIMIT -->|Daily query limit reached 10/day| BUMP_M[Upgrade prompt — Taglish
Naubos na ang iyong free messages ngayon
nl-upgrade sa Pro para walang limitasyon]
LIMIT -->|Not yet hit| FREE
BUMP_R --> UPGRADE{Upgrade?}
BUMP_M --> UPGRADE
UPGRADE -->|No| STAY_FREE[Return to app
Free limits remain]
UPGRADE -->|Yes| CHECKOUT[Xendit checkout
Pro Y1: P399/mo | Y2: P449/mo | Y3: P399/mo
Business Y1: P899/mo | Y2: P899/mo | Y3: P999/mo
GCash/Maya 1.5% · Card 2.9%]
CHECKOUT --> PAY_OK{Payment success?}
PAY_OK -->|Yes| PRO[Pro features unlocked
Welcome message in Taglish
Referral prompt triggered — first win moment]
PAY_OK -->|No| RETRY[Retry prompt + manual GCash option
Concierge fallback if payment rails unavailable]
RETRY --> PAY_OK
subgraph PILOT ["Beta-to-Paid Transition — Phase 0C"]

0C Users"] P1[Pilot user paying P99-P199] --> P2{Phase 1 launch} P2 --> P3[Personalised message:\nSalamat sa pagiging unang AKBai user\nSpecial rate: P249/month for 3 months] P3 --> P4{Accepts?} P4 -->|Yes| PRO P4 -->|No| STAY_FREE end PRO --> RENEWAL[Monthly auto-renewal via Xendit] RENEWAL --> RENEW_OK{Payment succeeds?} RENEW_OK -->|Yes| PRO RENEW_OK -->|No| GRACE[3-day grace period\nIn-app alert + push notification\nI-update ang iyong payment details] GRACE --> RETRY2{Retried Day 3?} RETRY2 -->|Resolved| PRO RETRY2 -->|Still failed Day 7| DOWNGRADE[Downgrade to Free\nData fully preserved — never deleted\nAccess to paid features suspended] DOWNGRADE --> SURVEY[One-question cancellation survey\nBakit ka aalis?\nToo expensive · Not using it · Missing feature · Other] SURVEY --> WINBACK[30-day win-back email\nTriggered by approaching BIR deadline\nKamusta Name — your 1701Q is due in 10 days\nYour data is here — come back anytime] WINBACK --> UPGRADE style PILOT fill:#FDEBD0,stroke:#F59E0B style GRACE fill:#FEF9E7,stroke:#F9CA24 style DOWNGRADE fill:#FADBD8,stroke:#E74C3C style PRO fill:#D5F5E3,stroke:#1E8449

- **UAT Pre-Launch Phase:** Before public launch, 15-20 trusted testers receive access for 2-4 weeks. UAT uses a stripped stack: Supabase free + Cloudflare Pages free + Claude Haiku API only (no Sonnet, no Xendit, no WhatsApp Business API). Total UAT cost: ₱800.
- UAT users are not charged — they receive free access in exchange for structured feedback.
- UAT is a hard gate before Phase 1 public launch.

Pro user — full features active

Grace period — 3-day window to resolve payment

Downgraded — data preserved, access suspended

Beta pilot transition path

4

UX Flow 4 — Daily End-of-Day Check-In

All tiers, in-app only. Evening prompt to log daily sales and expenses in Taglish. Supports text entry, receipt photos (Pro), and notebook photos (Pro/Business).

□ **Design notes:** Language: Taglish throughout. Minimal fields — just total sales + total expenses (advanced breakdown optional). Completion target: 60 seconds. No push notifications in Phase 2; check-in only surfaces when app is opened.

flowchart TD
OPEN([User opens app in evening]) --> CHECK{Last check-in today?}
CHECK -->|Yes — already logged| SKIP[Skip modal]
CHECK -->|No| MODAL[Show check-in modal:
Kumusta ang negosyo mo today?]
MODAL --> OPTIONS[User selects:]
OPTIONS -->|Log Sales| SALES[Magkano total na benta mo ngayon?
Numeric input field]
OPTIONS -->|Log Expenses| EXPENSE[Magkano total na gastos mo ngayon?
Numeric input field]
OPTIONS -->|Both| BOTH[Show both fields:
Benta + Gastos]
OPTIONS -->|Skip for now| SKIP_SALES[Skip SALES]
NOTE{Add note?}
EXPENSE --> NOTE
BOTH --> NOTE
NOTE -->|Yes - text| NOTE_INPUT[Text input
Optional memo]
NOTE -->|Pro - receipt| PHOTO_R[Tap to upload receipt
OCR extracts details]
NOTE -->|Pro/Business - notebook| PHOTO_N[Tap to upload notebook photo
OCR extracts details]
NOTE -->|No| SAVE_NOTE_INPUT[Save NOTE_INPUT]
SAVE_PHOTO_R[Save PHOTO_R]
SAVE_PHOTO_N[Save PHOTO_N]
SAVE_SAVE[Tap I-save]
SAVE --> CONFIRM[AKBai confirms:
Naka-log na! ₱X kita, ₱Y gastos
Net: ₱Z]
CONFIRM --> CONTINUE[Return to dashboard]
SKIP --> GAP[AKBai notes entry gap
Will surface in weekly reconciliation]
GAP --> CONTINUE
style MODAL fill:#D5F5E3,stroke:#1E8449
style SAVE fill:#1E8449,color:#fff,stroke:#07101e
style CONFIRM fill:#FEF9E7,stroke:#F9CA24

Core flow — always shown

Confirmation message — instant feedback

5

UX Flow 5 — Weekly Reconciliation Prompt

Every Friday evening, in-app. AKBai checks for missing daily entries and prompts user to fill gaps.

Includes quick-fill inputs and weekly summary confirmation.

□ **Trigger:** Friday evening (7–10 PM based on user timezone). Only shown if 1+ days missing in past 7 days. Completion target: ~5 minutes for full week.

flowchart TD
TRIGGER([Friday evening
User opens app]) --> CHECK{Missing entries
in past 7 days?}
CHECK -->|0 missing| SKIP[Skip — no prompt shown]
CHECK -->|1-2 missing| PROMPT_SOFT[Modal: May 2 araw na walang entry
Gusto mo bang ayusin ngayon?]
CHECK -->|3+ missing| PROMPT_HARD[Modal: Hmm,

mukhang busy ka ngayon!\nLet's catch up — takes ~5 mins] PROMPT_SOFT --> DECIDE{User wants to fill?} PROMPT_HARD --> DECIDE DECIDE -->|No| SKIP2[Dismissed\nGap noted for next week] DECIDE -->|Yes| LIST[Show missing days list\nWith quick-fill inputs:\nDate · Sales total · Expenses total] LIST --> FILL[User fills each day:\nSales + Expenses\nOptional memo for each] FILL --> COMPLETE[User confirms all entries] COMPLETE --> SUMMARY[AKBai shows weekly summary:\nWeek total: ₱X kita, ₱Y gastos] SUMMARY --> OPTIONS{What next?} OPTIONS -->|Save & Done| SAVE[Entries saved] OPTIONS -->|Export PDF| EXPORT[Generate + download PDF\nWeekly summary card] OPTIONS -->|Share WhatsApp| SHARE[Prepare WhatsApp message\nWith summary snapshot] SAVE --> CONTINUE[Return to dashboard] EXPORT --> CONTINUE SHARE --> CONTINUE SKIP2 --> CONTINUE SKIP --> CONTINUE style PROMPT_SOFT fill:#FEF9E7,stroke:#F9CA24 style PROMPT_HARD fill:#D5F5E3,stroke:#1E8449 style SUMMARY fill:#D5F5E3,stroke:#1E8449

Soft prompt — 1-2 days missing

Hard prompt — 3+ days missing

6

UX Flow 6 — Excel / CSV File Upload (Pro Tier)

Pro and Business users can import transaction data from Excel or CSV files. Includes column mapping, preview, deduplication, and fallback template link.

- Scope:** Accepts .xlsx and .csv files. Max file size: 5 MB. Deduplicates against existing entries using date + amount + vendor combo. Links to AKBai template (Google Sheets).

flowchart TD MENU([User in Pro settings\nTaps Import Data]) --> SELECT[Phone file picker:\nSelect .xlsx or .csv] SELECT --> FILE{File selected?} FILE -->|No| MENU FILE -->|Yes| PARSE[AKBai parses file] PARSE --> DETECT[Detects columns:\nDate · Amount · Vendor · Category] DETECT --> MAP[Column mapping UI:\nWhich column is Date?\nWhich is Amount?\nWhich is Vendor?] MAP --> PREVIEW[Shows first 5 rows preview\nConfirmation: Nakita ko ang X transactions] PREVIEW --> CONFIRM{Import?} CONFIRM -->|No| MENU CONFIRM -->|Yes| IMPORT[AKBai imports + deduplicates\nSkips any duplicates found] IMPORT --> SUCCESS{Import success?} SUCCESS -->|Yes| DONE[Success message:\nNa-import na ang X entries!\nGusto mo bang i-review?] DONE --> OPTIONS{Action?} OPTIONS -->|Review| REVIEW[Show imported entries\nUser can edit/delete as needed] OPTIONS -->|Continue| CONTINUE[Return to dashboard] SUCCESS -->|Error| ERROR[Error

message:\nHindi ko mabasa ang file\nSubukan ang AKBai template] ERROR --> TEMPLATE[Link: I-download ang AKBai template\nGoogle Sheets link provided] TEMPLATE --> MENU style PREVIEW fill:#FEF9E7,stroke:#F9CA24 style DONE fill:#D5F5E3,stroke:#1E8449 style ERROR fill:#FDEBD0,stroke:#F59E0B

Preview step — user confirms before import

Success — entries imported

Error with template fallback link

7

UX Flow 7 — Google Sheets Live Sync (Business Tier, Phase 3)

Business tier users (M7+) can authorize AKBai to read their Google Sheets and auto-sync transactions.

Includes OAuth flow, template validation, and recurring sync status.

- **Scope:** Phase 3 feature (Month 7+). OAuth read-only scope. Auto-sync on each daily briefing generation. Requires Date + Amount + Category columns. Template link provided if columns missing.

flowchart TD
SETTINGS([User in Business settings\nTaps Connect Google Sheets]) --> OAUTH[AKBai opens Google OAuth\nConsent screen: read-only scope]
OAUTH --> AUTHORIZE{User authorizes?}
AUTHORIZE -->|No| CANCEL[Cancelled — return to settings]
AUTHORIZE -->|Yes| PICKER[Google Drive picker or paste URL\nSelect/paste GSheets URL]
PICKER --> VALIDATE[AKBai validates sheet:\nChecks for required columns\nDate · Amount · Category]
VALIDATE --> VALID{Columns valid?}
VALID -->|No| MISSING[Missing required columns\nSuggest AKBai template\nLink: Gamitin ang AKBai template]
MISSING --> PICKER
VALID -->|Yes| PREVIEW[Shows detected X rows\nConfirm: Nakita ko ang X rows\nI-sync na?]
PREVIEW --> CONFIRM{User confirms?}
CONFIRM -->|No| SETTINGS
CONFIRM -->|Yes| SYNC[AKBai syncs & maps\nTo internal ledger]
SYNC --> SETUP[Sets up auto-sync:\nRe-reads sheet on each\ndaily briefing generation]
SETUP --> CONNECTED[Connected state shown in dashboard:\nLast synced: X hours ago]
CONNECTED --> MONITOR[Ongoing auto-sync\nSync status always visible]
style PICKER fill:#FEF9E7,stroke:#F9CA24
style PREVIEW fill:#D5F5E3,stroke:#1E8449
style CONNECTED fill:#D5F5E3,stroke:#1E8449
style MISSING

fill:#FDEBD0,stroke:#F59E0B

Connected — auto-sync active

Setup phase — preview before sync

Template validation — fallback link provided

8

UX Flow 8 — Monthly Reconciliation & Summary

Last day of month. AKBai shows month-end summary, asks for corrections, and provides export/share options. All tiers, in-app.

- **Timing:** Triggered on app open on the last calendar day of the month. Shows: total sales, total expenses, net profit, top 3 expense categories. Share to WhatsApp available
- M7+ only.

```
flowchart TD
    TRIGGER([Last day of month\nUser opens app]) --> MODAL[AKBai modal:\nMonth-end na!\nLet's review your [Month] summary]
    MODAL --> SHOW[Display summary card:\nTotal Sales | Total Expenses\nNet Profit | Top 3 categories]
    SHOW --> ASK[AKBai asks:\nTama ba ito?\nMay gusto ka bang baguhin?]
    ASK --> CHECK{User response?}
    CHECK -->|All correct| CONFIRM[Confirms summary]
    CHECK -->|Need changes| EDIT[Guided correction flow:\nSelect entry to edit\nAdjust value / delete]
    EDIT --> CONFIRM
    CONFIRM --> SUMMARY[Generates month-end card\nBeautiful summary design]
    SUMMARY --> OPTIONS{What next?}
    OPTIONS -->|Save to phone| SAVE[Generate PNG card\nSaved to phone storage]
    OPTIONS -->|Share WhatsApp| SHARE[Prepare WhatsApp message\nWith summary snapshot\nM7+ only]
    OPTIONS -->|Export PDF| EXPORT[Generate PDF report\nMonth-end detailed breakdown]
    SAVE --> MOTIVATE
    SHARE --> MOTIVATE
    EXPORT --> MOTIVATE
    MOTIVATE[AKBai: Magandang trabaho!\nReady ka na para sa\nsusunod na buwan.] --> DONE[Return to dashboard]
    style SHOW fill:#D5F5E3,stroke:#1E8449
    style ASK fill:#FEF9E7,stroke:#F9CA24
    style MOTIVATE fill:#D5F5E3,stroke:#1E8449
```

Summary display — core data shown

Correction flow — user can adjust

9

Feature Tier Matrix

Comprehensive feature breakdown across Free, Pro, and Business tiers. Updated with new UX flows and capability additions.

Feature / Capability	Free	Pro (P399-P399/mo)	Business (P899-P999/mo, M7+)
Daily Check-In (Taglish)	Yes (text only)	Yes (text + photo upload)	Yes (text + photo + auto-note from GSheets)
Morning Briefing	Teaser only	Full AI briefing	Full AI briefing + prioritization
Receipt Scanning (OCR)	No (0 scans/month)	Yes (50 scans/month, covers receipts + notebook photos)	Yes (80 scans/month, covers receipts + notebook photos)
Notebook Photo OCR	No	Yes (from 50-scan pool)	Yes (from 80-scan pool)
Chat with AKBai	10 messages/day (rate limited)	Unlimited	Unlimited
BIR Integration (if bir_opt_in=true)	Soft alerts only	Full: Deadline Watcher + Tanong Kay BIR	Full: Deadline Watcher + Tanong Kay BIR
Saan Napunta? (Expense Breakdown)	Basic view	Full with categories + trends	Full with categories + trends

Feature / Capability	Free	Pro (P399-P399/mo)	Business (P899-P999/mo, M7+)
Weekly Reconciliation Prompt	Yes (all tiers)	Yes (all tiers)	Yes (all tiers)
Monthly Summary Card	Yes (basic)	Yes (full with categories)	Yes (full with categories)
Excel / CSV Import	No	Yes (with column mapping)	Yes (with column mapping)
Google Sheets Template	Download only	Download + re-upload back	Live sync (auto-read on briefing generation)
GSheets Live Sync	No	No	Yes (M7+, read-only, auto-sync)
PDF Export (Monthly / Weekly)	No	Yes	Yes
Share to WhatsApp	No	No	Yes (M7+ only, share summary snapshots)
Data Retention	Full access while active	Full access while active	Full access while active
Support	Community FAQ	Email + WhatsApp support	Priority WhatsApp + dedicated support

Notes:

- **Scan Pool Coverage:** Pro and Business scan pools cover both receipt photos AND notebook/handwritten note photos. The pool is shared across all scan types.
- **M7+ (Month 7+):** Business tier features marked "M7+" launch in Phase 3 (Month 7) and include Google Sheets live sync and WhatsApp sharing.
- **GSheets Sync:** Business tier only. Requires read-only OAuth authorization. Auto-syncs on daily briefing generation. Validates required columns (Date, Amount, Category).
- **BIR Features:** Only shown to users with bir_opt_in=true. Informal sellers (bir_opt_in=false) see zero BIR-related features.

OPS Flow 1 — Anton's Daily & Weekly Operating Rhythm

What Anton checks, when, and what decisions get made. Designed as a sustainable solo rhythm — total active time per week is estimated for each loop.

Review focus: Does this weekly rhythm feel manageable as a solo founder alongside a day job? Are there tasks here you'd want to delegate to a VA? Should the BIR calendar review be weekly or can it be monthly?

Compliance Note: NPC (Non-Profit Cooperative) registration is required pre-launch before Phase 1 public launch. This is a hard gate and must be completed during Phase 0C pilot. Budget: ₱10,000 for registration and compliance setup.

Unit Economics: Pro LTV: ₱9,975 · Blended CAC: ₱110 · LTV/CAC ratio: 91x · Payback period: 0.4 months (12 days)

```

flowchart TD
    subgraph DAILY ["* Daily Check — 5 minutes"]
        D1[Open PostHog or Mixpanel dashboard] --> D2{Anomalies?}
        D2 -->|New signups spike| D3[Check onboarding completion rate<br/>Any stuck at Step 3 bootstrap?]
        D2 -->|MRR drop| D4[Check Xendit for failed payments<br/>Triggered dunning flow?]
        D2 -->|Error spike in Sentry| D5[Incident Response Flow →]
        D2 -->|All clear| D6[Done — 5 min]
        end subgraph
    subgraph WEEKLY_SUPPORT ["□ Weekly — Support Queue — 30 minutes"]
        W1[Check personal WhatsApp with AKBai business name<br/>M1-M6: personal account · M7+: WhatsApp Business API] --> W2{Issue type?}
        W2 -->|Bug report| W3[Log GitHub Issue<br/>Priority: P0 breaking / P1 degraded / P2 minor]
        W2 -->|Feature request| W4[Log to product backlog<br/>Tag: Phase 2 candidate / Sense Check input]
        W2 -->|Billing issue| W5[Check Xendit dashboard<br/>Resolve manually if needed]
        W2 -->|Trust incident — wrong info| W6[Apply Trust Recovery Protocol<br/>Personal Taglish response within 24h<br/>Log to incident register]
        end subgraph
    subgraph WEEKLY_FLAGS ["□ Weekly — Flag-as-Wrong Queue — 30 minutes"]
        F1[Open Supabase flag review table] --> F2{Flags this week?}
        F2 -->|None| F3[Done]
        F2 -->|Present| F4{Pattern or one-off?}
        F4 -->|Systematic pattern| F5[Update system prompt<br/>Run 20-30 Taglish regression tests<br/>Deploy fix — GitHub push to main]
        F4 -->|One-off| F6[Log and monitor for 2 more occurrences<br/>Before acting on single cases]
        end subgraph
    subgraph WEEKLY_BIR ["□ Weekly — BIR Calendar Check — 15 minutes"]
        B1[Check BIR website + social for announcements] --> B2{Holiday affecting deadline?}
        B2 -->|Yes| B3[Update bir_calendar table in Supabase<br/>No code deploy needed<br/>Deadline Watcher auto-updates for all users]
        B2 -->|No| B4[Done]
        end subgraph
    subgraph WEEKLY_REV ["□ Weekly — Revenue Review — 15 minutes"]
        R1[Check: MRR · New Pro subs · Churn count] --> R2{Churn spike vs last week?}
        R2 -->|Yes| R3[Review cancellation survey responses<br/>Identify top reason — price / features / bugs]
        R2 -->|No|
    
```

R4[Track trend · Note in running log] end style DAILY fill:#D6EAF8,stroke:#F59E0B style WEEKLY_SUPPORT fill:#D5F5E3,stroke:#1E8449 style WEEKLY_FLAGS fill:#FADBD8,stroke:#E74C3C style WEEKLY_BIR fill:#FEF9E7,stroke:#F9CA24 style WEEKLY_REV fill:#F4ECF7,stroke:#7D3C98

Daily — ~5 min/day

Weekly Support — ~30 min

Weekly Flags — ~30 min

Weekly BIR Calendar — ~15 min

Weekly Revenue — ~15 min

Total weekly active ops time: ~1.5-2 hours

Infrastructure Upgrades — Cost-Triggered Milestones:

- Hosting: Cloudflare Pages free (M1-6) → Cloudflare Pages ₱286/month (M7+)
- Database: Supabase free (M1-9) → Supabase Pro ₱1,430/month (M10+)
- WhatsApp: M1-M6 support uses personal WhatsApp with AKBai business name · M7+ switches to WhatsApp Business API ₱572/month
- Monitoring: Free tiers (PostHog, Sentry) maintained through Y3
- Pro Pricing Roadmap: Y1 ₱399/mo → Y2 ₱449/mo → Y3 ₱399/mo
- Business Tier Launch: Phase 2 / Month 13 (Y1 ₱899/mo → Y2 ₱899/mo → Y3 ₱999/mo, with 80 receipt scans/month)

OPS Flow 2 — Support Escalation & Incident Response

From user contact (WhatsApp/Viber) through triage, resolution, and postmortem. Includes the incident runbook for production outages — designed for a solo founder with no on-call team.

Review focus: For a P0 outage — are you comfortable with "post a status update to users then fix"? Should there be a simple status page (statuspage.io has a free tier)? Is the 24-hour trust incident response SLA achievable solo?

```
graph TD
    CONTACT["User contacts support\nWhatsApp or Viber"] --> TRIAGE["Issue severity?"]
    TRIAGE --> P0["App not loading / data gone"]
    TRIAGE --> P1["Feature broken / wrong output"]
    TRIAGE --> P2["Confusion / how-to question"]
    TRIAGE --> TRUST["Trust incident — wrong financial info"]
    
    P0 --> INC1["1. Verify — reproduce the issue yourself"]
    P1 --> INC2["2. Identify — check Sentry · Supabase logs · Cloudflare Pages logs"]
    P2 --> INC2
    TRUST --> T1["Respond personally in Taglish within 24h\nAcknowledge · No defensiveness"]
    
    INC1 --> INC2
    INC2 --> INC3["3. Fix · Push to GitHub · Auto-deploys to Cloudflare Pages"]
    INC3 --> INC4["4. Verify fix in production"]
    INC4 --> INC5["5. Notify users: resolved"]
    INC5 --> INC6["6. Write 1-paragraph incident note for personal log"]
    
    T1 --> T2["Provide corrected information if applicable"]
    T2 --> T3["Material impact?\ne.g. filed wrong tax figure"]
    T3 --> T4["Offer goodwill credit: 1 month free Pro\nConsider CPA referral for user"]
    T3 --> T5["Acknowledge + improve"]
    T4 --> T6["Log to trust incident register\nReview system prompt to prevent recurrence"]
    T5 --> T6
    
    style P0 fill:#E74C3C,color:#fff,stroke:#C0392B,stroke-width:2px
    style P1 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style P2 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style TRUST fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style INC1 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style INC2 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style INC3 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style INC4 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style INC5 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style INC6 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style T1 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style T2 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style T3 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style T4 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style T5 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
    style T6 fill:#F59E0B,color:#fff,stroke:#D35400,stroke-width:2px
```

P0 Critical — immediate response, rollback available

Trust incident — 24h personal response SLA

12

OPS Flow 3 — MVP Sense Check Gate (Day 30-60)

The formal go/no-go decision process between Phase 1 and Phase 2. Three possible outcomes: proceed, iterate MVP, or return to discovery. Includes the Sense Check Memo deliverable.

Review focus: Are the gate thresholds realistic? Day 7 retention $\geq 40\%$ is ambitious for a new app — do you want to adjust? Should you share the Sense Check Memo with anyone beyond the co-founder?

```

flowchart TD
    TRIGGER([Day 30-60 post-MVP launch  
Sense Check triggered]) --> PULL[Pull data from PostHog / Mixpanel]
    PULL --> METRICS[Measure 8 signals]
    subgraph SIGNALS [8 Sense Check Signals]
        M1[Day 7 retention  
Target: 40%+]
        M2[Day 30 retention  
Target: 20%+]
        M3[Receipt scanning adoption  
Target: 60%+ of Pro users within first month]
        M4[Free-to-Pro conversion  
Target: 8-12% within 60 days]
        M5[Daily active query rate  
Target: 3+ queries/day for active users]
        M6[MRR at gate  
Target: P6,000+]
        M7[Flag-as-Wrong rate  
Target: less than 5 per 1000 responses]
        M8[NPS proxy score  
Target: average 7+]
    end
    METRICS --> SIGNALS
    SIGNALS --> REVIEW[3-hour solo review session  
Anton reads all signal data  
Reads cancellation survey verbatims  
Reads feature request backlog]
    REVIEW --> MEMO[Write Sense Check Memo — 1 page  
What worked · What did not · What Phase 2 prioritises]
    MEMO --> SHARE[Share memo with co-founder  
Align on decision before proceeding]
    SHARE --> GATE{Gate decision}
    GATE -->|All or most signals GREEN| GREEN_PATH[Proceed to Phase 2  
Prioritise features by request signal rank  
Top 3 requested features go first]
    GATE -->|Mixed — some YELLOW signals| YELLOW_PATH[2-4 weeks targeted MVP iteration  
Fix weakest signal only  
Re-measure before Phase 2]
    GATE -->|RED — core loop not validated| RED_PATH[Do not proceed to Phase 2  
Return to user interviews  
Run Phase 0C pilot protocol again with current MVP]
    YELLOW_PATH --> GATE
    RED_PATH --> DISCOVERY[User discovery sprint  
New hypothesis → new pilot → re-gate]
    GREEN_PATH --> P2_START([Phase 2 build begins  
First feature: Sense Check top request])
    style SIGNALS fill:#D6EAF8,stroke:#F59E0B
    style GREEN_PATH fill:#D5F5E3,stroke:#1E8449
    style YELLOW_PATH fill:#FEF9E7,stroke:#F9CA24
    style RED_PATH fill:#FADBD8,stroke:#E74C3C
    style DISCOVERY fill:#F4ECF7,stroke:#7D3C98
  
```

GREEN — proceed to Phase 2

YELLOW — iterate MVP 2–4 weeks, then re-gate

RED — do not proceed, return to discovery

Review Checklist — Before Incorporating into v5 Roadmap

☐ UX Flow 1: BIR opt-in branch logic confirmed

☐ UX Flow 1: Data bootstrap path order confirmed

☐ UX Flow 1: Terms acceptance timing confirmed

☐ UX Flow 2: Updated scan counts (50 Pro / 80 Business) confirmed

☐ UX Flow 2: Flag-as-Wrong visibility confirmed

☐ UX Flow 3: Grace period (3 days) confirmed

☐ UX Flow 3: Beta-to-paid transition rate/approach confirmed

☐ UX Flow 4: Daily check-in Taglish language confirmed

☐ UX Flow 5: Weekly reconciliation prompt timing confirmed

☐ UX Flow 6: Excel import column mapping logic confirmed

☐ UX Flow 7: GSheets OAuth scope and template requirements confirmed

☐ UX Flow 8: Month-end summary design and export options confirmed

☐ Tier Matrix: All feature allocations across tiers confirmed

☐ OPS Flow 1: Weekly rhythm is sustainable confirmed

☐ OPS Flow 2: 24h trust incident SLA confirmed

☐ OPS Flow 2: Status page decision (yes/no)

☐ OPS Flow 3: Sense Check thresholds confirmed

☐ All 11 additional gaps reviewed and addressed

Kaakbay mo sa negosyo.

© 2026 AKBai · Confidential