Test suit

Execution Environment

Host name rvl12 - LAPTOP-IRKB13UC

Local OS Windows 10 64bit

Katalon version 8.3.5.208 Browser null

Summary

ID Test Suites/Test suit

Description

Total 2

Passed 0 Failed 2 Error 0 Incomplete 0

Skipped 0

Start 2022-07-05 15:40:42 End 2022-07-05 15:40:49

Elapsed 7.531s

#	ID	Description	Status
1	Test Cases/Automation 3 - Mobile Test/Negative Case/Login with invalid email		FAILED
2	Test Cases/Automation 3 - Mobile Test/Negative Case/Register with invalid email		FAILED

Login with invalid email

Information

ID Test Cases/Automation 3 - Mobile Test/Negative Case/Login with invalid email

Description

Tag

Start 2022-07-05 15:40:43 End 2022-07-05 15:40:46

Elapsed 3.389s Status FAILED

Details

Description Elapsed Status

Login with invalid email

E Description	Elapsed	Status
startApplication("C:\Users\rvl12\git\QA-Challenge\Apps\Sample Android App Login Test. apk", true)	1.732s	FAILED
Unable to start app at: 'C:\Users\rvl12\git\QA-Challenge\Apps\Sample Android App Login Test.apk' (Root cause: java.lang.IllegalArgumentException: The mobile device is missing.		
Please select the mobile device to be executed and try again. at com.google.common.base.Preconditions.checkArgument(Preconditions.java		
135) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.	-	
startLocalMobileDriver(MobileDriverFactory.java:535)		
at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startMobileDriver(MobileDriverFactory.java:452)		
at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall(StartApplicationKeyword.		
groovy:49) at com.kms.katalon.core.mobile.keyword.builtin.		
StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword.groovy at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.	7)	
runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:51)		
at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execu (StartApplicationKeyword.groovy:40)	ite	
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)	_	
at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplicatio (MobileBuiltInKeywords.groovy:78) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$startApplication		
call(Unknown Source) at Login with invalid email.run(Login with invalid email:20)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:445) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecuto	r.	
java:436) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:415) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:407) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:284) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhas	se	
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.ja	wa:	
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java	d.	
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
at TempTestSuite1657010433667.run(TempTestSuite1657010433667.groovy:	36)	

Register with invalid email

Information

ID Test Cases/Automation 3 - Mobile Test/Negative Case/Register with invalid email

Description

Tag

Start 2022-07-05 15:40:46 End 2022-07-05 15:40:48

Elapsed 1.339s Status FAILED

Details

Description Elapsed Status

Register with invalid email

‡	Description	Elapsed	Status
1	startApplication("C:\Users\rvI12\git\QA-Challenge\Apps\Sample Android App Login Test.	0.056s	FAILED
	apk", true)		
	Unable to start app at: 'C:\Users\rvI12\git\QA-Challenge\Apps\Sample Android App Login		
	Test.apk' (Root cause: java.lang.lllegalArgumentException: The mobile device is missing.		
	Please select the mobile device to be executed and try again.		
	at com.google.common.base.Preconditions.checkArgument(Preconditions.java: 135)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.		
	startLocalMobileDriver(MobileDriverFactory.java:535)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.		
	startMobileDriver(MobileDriverFactory.java:452)		
	at com.kms.katalon.core.mobile.keyword.builtin.		
	StartApplicationKeyword\$_startApplication_closure1.doCall(StartApplicationKeyword.		
	groovy:49)		
	at com.kms.katalon.core.mobile.keyword.builtin.		
	StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword.groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
	runKeyword(MobileKeywordMain.groovy:21)		
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.		
	startApplication(StartApplicationKeyword.groovy:51)		
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute		
	(StartApplicationKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication		
	(MobileBuiltInKeywords.groovy:78)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords\$startApplication.		
	call(Unknown Source)		
	at Register with invalid email.run(Register with invalid email:20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:445)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:436)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:415)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:407)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
	java:284)		
	$at\ com. kms. katalon. core. common. Common Executor. access Test Case Main Phase$		
	(CommonExecutor.java:65)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
	(TestSuiteExecutor.java:144)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1657010433667.run(TempTestSuite1657010433667.groovy:36)		