STUDENT VERSION (DevOps-Week-10)







Meeting Agenda

- ► Icebreaking
- **▶** Questions
- ► Interview/Certification Questions
- ► Coding Challenge
- ► Article of the week
- ▶ Video of the week
- ► Retro meeting
- ► Case study / project

Teamwork Schedule

Ice-breaking 5m

- Personal Questions (Stay at home & Corona, Study Environment, Kids etc.)
- Any challenges (Classes, Coding, AWS, studying, etc.)
- Ask how they're studying, give personal advice.
- Remind that practice makes perfect.

Team work 10m

• Ask what exactly each student does for the team, if they know each other, if they care for each other, if they follow and talk with each other etc.

Ask Questions 15m

- 1. Can we run Junits as a part of Jenkins job?
- A. True
- **B.** False
- 2. Which variable contains the directory which contains logs, jobs, users and other configurations of jenkins?
- A. HOME
- B. HOME_JENKINS
- C. JENKINS HOME
- **D.** JENKINS
- 3. Declarative pipeline starts with which tag?
- A. node
- **B.** pipeline



- C. stage
- D. step
- 4. Which scripting language is used in Jenkins?

- A. bash
- B. python
- **C.** groovy
- **D.** perl
- 5. Which function is used in pipeline to get the secrets/credentials?
- **A.** withCredentials
- **B.** withData
- C. withSecret
- **D.** withPassword

Interview/Certification Questions

20m

- 1. A company is planning to build a 2-tier architecture with a web server and a database server with separate environments for development and testing. The architecture will be hosted on EC2 Instances accordingly, and the database server would require more than 10,000 IOPS per volume. Which of the following EBS volumes are optimum for the underlying EC2 Instances? (Select Two)
- **A.** General Purpose SSD for the web server



- **B.** Provisioned IOPS for the web server
- **C.** General Purpose SSD for the database server
- **D.** Provisioned IOPS for the database server
- 2. You have an application that has been dockerized. You plan to deploy the application in an AWS ECS cluster. As the application gets configuration files from an S3 bucket, the ECS containers should have the AmazonS3ReadOnlyAccess permission. What is the correct method to configure the IAM permission?
- **A.** Add an environment to the ECS cluster configuration to allow the S3 read only access.
- **B.** Add the AmazonS3ReadOnlyAccess permission to the IAM entity that creates the ECS cluster.
- **C.** Modify the user data of ECS instances to assume an IAM role that has the AmazonS3ReadOnlyAccess permission.
- **D.** Attach the AmazonS3ReadOnlyAccess policy to the ECS container instance IAM role. Attach this role when creating the ECS cluster
- 3. You have an EC2 instance in the AWS us-east-1 region. The application in the instance needs to access a DynamoDB table that is located in the AWS us-east-2 region. The connection must be private without leaving the Amazon network and the instance should not use any public IP for communication. How would you configure this?

- **A.** Configure an inter-region VPC endpoint for the DynamoDB service.
- B. Configure inter-region VPC peering and create a VPC endpoint for DynamoDB in us-east-2.
- **C.** Create an inter-region VPC peering connection between us-east-1 and us-east2.
- **D.** There is no way to setup the private inter-region connections.
- 4. You have an application developed in .NET. This applications works with the S3 buckets in a particular region. The application is hosted on an EC2 Instance.

Which of the following should ideally be used to ensure that the EC2 Instance has the appropriate access to the S3 buckets?

- A. AWS Users
- **B.** AWS Groups
- C. AWS IAM Roles
- D. AWS IAM Policies
- 5. Your development team has just finished developing an application on AWS. This application is created in .NET and is hosted on an EC2 instance. The application currently accesses a DynamoDB table and is now going to be deployed to production. Which of the following is the ideal and most secure way for the application to access the DynamoDB table?
- **A.** Pass API credentials to the instance using instance user data.
- **B.** Store API credentials as an object in Amazon S3.
- C. Embed the API credentials into your JAR files.
- D. Assign an IAM role to the EC2 Instances

Video of the Week 10m

• Continuous Deployment vs. Continuous Delivery

Retro Meeting on a personal and team level

10m

Ask the questions below:

- What went well?
- What could be improved?
- What will we commit to do better in the next week?

Case study/Project

10m

• Coding Challenge : Caesar Cipher

Case study should be explained to the students during the weekly meeting and has to be completed in two week by the students. Students should work in small teams to complete the case study.

 Project-208: Jenkins Pipeline for Web Page Application (Postgresql-Nodejs-React) deployed on EC2's with Ansible and Docker

Closing

-Next week's plan

-QA Session