Source code

- Test source code available at
  /work/clas12/mesonex/rhipo3.tar.gz
- Requirements:
  - ROOT version 6,
  - your own copy of the rhipo directory
  - Copy of hipo libcpp source code
    - Currently a copy exists in /work/clas12/mesonex/libcpp3.tar.gz
  - ROOT will compile at runtime if required
  - Enviroment set as per rhipo/SetEnv.csh
    - setenv CHIPO /my_path/libcpp
    - setenv RHIPO /my_path/rhipo
    - setenv LD_LIBRARY_PATH "$LD_LIBRARY_PATH":/work/clas12/mesonex/lz4-1.7.5/lib
    - setenv LZ4_h /work/clas12/mesonex/lz4-1.7.5/lib
    - alias hipo2root root -l $RHIPO/Hipo2Root.C
    - alias allhipo2root root -l $RHIPO/Hipo2Root.C $RHIPO/ConvertAll.C

Example CLAS12 Hipo Bank

- Bank definitions given $CLARA_HOME/plugins/clas12/etc/bankdefs/hipo/
- Example bank structure :

Used to get correct bank
From hipo::event

Used to get correct item
from hipo::event group

```
"bank": "RECHB::Particle",
     "group": 22,
     "info": "Reconstructed Particle Information",
     "items": [
       {"name":"pid", "id":1, "type":"int32", "info":"particle id in LUND conventions"},
       {"name":"px",  "id":2, "type":"float", "info":"x component of the momentum"},
       {"name":"py",  "id":3, "type":"float", "info":"y component of the momentum"},
       {"name":"pz",  "id":4, "type":"float", "info":"z component of
```

- For example Hipo.ConfigBank("RECHB::Particle"); will save all items in this bank to branches **(vectors of ints or floats)** in a ROOT tree.
- For example Hipo.ConfigBank("REC"); will save all items of all branches that include the string REC

Hipo libcpp (Gagik)

Naive summary :

- Standalone c interface to hipo files
- Based on 3 classes
  - reader
    - Opens file; accesses records
  - record
    - Accesses individual events; handles decompression
  - event
    - Accesses bank data; returns either c++ vector of floats or ints for each group and item as requested
- Requires external liblz4 for reading compressed files
- Does not require additional COATJAVA/CLARA dependencies to run

THipo Brief Summary

- ROOT wrapper for hipo/libcpp
- THipo.h and THipo.C contain 4 classes
- THipoBankParser configures banks from hipo file dictionary (new from hipo.3)
- THipoBank class interfaces between hipo::event and ROOT tree branch
- THipoItem iterates over and returns value for item in event bank
- THipo interacts with hipo::reader and hipo::record and handles event iteration.

hipo2root

```
#Convert all banks defined in hipo file dictionary

   allhipo2root file1.hipo file2.hipo …

OR using directories
allhipo2root --in=/in/directory --out=/out/directory

#Convert only selected banks(groups) or items
#for example via   Hipo.ConfigBank("REC::Particle");

   hipo2root $RHIPO/ConvertSomeBanks.C file1.hipo …
OR
hipo2root $RHIPO/ConvertSomeBanks.C --in=/in/directory

*Users can supply their own configuration macro
instead of $RHIPO/ConvertSomeBanks.C
```

Hipo in ROOT

- Access data via THipoItem class
  - Handles the event vector for each item

```
//Get the necessary items from Particle Bank
THipoBank* bank1=Hipo.GetBank("REC::Particle");
THipoItem *px=bank1->GetItem("px");
THipoItem *py=bank1->GetItem("py");
THipoItem *pz=bank1->GetItem("pz");
...
while(Hipo.NextEvent()){ //events
  while(bank1->NextEntry()){ //particles
    part.SetXYZM(px->Val(),py->Val(),pz->Val(),mass->Val());
    vert.SetXYZ(vx->Val(),vy->Val(),vz->Val());
    //Search Rec::Detector bank for associated pindex
    while(d_pindex->FindEntry(bank1->GetEntry())){
       //Do something if find a particular detector
       if(d_det->Val()==1){
          part_time=d_time->Val();
```