

TIER-Plus — Scenario Comparison Report

Regional profile: Malawi | Generated: 24 June 2026, 20:57

△ Interpretation note. This tool is *indicative* of the direction and rough magnitude of impact of different choices. Outputs may not be accurate to exact numbers and changes to the percentage 95-95-95 targets should be interpreted in conjunction with the absolute change in the number of people in each group. Costs are limited to treatment and included intervention costs only. As a result, many indirect and other programme costs are excluded. Specific numbers used for budgeting, target-setting, or operational planning should come from country-led processes, supported (but not replaced) by this tool.

Progress toward 95-95-95 (end of year)

Indicator	Baseline	Scenario 1	Scenario 2
1st 95 — % of PLHIV diagnosed	96.4%	96.6%	95.9%
2nd 95 — % of diagnosed on ART	96.1%	96.1%	96.2%
3rd 95 — % on ART suppressed	96.0%	96.0%	96.0%


Key epidemiological outcomes (end of year)

Outcome	Baseline	Scenario 1	Scenario 2
New adult acquisitions	11,757	11,622 (-135)	12,028 (+271)
New infant acquisitions	1,567	1,567 (0)	1,567 (0)
HIV-related deaths	13,450	13,414 (-36)	13,512 (+62)
ART initiations	59,356	61,215 (+1,859)	55,619 (-3,737)
End-of-year on ART (suppressed)	879,880	881,488 (+1,608)	876,647 (-3,233)


Cost analysis

Cost category	Baseline	Scenario 1	Scenario 2
Intervention costs	\$68,792,541	\$70,277,467 (+\$1,484,926)	\$64,083,699 (-\$4,708,842)
ART provision	\$83,004,252	\$83,186,347 (+\$182,095)	\$82,638,227 (-\$366,025)
Total programme cost	\$151,796,793	\$153,463,814 (+\$1,667,021)	\$146,721,926 (-\$5,074,867)

HIV care cascade — end of year



Impact summary — change from baseline



Intervention volumes by scenario

Intervention	Baseline	Scenario 1	Scenario 2
Prevention			
PrEP (oral)	58,089	58,089	58,089
PrEP (Lenacapavir)	0	0	0
VMMC	47,890	47,890	47,890
Condom distribution	139,000,000	139,000,000	139,000,000
Infant HIV prophylaxis to reduce vertical transmission	91.0%	91.0%	91.0%
Testing & Diagnosis			
Testing: facility-based (general)	3,569,803	4,105,273	3,034,333
Testing: network testing	30,762	35,376	26,148
Testing: index testing	129,230	148,615	109,846
Testing: community-based	129,013	148,365	109,661
Testing: key populations & STI services	513,183	590,160	436,206
HIVST (Facility-based)	1,741,863	2,003,142	148,584
HIVST (Community-based)	60,432	69,497	51,367
EID (Early Infant Diagnosis)	88.0%	88.0%	88.0%
ANC: HIV testing	96.0%	96.0%	96.0%
PNC: HIV testing	15.0%	15.0%	15.0%
Treatment Monitoring & Quality			
Routine VL monitoring	82.0%	82.0%	82.0%
MMD: 3-month dispensing	47.0%	47.0%	47.0%
MMD: 6-month dispensing	46.0%	46.0%	46.0%
MMD: 12-month dispensing	0.0%	0.0%	0.0%
Community ART pick-up	5.0%	5.0%	5.0%
Retention & Adherence Support			
Enhanced adherence counselling	70.0%	70.0%	70.0%
Tracking & tracing	90.0%	90.0%	90.0%
ANC: Viral Load Testing	75.0%	75.0%	75.0%
PNC: Viral Load Testing	75.0%	75.0%	75.0%
Advanced HIV Disease Package			
CD4 testing (all new initiations)	57.0%	57.0%	57.0%
Full AHD package (LAM, CrAg, fluconazole)	35.0%	35.0%	35.0%

Use the tool to compare directions and trade-offs. Use country processes for the exact numbers in your plan. Report generated by the TIER-Plus Tool.