

TIER-Plus — Scenario Comparison Report

Regional profile: Mozambique | Generated: 24 June 2026, 21:17

△ **Interpretation note.** This tool is *indicative* of the direction and rough magnitude of impact of different choices. Outputs may not be accurate to exact numbers and changes to the percentage 95-95-95 targets should be interpreted in conjunction with the absolute change in the number of people in each group. Costs are limited to treatment and included intervention costs only. As a result, many indirect and other programme costs are excluded. Specific numbers used for budgeting, target-setting, or operational planning should come from country-led processes, supported (but not replaced) by this tool.

Progress toward 95-95-95 (end of year)

Indicator	Baseline	Scenario 1	Scenario 2
1st 95 — % of PLHIV diagnosed	90.5%	91.1%	90.0%
2nd 95 — % of diagnosed on ART	95.3%	95.3%	95.3%
3rd 95 — % on ART suppressed	92.6%	92.5%	92.6%


Key epidemiological outcomes (end of year)

Outcome	Baseline	Scenario 1	Scenario 2
New adult acquisitions	91,525	89,986 (-1,539)	93,094 (+1,569)
New infant acquisitions	7,160	7,160 (0)	7,160 (0)
HIV-related deaths	44,391	44,179 (-212)	44,606 (+215)
ART initiations	251,627	263,804 (+12,177)	239,220 (-12,407)
End-of-year on ART (suppressed)	2,016,682	2,027,198 (+10,516)	2,005,967 (-10,715)


Cost analysis

Cost category	Baseline	Scenario 1	Scenario 2
Intervention costs	\$118,905,043	\$121,867,121 (+\$2,962,078)	\$115,942,225 (-\$2,962,818)
ART provision	\$202,902,252	\$204,092,852 (+\$1,190,600)	\$201,689,031 (-\$1,213,221)
Total programme cost	\$321,807,295	\$325,959,973 (+\$4,152,678)	\$317,631,256 (-\$4,176,039)

HIV care cascade — end of year



Impact summary — change from baseline



Intervention volumes by scenario

Intervention	Baseline	Scenario 1	Scenario 2
Prevention			
PrEP (oral)	334,817	334,817	334,817
PrEP (Lenacapavir)	0	0	0
VMMC	147,928	147,928	147,928
Condom distribution	159,303,077	159,303,077	159,303,077
Infant HIV prophylaxis to reduce vertical transmission	80.0%	80.0%	80.0%
Testing & Diagnosis			
Testing: facility-based (general)	11,237,387	12,922,995	9,551,779
Testing: network testing	0	0	0
Testing: index testing	630,566	725,151	535,981
Testing: community-based	1,064,884	1,224,617	905,151
Testing: key populations & STI services	222,182	255,509	188,855
HIVST (Facility-based)	0	0	0
HIVST (Community-based)	1,322,885	1,521,318	1,124,452
EID (Early Infant Diagnosis)	90.0%	90.0%	90.0%
ANC: HIV testing	95.0%	95.0%	95.0%
PNC: HIV testing	20.0%	20.0%	20.0%
Treatment Monitoring & Quality			
Routine VL monitoring	67.0%	67.0%	67.0%
MMD: 3-month dispensing	37.0%	37.0%	37.0%
MMD: 6-month dispensing	40.0%	40.0%	40.0%
MMD: 12-month dispensing	0.1%	0.1%	0.1%
Community ART pick-up	2.0%	2.0%	2.0%
Retention & Adherence Support			
Enhanced adherence counselling	50.0%	50.0%	50.0%
Tracking & tracing	85.0%	85.0%	85.0%
ANC: Viral Load Testing	77.0%	77.0%	77.0%
PNC: Viral Load Testing	80.0%	80.0%	80.0%
Advanced HIV Disease Package			
CD4 testing (all new initiations)	24.0%	24.0%	24.0%
Full AHD package (LAM, CrAg, fluconazole)	35.0%	35.0%	35.0%

Use the tool to compare directions and trade-offs. Use country processes for the exact numbers in your plan. Report generated by the TIER-Plus Tool.