SageMaker Model Quality Report

This report contains model insights and model quality information for candidate **automl-dm-1682933815Jiw4qGFCPY7C-002-e04bbcb7**. The candidate was generated by the AutoML job **automl-dm-1682933815**.

The **automl-dm-1682933815Jiw4qGFCPY7C-002-e04bbcb7** candidate is a trained **MulticlassClassification** model whose objective is to **Maximize** the **"ACCURACY"** quality metric.

Contents

Autopilot job details

Title	Value
Autopilot candidate name	automl-dm-1682933815Jiw4qGFCPY7C-002-e04bbcb7
Autopilot job name	automl-dm-1682933815
Problem type	MulticlassClassification
Objective metric	ACCURACY
Optimization direction	Maximize

Model quality report

Model quality information is generated by the prebuilt SageMaker Model Monitor container. This report is for a **MulticlassClassification** problem. **10496** rows were included in the evaluation dataset. The evaluation time occurred at **2023-05-01T10:09:14.44Z**.

Metrics table

Metric Name	Value	Standard Deviation
accuracy	0.866806	0.001294
weighted_recall	0.866806	0.001294
weighted_precision	0.751353	0.002245
weighted_f0_5	0.771916	0.002100
weighted_f1	0.804961	0.001846
weighted_f2	0.840962	0.001537
accuracy_best_constant_classifier	0.866806	0.001294
weighted_recall_best_constant_classifier	0.866806	0.001294
weighted_precision_best_constant_classifier	0.751353	0.002245
weighted_f0_5_best_constant_classifier	0.771916	0.002100
weighted_f1_best_constant_classifier	0.804961	0.001846
weighted_f2_best_constant_classifier	0.840962	0.001537

Note The values of the performance metrics in this table may differ from the values reported by Autopilot. The differences tend to appear when training on smaller datasets. The values for the metrics in the table use all the training data once to estimate the performance of a model. Autopilot scores are calculated using k-fold cross-validation resampling method that train a machine learning algorithm on different subsets of the dataset. A score is then calculated for overall performance by averaging the resulting performance metrics for each trial.

Confusion matrix

The **confusion matrix** provides a way to visualize the accuracy of the predictions made by a classification model. The confusion matrix is a table that contains the percentages of correct and incorrect predictions for the actual labels. Each row in the confusion matrix indicates how an actual label was classified by the label predicted by the model. The percentage of accurate predictions are on the diagonal, from the upper-left to the lower-right corner. The off-diagonal percentages indicate the types of misclassifications that the model is predicting. These incorrect predictions are the confusion values.

NOTE: If a row shows Nan , it means the validation dataset doesn't have a row for that label.

Confusion Matrix

	0	1	2
0	9098 (86.68%)	0 (0.00%)	0 (0.00%)
1	1374 (13.09%)	0 (0.00%)	0 (0.00%)
2	24 (0.23%)	0 (0.00%)	0 (0.00%)

Actual label

Predicted label