MECO CONSULTING

6-Week Wellbeing Programme: Cohort-Level Impact Report

Pre- vs Post-Programme Analysis Across All Participants | DASS-21 & WHO-5 Wellbeing Index

Prepared for the HR & People Team

Dataset: pre_survey.csv (n=30) and post_survey.csv (n=28), matched cohort of 28 participants

Dataset Overview

Who's in the cohort, and how missing records were handled

PRE-PROGRAMME RESPONSES

30

POST-PROGRAMME RESPONSES

28

MATCHED COHORT (used for analysis)


28


COMPLETION RATE

93.3%

2 participants (6.7%) did not complete the post-survey. We excluded them from all before/after comparisons; the paired analysis uses only the 28 participants with both records.

DEMOGRAPHIC BREAKDOWN (matched cohort, n=28)








Cohort DASS-21 Scores

Average subscale scores across all 28 matched participants (higher = worse)



Depression

Pre: 12.4 (Mild)
Post: 6.1 (Normal)

–51% average score

Anxiety

Pre: 20.7 (Ext. Severe)
Post: 10.6 (Moderate)

–49% average score


Stress

Pre: 17.5 (Mild)
Post: 10.4 (Normal)

–41% average score

Cohort WHO-5 Wellbeing Index

Average overall wellbeing across all 28 matched participants (higher = better)



+13 points, on average

The cohort moved from a Moderate average level of wellbeing to a High one, a 21% relative increase.


Share of participants in the High-wellbeing band:

21% → 75%

More than 3 in 4 participants ended the programme reporting high wellbeing, up from just 1 in 5 at the start.

Score Distributions: Before vs After

Share of the cohort (n=28) in each severity / wellbeing band



What Changed

Which dimensions moved most, and where the pattern breaks down

Anxiety improved most in absolute terms

Anxiety fell by 10.1 points on average, the largest raw drop. That tracks, since it was also the cohort's biggest problem going in (68% started Extremely Severe).

Depression improved most in relative terms

A 51% average reduction, the largest percentage change of the four measures. 79% of participants ended in the Normal range.


Stress moved the least

It was the mildest issue pre-programme, so there was proportionally less room to improve, though still a meaningful 41% average reduction.

2 of 28 participants (7%) did not improve

A small number saw scores worsen or stay flat across most measures. General programming didn't work for everyone, and this group likely needs direct, individual follow-up.

WHO-5 IMPROVEMENT BY JOB LEVEL



Junior staff (54% of the cohort) improved the most on every measure. Senior and Manager-level staff barely moved, though those groups are very small (n=3, n=2), so this is a pattern to watch, not a firm conclusion.

By department: Technology showed the strongest all-round improvement; Finance had solid anxiety/stress gains but the smallest depression improvement.

Conclusions

What the data says about the programme's effectiveness

1. The programme shows a clear, positive association with improved mental health and wellbeing across the cohort. Every measure moved in the right direction, on average.

2. Anxiety, the area of greatest concern pre-programme (68% Extremely Severe), saw the largest improvement, suggesting the workshops and peer-support sessions were especially effective for it.

3. Improvement was not uniform. Junior staff benefited most; senior and manager-level staff showed little measurable change, hinting that a single programme format may not serve every level equally.

4. A small minority (2 of 28) did not improve. The programme worked for most, but not all; general group programming has limits.

Limitations

What this analysis can't tell us

Small sample, smaller subgroups

28 matched participants overall; demographic subgroups are much smaller (Manager n=2, Senior n=3). Patterns by job level or department are indicative, not statistically robust.

No control group

We can't fully separate the programme's effect from natural fluctuation, seasonal mood changes, or unrelated events in participants' lives during the same 6 weeks.

Self-report bias

DASS-21 and WHO-5 are self-report tools. Participants may round toward improvement post-programme, consciously or not, especially knowing it's being evaluated.

Non-response gap

2 of 30 original participants (6.7%) didn't complete the post-survey. If their experience differed systematically from the rest, results could be skewed.

Single follow-up point

We only have a snapshot at 6 weeks. We don't yet know whether these gains, particularly the anxiety improvement, hold over time.

Recommendations

What we'd suggest to Meco Consulting's HR & People team

1

Continue and expand the programme

Every measure moved in the right direction across the cohort. The overall signal is clearly positive.

2

Rethink the format for senior staff

Junior staff improved the most; senior and manager levels barely moved. Consider tailored sessions addressing leadership-specific stressors rather than one format for everyone.

3

Follow up individually with non-responders

Reach out to the 2 participants who didn't complete the post-survey and the 2 who showed no improvement. Both groups may need direct support the group format didn't reach.

4

Re-assess at 3 and 6 months

Confirm whether gains hold over time, especially for anxiety, which remains in the Moderate band on average even after the programme.

5

Study what worked in Technology

That department had the strongest all-round improvement. Understanding why could help replicate the effect in departments with smaller gains, like Finance.