MENTAL HEALTH & WELLBEING

Progress Report

Participant A

Pre-Programme vs Post-Programme Assessment

Six-week Mental Health & Wellbeing Programme

Participant Snapshot

Relevant demographic and work-related information

Age

26

Gender

Female

Department

Technology

Job Level

Junior

Employment Type

Full-time

Experience

3 years

Assessment & Data Handling

How the pre- and post-programme responses were analysed

DASS-21

21 items measuring:

- Depression
- Anxiety
- Stress

Response values: Never = 0 • Sometimes = 1 • Often = 2 • Almost Always = 3

WHO-5

5 items measuring current wellbeing on a 0–100 scale.

Higher WHO-5 = better wellbeing

Missing post-surveys

The 2 participants without a post response are excluded from paired pre–post change calculations. Missing responses are not imputed.

Participant A has both pre and post responses, so a complete paired comparison is possible.

DASS-21 Results

Standard doubled subscale scores: lower scores indicate better outcomes

Dimension	Pre	Post	Change	Interpretation
Depression	**16**	**4**	**−12**	Moderate → Normal
Anxiety	**28**	**14**	**−14**	Extremely severe → Moderate
Stress	**16**	**12**	**−4**	Mild → Normal

Key finding: Anxiety showed the largest reduction (−14 points).

All three DASS dimensions moved in the favourable direction.

What Changed in Mental Health Indicators?

Participant-level interpretation of DASS-21 results

Depression	**16 → 4**	Moderate → Normal	✓ **Improved**
Anxiety	**28 → 14**	Extremely severe → Moderate	✓ **Improved**
Stress	**16 → 12**	Mild → Normal	✓ **Improved**

The largest movement was in anxiety, which decreased by 14 points. However, the post-programme anxiety score remains in the moderate range.

WHO-5 Wellbeing Results

Higher scores indicate better wellbeing

PRE-PROGRAMME

72 / 100

Raw score: 18 / 25

POST-PROGRAMME

84 / 100

Raw score: 21 / 25

+12 points

Overall wellbeing increased after the six-week programme.

Both scores sit above the 50-point depression-screening threshold; the 12-point rise exceeds the ~10% margin considered a meaningful change.

Overall Findings & Recommendations

A participant-level view of change from Week 0 to Week 6

Overall finding

All four measured outcomes moved in the favourable direction.

Depression: 16 → 4 | Anxiety: 28 → 14 | Stress: 16 → 12 | WHO-5: 72 → 84

Recommendations

1. Continue engagement with wellbeing activities that may support the improvements observed.
2. Place particular attention on ongoing anxiety-related support, as anxiety improved substantially but remained in the moderate range.
3. Encourage continued use of appropriate workplace wellbeing resources and support systems.

Important: These findings describe observed pre–post change for one participant; they do not establish that the programme alone caused the change.