

# HeartPRO — Google Ads API Tool

## Design Documentation for Developer Token (Basic Access) Application

Company: HeartPRO (P2A Tech) · Website: <https://heartpro.cloud> · Manager account (MCC): 605-725-2874 · Advertising account: 446-613-9201 · Contact: [adersonvitoria@gmail.com](mailto:adersonvitoria@gmail.com)

---

## 1. Overview

HeartPRO is a Brazilian B2B SaaS that provides a financial management platform (income statement/DRE, cash flow, accounts payable/receivable, sales, and PowerBI dashboards), sold by subscription at R\$199.90/month on the annual plan. To acquire new subscribers we run Google Ads Search campaigns. We are building an **internal tool** that uses the Google Ads API to manage and report on our **own single advertising account** (446-613-9201), operated under our manager account (605-725-2874). We do not manage third-party or client accounts.

## 2. Tool architecture

The tool is a web application (the “TráfegoPRO Console”) built with Next.js (React) and a PostgreSQL database, deployed on Vercel. Credentials are stored server-side and never exposed to the browser. The Google Ads integration lives in a single server module (`lib/google-ads.ts`):

- OAuth 2.0: the stored refresh token is exchanged for a short-lived access token at <https://oauth2.googleapis.com/token>.
- API calls are made server-to-server over REST to <https://googleads.googleapis.com> (v23), with the `developer-token` and `login-customer-id` headers.
- Access is restricted by an authenticated admin login (JWT in an `httpOnly` cookie); only internal employees use it.

## 3. How we use the Google Ads API

### 3.1 Reporting (read)

`GoogleAdsService.Search` (GAQL) pulls campaign, ad group, keyword and metrics data (impressions, clicks, cost, conversions, CTR, CPC, CPA, ROAS) to render reporting dashboards and to support weekly optimization decisions. Example query: *SELECT campaign.id, campaign.name, metrics.impressions, metrics.clicks, metrics.cost\_micros, metrics.conversions FROM campaign WHERE segments.date DURING LAST\_30\_DAYS.*

### 3.2 Campaign management (read & write)

The tool creates and edits our own campaigns using mutate operations on these services:

- `CampaignService` and `CampaignBudgetService` — create/update Search campaigns and daily budgets.
- `AdGroupService` — create/update ad groups.
- `AdGroupAdService` — create/update Responsive Search Ads (headlines and descriptions).
- `AdGroupCriterionService` — manage keywords (with match types) and negative keywords.
- Bidding strategy configuration (e.g. Maximize Clicks / Target CPA) on our own campaigns.

## 4. Workflow

An internal pipeline assists the team with paid-traffic launches: (1) keyword research, (2) competitor review, (3) media plan with CPA/ROAS targets, (4) measurement/tracking plan, (5) landing-page review, (6) ad copy (RSAs), (7) Search campaign blueprint, and (8) a pre-launch compliance audit. The resulting blueprint is then created in our own Google Ads account via the API mutate operations above, and the reporting module reads metrics back to monitor and optimize performance.

## 5. Data, access and scope

|                                                  |                                                                                             |
|--------------------------------------------------|---------------------------------------------------------------------------------------------|
| <b>Accounts accessed</b>                         | One — our own account 446-613-9201, via MCC 605-725-2874                                    |
| <b>Users</b>                                     | Internal employees only (authenticated admin login)                                         |
| <b>Operations</b>                                | Read (reporting) and write (create/edit our own campaigns)                                  |
| <b>Third-party accounts</b>                      | None — we do not manage client accounts                                                     |
| <b>App Conversion Tracking / Remarketing API</b> | Not used                                                                                    |
| <b>Data storage</b>                              | Configuration and run history in our own PostgreSQL DB; OAuth secrets stored server-side on |

We acknowledge the Google Ads API policies and will keep our API contact email up to date. This token is for managing our own advertising only.