

Experiment 5

AIM: Develop Academic Calendar & Leave Management System using Rich Controls, Session & Cookies

Source: default.aspx

Code:

```
<%@ Page Language="C#" AutoEventWireup="true"
    CodeBehind="default.aspx.cs"
    Inherits="Leave._default" %>
```

```
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Select Date</title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            <asp:Label
                ID="Label_username"
                runat="server"
                Text="Label">
            </asp:Label>
            <table>
                <!-- Calendar -->
                <tr>
                    <td>
                        <asp:Calendar
                            ID="cal"
                            runat="server">
```

```
BackColor="White"
BorderColor="Black"
DayNameFormat="Shortest"
Font-Names="Times New Roman"
Font-Size="10pt"
ForeColor="Black"
Height="220px"
NextPrevFormat="FullMonth"
TitleFormat="Month"
Width="400px"
OnSelectionChanged="cal_SelectionChanged">
<DayHeaderStyle
    BackColor="#CCCCCC"
    Font-Bold="True"
    Font-Size="7pt"
    ForeColor="#333333"
    Height="10pt" />
<DayStyle Width="14%" />
<NextPrevStyle
    Font-
    Size="8pt"
    ForeColor="White" />
<OtherMonthDayStyle
    ForeColor="#999999" />
<SelectedDayStyle
    BackColor="#CC3333"
    ForeColor="White" />
<SelectorStyle
    BackColor="#CCCCCC"
    Font-Bold="True"
```

```
        Font-Names="Verdana"
        Font-Size="8pt"
        ForeColor="#333333"
        Width="1%" />
<TitleStyle
    BackColor="Black"
    " Font-
    Bold="True"
    Font-Size="13pt"
    ForeColor="White"
    " Height="14pt"
/>

<TodayDayStyle
    BackColor="#CCCC99" />
</asp:Calendar>
</td>
</tr>
<!-- Selected Date -->
<tr>
    <td>
        <asp:Label
            ID="lbldata"
            runat="server"
            Text="No date selected yet.">
        </asp:Label>
    </td>
</tr>
<!-- Submit Button -->
<tr>
    <td>
```

```
<asp:Button
    ID="btnsubmit"
    runat="server"
    Text="Submit"
    OnClick="btnsubmit_Click" />
</td>
</tr>
</table>
</div>
</form>
</body>
</html>
```

default.aspx.cs:

```
using System;
using System.Web.UI; namespace
Leave
{
    public partial class _default : System.Web.UI.Page
    {
        protected void cal_SelectionChanged(object sender, EventArgs e)
        {
            DateTime selectedDate = cal.SelectedDate;
            lbldata.Text = "You selected: " + selectedDate.ToString("dd/MM/yyyy");
            Session["SelectedDate"] = selectedDate;
        }
        protected void btnsubmit_Click(object sender, EventArgs e)
        {
            // Redirect to leave.aspx
            Response.Redirect("leave.aspx");
        }
    }
}
```

Leave.aspx:

```
<%@ Page Language="C#" AutoEventWireup="true"
CodeBehind="leave.aspx.cs"
Inherits="Leave.leave" %>
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
<title>Leave Application</title>
</head>
<body>
<form id="form1" runat="server">
<div>
<table>
<tr>
<td>
<asp:Label
ID="Label1"
runat="server"
Text="Enter Employee Name :--">
</asp:Label>
</td>
<td>
<asp:TextBox
ID="TextBox1"
runat="server">
</asp:TextBox>
</td>
</tr>
<tr>
<td>
<asp:Label
ID="Label2"
runat="server"
Text="Enter Employee ID :--">
</asp:Label>
</td>
<td>
<asp:TextBox
ID="TextBox2"
runat="server">
```

```
</asp:TextBox>
</td>
</tr>
<tr>
<td>
<asp:Label
  ID="Label3"
  runat="server"
  Text="Your Selected Date :--">
</asp:Label>
</td>
<td>
<asp:Label
  ID="lblDate"
  "
  runat="server"
  ForeColor="Blue">
</asp:Label>
</td>
</tr>
<tr>
<td>
<asp:Label
  ID="Label4"
  runat="server"
  Text="Reason for Leave :--">
</asp:Label>
</td>
<td>
<asp:TextBox
  ID="TextBoxReason"
  runat="server"
  TextMode="MultiLine"
  Rows="3"
  Columns="30">
</asp:TextBox>
</td>
</tr>
<tr>
<td>
<asp:Label
  ID="Label5"
```

```
        runat="server"
        Text="Number of Days :--">
    </asp:Label>
</td>
<td>
    <asp:TextBox
        ID="TextBoxDays"
        runat="server">
    </asp:TextBox>
</td>
</tr>
<tr>
    <td colspan="2">
        <asp:Button
            ID="btnSave"
            runat="server"
            Text="Save Leave"
            OnClick="btnSave_Click" />
    </td>
</tr>
<tr>
    <td colspan="2">
        <asp:Label
            ID="lblResult"
            runat="server"
            ForeColor="#FF3300">
        </asp:Label>
    </td>
</tr>
</table>
</div>
<asp:Button
    ID="Button1"
    runat="server"
    Text="Logout"
    OnClick="btnLog_Out" />
</form>

</body>
</html>
```

Leave.aspx.cs:

```
using System;
using System.Web.UI;
namespace Leave
{
    public partial class leave : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
            // Protect page: redirect if not
            // logged in if (Session["UserName"]
            // == null)
            {
                Response.Redirect("login.aspx");
            }
            if (!IsPostBack)
            {
                if (Session["SelectedDate"] != null)
                {
                    DateTime selectedDate = (DateTime)Session["SelectedDate"];

                    lblDate.Text = selectedDate.ToString("dd/MM/yyyy");
                }
                else
                {
                    lblDate.Text =
                        "No date selected from previous page. Please run from default.aspx.";
                }
            }
        }
        protected void btnSave_Click(object sender, EventArgs e)
        {
            string empName = TextBox1.Text;
            string empId = TextBox2.Text;
            string reason =
                TextBoxReason.Text; string days
            = TextBoxDays.Text;

            if (Session["SelectedDate"] != null)
            {
                DateTime selectedDate = (DateTime)Session["SelectedDate"];
```

```
        lblResult.Text = $"Leave saved successfully!<br/>" +  
            $"Employee Name: {empName}<br/>" +  
            $"Employee ID: {empId}<br/>" +  
            $"Leave Date: {selectedDate:dd/MM/yyyy}<br/>" +  
            $"Reason: {reason}<br/>" +  
            $"Number of Days: {days}";  
    }  
    else  
    {  
        lblResult.Text = "Please select a date first.";  
    }  
}  
protected void btnLog_Out(object sender, EventArgs e)  
{  
    // Clear session and redirect to login  
    Session.Clear();  
    Session.Abandon();  
    Response.Redirect("login.aspx");  
}  
}
```

Login.aspx:

```
<%@ Page Language="C#" AutoEventWireup="true"  
    CodeBehind="login.aspx.cs"  
    Inherits="Leave.login" %>  
<!DOCTYPE html>  
<html xmlns="http://www.w3.org/1999/xhtml">  
<head runat="server">  
    <title>Login Page</title>  
</head>  
<body>  
    <form id="form1" runat="server">  
        <div style="text-align:center">  
            <h2>LOGIN FORM</h2>  
            <table cellpadding="8" align="center">  
                <tr>  
                    <td>  
                        User Name:  
                    </td>
```

```

        <td>
            <asp:TextBox
                ID="txtUserName"
                runat="server">
            </asp:TextBox>
        </td>
    </tr>
    <tr>
        <td>
            Password:
        </td>
        <td>
            <asp:TextBox
                ID="txtPassword"
                runat="server"
                TextMode="Password">
            </asp:TextBox>
        </td>
    </tr>
    <tr>
        <td colspan="2">
            <asp:CheckBox
                ID="chkRememberMe"
                runat="server"
                Text="Remember Me" />
        </td>
    </tr>
    <tr>
        <td colspan="2" style="text-align:center">
            <asp:Button
                ID="btnLogin"
                runat="server"
                Text="Login"
                OnClick="btnLogin_Click" />
        </td>
    </tr>
    <tr>
        <td colspan="2" style="text-align:center">
            <asp:Label
                ID="lblError"
                runat="server"

```

```
        ForeColor="Red">
    </asp:Label>
</td>
</tr>
</table>
</div>
</form>
</body>
</html>
```

Login.aspx.cs:


```
using System;
using System.Data.SqlClient;
using System.Web;
using System.Web.UI;
namespace Leave
{
    public partial class login : Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
            if (!IsPostBack)
            {
                if (Request.Cookies["UserName"] != null)
                {
                    txtUserName.Text = Request.Cookies["UserName"].Value;
                    chkRememberMe.Checked = true;
                }
            }
        }
        protected void btnLogin_Click(object sender, EventArgs e)
        {
            string username =
            txtUserName.Text.Trim(); string
            password = txtPassword.Text.Trim();
            if (username == "Student" && password == "1234")
            {
                Session["UserName"] = username;



                if (chkRememberMe.Checked)
                {

```

```
        HttpCookie cookie = new HttpCookie("UserName",
        username); cookie.Expires = DateTime.Now.AddDays(7); //
        valid for 7 days Response.Cookies.Add(cookie);
    }
    else
    {
        if (Request.Cookies["UserName"] != null)
        {
            Response.Cookies["UserName"].Expires
            = DateTime.Now.AddDays(-1);
        }
    }
    Response.Redirect("default.aspx");
}
else
{
    lblError.Text = "Invalid username or password.";
}
}
}
}
```

Output: Screenshot:





Github Link: https://github.com/adeshnonghanvadra-boop/.NET-Practical_5