Question 2/20

The effectiveness of an SVM depends upon:

- (●) All of the above
- ( ) Selection of Kernel
- ( ) Soft Margin Parameter C
- ( ) Kernel Parameters

< Previous Next >

owered by testportal

Question 3/20

Machine learning algorithms build a model based on sample data, known as .....

- ○ Data Training
- ● Training Data
- ○ Transfer Data
- ○ None of the above

‹ Previous Next ›

Next

Powered by testportal

Question 4/20

What are the three types of Machine Learning?

- ○ Unsupervised Learning
- ○ Supervised Learning
- ○ Reinforcement Learning
- ◉ All of the above

‹ Previous Next ›

Question 5/20

Bootstrapping allows us to choose the same training instance several times.

- ○ False
- ● True

‹ Previous Next ›

Question 6/20

How can you handle missing or corrupted data in a dataset?

- ○ Replace missing values with mean/median/mode
- ○ Drop missing rows or columns
- ◉ All of the above
- ○ Assign a unique category to missing values

‹ Previous Next ›

Question 7/20

Which of the following is not a supervised learning?

- PCA
- Linear Regression
- Naive Bayesian
- Decision Tree

‹ Previous Next ›

Question 8/20

..... is not a machine learning algorithm.

- rANDOM FOREST
- SVG
-) All of the above
- SVM

‹ Previous

Next ›

Next

Question 9/20

What is Machine learning?

- The selective acquisition of knowledge through the use of computer programs
- The autonomous acquisition of knowledge through the use of computer programs
- The autonomous acquisition of knowledge through the use of manual programs
- The selective acquisition of knowledge through the use of manual programs

‹ Previous

Next ›

Next

Powered by testportal

Question 10/20

_____ classifier is a lazy learner.

- Decision Tree
- Naive's bayes
- KNN
- svm

‹ Previous

Next ›

Next

owered by testportal

/DoTestQuestion.html#

Question 11/20

Machine learning is a subset of .....

- Artificial Intelligence
- Data Learining
- None of the above
- Deep Learning

< Previous Next >

Powered by testportal

Question 12/20

Choose the correct statement(s) for an imbalanced dataset classification problem.

I. Accuracy metric is not a good idea for imbalanced class problems.

II. Accuracy metric is a good idea for imbalanced class problems.

III. Precision and recall metrics are good for imbalanced class problems.

IV. Precision and recall metrics aren't good for imbalanced class problems.

- ○ IV and III
- ○ I and III
- ○ I ,II, 1IV
- ○ I and II

Next

< Previous Next >

Powered by testportal

Question 13/20

A feature F1 can take certain value: A, B, C, D, E, & F and represents grade of students from a college. Which of the following statement is true in following case?

- Feature F1 is an example of ordinal variable.
- Feature F1 is an example of nominal variable.
- None of these
- It doesn't belong to any of the above category.

‹ Previous Next ›

Powered by testportal

Question 14/20

The process of adjusting the weight is known as?

- (●) Learning
- ( ) Activation
- ( ) None of these
- ( ) Synchronization

‹ Previous Next ›

Powered by testportal

Question 15/20

Common classes of problems in machine learning is .....

- Clustering
- Regression
- Classification
- All of the above

‹ Previous

Next ›

Next

owered by testportal

/DoTestQuestion.html#

Question 16/20

What is the output of training process in machine learning?

- ○ Machine learning algorithm
- ○ Null
- ◉ Machine learning model
- ○ Accuracy

‹ Previous Next ›

owered by testportal

Question 17/20

..... algorithms enable the computers to learn from data, and even improve them without being explicitly programmed

- ○ None of the above
- ○ Deep Learning
- ○ Artificial Intelligence
- ◉ Machine Learning

‹ Previous Next ›

Powered by testportal

Question 17/20

..... algorithms enable the computers to learn from data, and even improve themselves, without being explicitly programmed

- ○ None of the above
- ○ Deep Learning
- ○ Artificial Intelligence
- ◉ Machine Learning

‹ Previous Next ›

Powered by testportal

ML - internal

testportal - online

Question 18/20

A Machine Learning technique that helps in detecting the outliers in data.

- Clustering
- Classification
- All of the above
- Anamoly Detection

< Previous

Next >

owered by testportal

Question 19/20

Among the following option identify the one which is not a type of learning

- Reinforcement Learning
- Supervised Learning
- Unsupervised Learning
- Semi unsupervised Learning

< Previous

Next >

Next

owered by testportal

ML - internal

testportal - onlin

Question 20/20

..... is a widely used and effective machine learning algorithm based on the idea of bagging.

- Random Forest
- Regression
- Decision Tree
- Classification

Previous

Submit

owered by testportal

Question 1/20

If machine learning model output involves target variable then that model is called as predictive model.

- (●) False
- ( ) True

‹ Previous Next ›

Question 2/20

The effectiveness of an SVM depends upon:

- All of the above
- Selection of Kernel
- Soft Margin Parameter C
- Kernel Parameters

‹ Previous Next ›

Question 3/20

Machine learning algorithms build a model based on sample data, known as .....

- Data Training
- Training Data
- Transfer Data
- None of the above

‹ Previous

Next ›

Next

Question 4/20

What are the three types of Machine Learning?

- ○ Unsupervised Learning
- ○ Supervised Learning
- ○ Reinforcement Learning
- ● All of the above

‹ Previous Next ›

Question 5/20

Bootstrapping allows us to choose the same training instance several times.

- ○ False
- ● True

‹ Previous Next ›

Powered by testportal

Question 6/20

How can you handle missing or corrupted data in a dataset?

- Replace missing values with mean/median/mode
- Drop missing rows or columns
- All of the above
- Assign a unique category to missing values

‹ Previous Next ›

Question 7/20

Which of the following is not a supervised learning?

- PCA
- Linear Regression
- Naive Bayesian
- Decision Tree

‹ Previous Next ›

Question 8/20

..... is not a machine learning algorithm.

- rANDOM FOREST
- SVG
-) All of the above
- SVM

‹ Previous

Next ›

Next

Question 9/20

What is Machine learning?

- The selective acquisition of knowledge through the use of computer programs
- The autonomous acquisition of knowledge through the use of computer programs
- The autonomous acquisition of knowledge through the use of manual programs
- The selective acquisition of knowledge through the use of manual programs

‹ Previous

Next ›

Next

Question 10/20

_____ classifier is a lazy learner.

- Decision Tree
- Naive's bayes
- KNN
- svm

‹ Previous

Next ›

Question 11/20

Machine learning is a subset of .....

- Artificial Intelligence
- Data Learining
- None of the above
- Deep Learning

< Previous

Next >

Powered by testportal

Question 12/20

Choose the correct statement(s) for an imbalanced dataset classification problem.


I. Accuracy metric is not a good idea for imbalanced class problems.

II. Accuracy metric is a good idea for imbalanced class problems.

III. Precision and recall metrics are good for imbalanced class problems.

IV. Precision and recall metrics aren't good for imbalanced class problems.

- ○ IV and III
- ○ I and III
- ○ I ,II, 1IV
- ○ I and II



< Previous Next >

Powered by testportal

Question 13/20

A feature F1 can take certain value: A, B, C, D, E, & F and represents grade of students from a college. Which of the following statement is true in following case?

- Feature F1 is an example of ordinal variable.
- Feature F1 is an example of nominal variable.
- None of these
- It doesn't belong to any of the above category.

‹ Previous Next ›

Powered by testportal

Question 14/20

The process of adjusting the weight is known as?

- Learning
- Activation
- None of these
- Synchronization

< Previous Next >

Powered by testportal

Question 15/20

Common classes of problems in machine learning is .....

- Clustering
- Regression
- Classification
- All of the above

‹ Previous

Next ›

Next

Powered by testportal

am/DoTestQuestion.html#

Question 16/20

What is the output of training process in machine learning?

- Machine learning algorithm
- Null
- Machine learning model
- Accuracy

‹ Previous Next ›

Question 17/20

..... algorithms enable the computers to learn from data, and even improve then without being explicitly programmed

- ○ None of the above
- ○ Deep Learning
- ○ Artificial Intelligence
- ◉ Machine Learning

‹ Previous Next ›

Powered by testportal

Question 17/20

..... algorithms enable the computers to learn from data, and even improve themselves, without being explicitly programmed

- ○ None of the above
- ○ Deep Learning
- ○ Artificial Intelligence
- ● Machine Learning

‹ Previous Next ›

Powered by testportal

Question 18/20

A Machine Learning technique that helps in detecting the outliers in data.

- ○ Clustering
- ○ Classification
- ○ All of the above
- ◉ Anamoly Detection

‹ Previous Next ›



Powered by testportal

Question 19/20

Among the following option identify the one which is not a type of learning

- ○ Reinforcement Learning
- ○ Supervised Learning
- ○ Unsupervised Learning
- ● Semi unsupervised Learning

< Previous

Next >

Next

Powered by testportal

ML - internal

testportal - online

Question 20/20

. ..... is a widely used and effective machine learning algorithm based on the idea of bagging.

- Random Forest
- Regression
- Decision Tree
- Classification

< Previous

Submit

Powered by testportal