

# PAYMENT ADVICE

**Dandy Company Ltd**

Street 2, Gate No. 160

P.O. BOX: Doha Qatar

Email



G/L Account : 109633

Paym Date: 15.02.2024

Doc.No: 2460000042

Payment Method :

Exch.rate:

Remarks: BALANCE PAY AGAINST PUR. OF PURGING COMPOUND

Ref. Doc. No	Posting Date	DC Type	Sup. Doc. No	Sup. Doc. Date	Currency	Doc Amount	Adjustment	Pay. Amount
2460000042	15.02.2024	SA	2460000042	15.02.2024	AED	1,538.00		1,538.00
<b>Total</b>					AED	1,538.00	0.00	1,538.00
Bank Name		A/C No.		Cheque No	Cheque Date	Currency	Amount	Remarks
						AED	1,538.00	

Amount in Words : Dirham One Thousand Five Hundred Thirty-Eight Only

15/02/2024  
Created

Dhyan  
15/02/2024  
Verified

Authorised

## Receiver's Details

Kindly Acknowledge the receipts

Name :

Signature :

## Payment Request Approvals

Pay. Req. Ref	PR Date	Creator	Level 1	Level 2	Level 3	Level 4	Level 5

## PAYMENT ADVICE

Premier Plastic Production Company

Gate No. 157, Street No 2,

P.O. BOX: 6983 Doha Qatar

Email



**PAYEE NAME :**

20304653

**Paym Date:**

Doc.No: 2434000110

TAWAZON CHEMICAL COMPANY LLC

**Payment Method :**

DANNAT AL KHALEEJ BUILDING - 301

**Exch.rate:**

DUBAI-Ajman

**Remarks:** BALANCE PAY AGAINST PUR. OF PURGING COMPOUND

info@tawazon.ae

Ref. Doc. No	Posting Date	DC Type	Sup. Doc. No	Sup. Doc. Date	Currency	Doc Amount	Adjustment	Pay. Amount
2311001007	31.12.2023	AB	CLEARING	31.12.2023	QAR	1,580.29		1,580.29
<b>Total</b>					QAR	1,580.29	0.00	1,580.29
Bank Name		A/C No.		Cheque No	Cheque Date	Currency	Amount	Remarks
						AED	1,580.29	

**Amount in Words :** Qatari Riyal One Thousand Five Hundred Eighty and 29/100 Dirham Only

*y  
15/02/2024*

Created

Verified

Authorised

### Receiver's Details

Kindly Acknowledge the receipts

Name :

Signature :

### Payment Request Approvals

Pay. Req. Ref	PR Date	Creator	Level 1	Level 2	Level 3	Level 4	Level 5

50% Adv paid

Doc. Type :	RE ( Invoice - Gross )	Normal document
Doc. Number	2351001244	Company Code 1101
Doc. Date	11.12.2023	Posting Date 11.12.2023
Calculate Tax	<input type="checkbox"/>	Fiscal Year Period 2023 12
Ref.Doc.	INV#23402578	
Doc. Currency	AED	
Doc. Hdr Text	PO#5110101531	

Item	PK	Account	Short Text	Assignment	Tax	Amount	Text
1	31	20304653	TAWAZON CHEMICAL COM	INV#23402578	V0	3,076.00-	Purging Compound 800 ML Tawazon Chemical
2	86	208100	GR/IR Raw Mat-Direct	23510012442023	V0	3,076.00	Purging Compound 800 ML Tawazon Chemical

## **GOODS RECEIPT**



Plant Name	: Premier Plastic Company	GR Number	: 5000048424
Plant Code	: 1110	Doc. Date	: Dec 11, 2023
Vendor	: 0020304653	Pstng Date	: Dec 11, 2023
Vendor Name	: TAWAZON CHEMICAL COMPANY LLC	GR/GI slip number	:
Reference Doc	: 5110101531		
Purchasing Group	: 104		
Pur. Grp Desc	: General		
Telephone No	:		
Delivery Note	: 100280116300003		
Port Of Landing	:		
Comments	:		

Item	Material	Material Description	Stor. Loc	Batch	Mvt. Type	Spl ind	Asset	Cost Center	Qty	Unit	Remarks
0001	100000959	PURGING COMPOUND 800ML	PP11		101				20	PC	

5109650258



## GOODS RECEIPT



Plant Name : Premier Plastic Company  
 Plant Code : 1110  
 Vendor : 0020304653  
 Vendor Name : TAWAZON CHEMICAL COMPANY LLC  
 Reference Doc : 5110101531

Purchasing Group : 104  
 Pur. Grp Desc : General  
 Telephone No :

Delivery Note : 100280116300003  
 ⚡ Of Landing :  
 Comments :

Item	Material	Material Description	Stor. Loc	Batch	Mvt. Type	Spl ind	Asset	Cost Center	Qty	Unit	Remarks
0001	100000959	PURGING COMPOUND 800ML	PP11		101				80	PC	

TAWAZON CHEMICAL COMPANY LLC.

TAWAZON



شركة توازن الكيميائية (مذموم)

Tax Registration No: 10028011630003


## EXPORT INVOICE

Bill To:	DANDY COMPANY LTD GATE : 160, STREET NO. 2, INDUSTRIAL AREA, DOHA, QATAR PH.NO : +974-44-603600	Ship To:	DANDY COMPANY LTD GATE : 160, STREET NO. 2, INDUSTRIAL AREA, DOHA, QATAR PH.NO : +974-44-603600		
Tax Registration No. Emirates					
Invoice Number	: 28402378	Invoice Date	: 02-Nov-23		
Order Number	:	Order Type	: Plastic Sales Order		
Order Date	:	PO Number	: 3110303331		
Ship Via	:	Terms	: 50% ADV/50% 60 Days		
Sales Person	: PRATEEK	DD. Number			
<b>NOTES:</b> BASIS: DAP Qatar by Land Courier [ BY LAND ] BANK : EMIRATES NBD BANK PJSC - AL-SOUK BRANCH,P.O. BOX 11954 ACCOUNT NO: 101-10954872-01 SWIFT CODE : EBNABAD IBAN # AE300250001011095487201					
Item	Description	Origin	Invoice Qty. (KGS)	Unit Price (AED)	Amount (AED)
1	PURGING COMPOUND ULTRA PLAST PO-CS HS CODE : 34054000	Switzerland	80.00	38.450	3076.00
MANUFACTURER: Ultra System S.A.				Total (AED)	3076.00

PO BOX: 52161, Dubai - UAE  
T: +971 4 336 8230  
F: +971 4 336 7357



ص.ب: ٥٢١٦١، دبي، ا.ع.م  
الهاتف: +٩٧١ ٤ ٣٣٦ ٨٢٣  
فاكس: +٩٧١ ٤ ٣٣٦ ٧٥٧



TAWAZON CHEMICAL COMPANY LLC.



شركة توازن الكيماينيات (ش.م.م.)

PACKING LISTCONSIGNEE:

DANDY COMPANY LTD  
GATE : 150, STREET NO. 2,  
INDUSTRIAL AREA,  
DOHA,  
QATAR  
PH.NO : +974-44-803600

NOV 02, 2023  
INV.NO. 23402578

P.O. NO.: 5110101531

SL. NO.	DESCRIPTION OF GOODS	PACKING	QUANTITY NET(KGS)	QUANTITY GROSS(KGS)
1	PURGING COMPOUND ULTRA PLAST PO-CS	04 PAIL X 20 KG	80.00	93.00
			80.00	93.00
NET WEIGHT : 80.00 KGS				
GROSS WEIGHT : 93.00 KGS				
NO. OF PACKAGE : 01 PALLET				

FOR TAWAZON CHEMICAL COMPANY L.L.C.



PO BOX: 52161, Dubai - UAE  
T: +971 4 336 8230  
F: +971 4 336 7357



1. SHIPPER TAWAZON CHEMICAL COMPANY (LLC.) PO BOX: 52181 DUBAI TEL:04-3368230 FAX:04-3367357 UNITED ARAB EMIRATES		UNITED ARAB EMIRATES	دولة الإمارات العربية المتحدة
2. CONSIGNEE(NAME,ADDRESS,COUNTRY) DANDY COMPANY LTD GATE : 160, STREET NO. 2, INDUSTRIAL AREA, DOHA STATE OF QATAR		<h1 style="text-align: center;">غرفة دبي</h1> <h2 style="text-align: center;">DUBAI CHAMBER</h2> <p style="text-align: center;">شهادة الصناعة</p>	
		<p style="text-align: center;">Certificate of Origin</p> <p style="text-align: center;">Certificate No. 23081602 Date 13-NOV-2023</p> <p style="text-align: center;"><b>ORIGINAL</b></p>	
3. Means of Transport: Vessel's Name/Flight No. By Land	4. Estimated Date of Departure	5. Port of Discharge	6. Country of Final Destination State of Qatar
7. Invoice No. and Date 23402578, 02-NOV-2023	8. Country of Origin of Goods (Switzerland)	9. Marks & Numbers العلامات والرقم	
10. عدد ونوع التعبئة، وصف البضاعة ( اسماء الملకات با ائم الامر ) No. and Kind of Packages, Description of Goods (Include Brand Names If Necessary)		11. الكمية والوحدة Quantity & Unit	
As per the attached invoice End of Description			
<b>12. CERTIFICATION BY THE COMPETENT AUTHORITY</b> <p>We hereby certify that evidence has been produced to satisfy us that the goods specified above originate in / were processed in the country shown in box 8. This Certificate is, therefore, issued and certified to the best of our knowledge and belief to be correct and without any liability on our part.</p> <p><i>[Signature]</i></p> <p>Authorized Signatory الممثل بالتوقيع</p> <p>Once this Certificate is issued, it shall be invalid should any alteration be made to this Certificate, without the competent Authority's authorization.</p>			
<p style="text-align: right;">تصنيف جهة الإصدار</p> <p>نتد به قد تم تقديم الأدلة بأن البضاعة المذكورة أعلاه منقولة / تصنيعها في البلد الموضح في الخلية 8، وبالتالي فإن هذه الشهادة قد تم إصدارها والتصديق عليها حسب معرفتنا وأعتقدنا بسلامتها دون أي مسؤولية علينا.</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>INTERNATIONAL CHAMBER OF COMMERCE CERTIFICATE OF ORIGIN Accredited Chamber   AL12901m</p> </div> <div style="text-align: center;"> <p>دبي التجارية غرفة DUBAI CHAMBER CERTIFICATE OF ORIGIN Dubai Chamber of Commerce &amp; Industry</p> </div> </div> <p>يمجد إصدار هذه الشهادة فإن أي تغيير فيها دون إذن من جهة الإصدار يجعلها لاغية.</p>			
<p>لذلك من سمعة الشهادة يمكن زيارة أحد المراكز التجارية For online verification of this certificate, please visit:  <a href="http://www.dubai-chamber.com/verify">http://www.dubai-chamber.com/verify</a>          Verify ID: 48c7f633d8c024938803214558  <a href="https://certificates.iccwbo.org/">https://certificates.iccwbo.org/</a></p>			



Trade name: ULTRA PLAST PO-CS

Issue 1/23 of 13/02/2023

Page: 1/5

## Safety data sheet

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: ULTRA PLAST PO-CS

Registration number (UFI): Non-applicable

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Application of the substance / the mixture: PURGING COMPOUND FOR PLASTIC PROCESSING

Uses advised against: Not determined

#### 1.3 Details of the supplier of the safety data sheet:

Details of the supplier of the safety data sheet/Manufacturer/Supplier:

ULTRA SYSTEM S.A.

RUE DE L'ANCIENNE POINTE 30, 1920 MARTIGNY, SWITZERLAND

PHONE: +41275553857 E-MAIL : INFO@ULTRASYSTEM.CH WEB :WWW.ULTRASYSTEM.CH

1.4 Emergency telephone number: +41 27 7226271

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

#### 2.2 Label elements:

CLP Regulation (EC) No 1272/2008: None

#### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixtures:

Chemical description: Mixture of substances

Mixture, composed of a polymer or copolymer and of substances below the applicable classification limits or not dangerous. These components are considered as confidential information. All components are GRAS qualified (Generally Recognized As Safe) by FDA and registered under REACH.

#### 3.3 Dangerous components:

Not applicable

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General information: No special measures required.

After inhalation: Dust or gas/vapours released by heat: move the affected person away from the contaminated area into fresh air; seek medical assistance.

After skin contact: In case of contact with melted material, cool down with cold water and seek medical assistance. Do not remove the product that solidified on skin. Treat as a burn.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: No specific measure requested in case of ingestion. If needed seek medical assistance.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing agents: Water, water spray, foam, dry chemicals, carbon dioxide.

For safety reasons unsuitable extinguishing agents: Water with full jet

#### 5.2 Special hazards arising from the substance or mixture:

Combustion products: carbon dioxide, carbon monoxide (when starved of air)



Trade name: ULTRA PLAST PO-CS

Issue 1/23 of 13/02/2023

Page: 2/5

## Safety data sheet

/ oxygen), and possible unburned hydrocarbons. Overheating/pyrolysis may evolve vapours made up of monomers, low molecular weight polymers and their oxidation products.

### 5.3 Advice for firefighters:

**Protective equipment:** Wear suitable protective clothing (helmet, goggles, fire resistant gloves, boots) and protect respiratory organs (self contained breathing apparatus).  
**Additional information:** The product is combustible. Cool endangered receptacles with water spray.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:	Do not walk on granules to avoid slipping
6.2 Environmental precautions:	Do not allow product to reach sewage system or any water course.
6.3 Methods and material for containment and cleaning up:	Collect by mechanical means. Dispose of the material collected according to regulations.
6.4 Reference to other sections:	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. For information on disposal of contaminated material, see section 13. No dangerous substances are released.

### SECTION 7: Handling and storage

7.1 Precautions for safe handling:	During the processing of the product, avoid inhalation of fumes or powders, by providing good ventilation of the workroom and, if necessary, by a suitable exhaust system. <b>Handling:</b> Information about fire - and explosion protection: Avoid dispersion of dust in air to reduce potential for ignition or explosion.
7.2 Conditions for safe storage, including any incompatibilities:	<b>Storage:</b> Requirements to be met by storerooms and receptacles: Not required Information about storage in one common storage facility: Not required Further information about storage conditions: In storage and working areas avoid spilling as a possible cause of slipping. Product should be stored in a safe manner, to avoid danger from unstable or damaged packaging units (octabins/bags/boxes on pallet). In particular, stacking of packaged units can be dangerous to warehouse personnel. Store out of direct sunlight, in well ventilated, cool and dry place.
7.3 Specific end use(s):	No further relevant information available.

### SECTION 8: Exposure controls/personal protection

8.1 Control parameters:	Additional information about design of technical facilities: No further data; see item 7. Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
8.2 Exposure controls:	<b>General protective and hygienic measures:</b> Work rooms must be provided with adequate ventilation and exhaust equipment to collect dust and gas/vapours that may be evolved during the conversion. <b>Suitable technical controls:</b> Ensure good ventilation / exhaustion at the workplace. <b>Personal protection measures:</b> The personal protective equipment will vary according to the possible exposure and danger of working conditions. <b>Respiratory protection:</b> The personal protective equipment will vary