

HTML PRACTICAL REVISION

@adfarsirofficial

15 Scenario-Based Questions + Reference Solutions

Class Goal

Revise the HTML concepts covered so far through practical, real-world tasks. Difficulty increases from HTML boilerplate and formatting to semantic layouts, lists, images, paths, CSS-assisted structure, dialog and a final integrated challenge.

Instructor copy: Solutions are reference implementations. Equivalent valid HTML structures may also be correct.

BASIC

Q1. Build the HTML Foundation

You have joined a startup called CampusKart as a trainee developer. Your first task is to create the base HTML page for its website. Create a complete HTML5 document with the browser tab title “CampusKart - Student Marketplace”. Add UTF-8 character encoding, a useful page description, relevant keywords, a mobile-friendly viewport, and a stylesheet named style.css. In the body, display “Welcome to CampusKart” as the main heading and a short introductory paragraph.

Reference Answer - VS Code Theme

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="description" content="CampusKart student marketplace">
  <meta name="keywords" content="students, marketplace, campus">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>CampusKart - Student Marketplace</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <h1>Welcome to CampusKart</h1>
  <p>A marketplace built for college students.</p>
</body>
</html>
```

Q2. Create a College Notice Page

Your college wants a simple HTML notice page for an upcoming coding workshop. Set a light background color and a readable text color for the page. Display the workshop name using a heading, the date and venue in separate lines, and highlight “Registration closes tomorrow” with appropriate importance and emphasis. Show the original fee ■499 as deleted and the new fee ■299 as inserted. Also display “Limited Seats” using underlined text.

Reference Answer - VS Code Theme

```
<!DOCTYPE html>
<html>
<head><title>Coding Workshop</title></head>
<body bgcolor="#FFF8E7" text="#222222">
  <h1>Web Development Coding Workshop</h1>
  <p>Date: 18 September 2026<br>Venue: Seminar Hall</p>
  <p><strong>Registration closes tomorrow.</strong></p>
  <p><em>Please register before the deadline.</em></p>
  <p>Fee: <del>■499</del> <ins>■299</ins></p>
  <p><u>Limited Seats</u></p>
</body>
</html>
```

Q3. Format a Science Learning Note

You are building a small science learning page for school students. Create content that correctly displays the formulas H_2O , CO_2 , $x^2 + y^2$, and 10^3 . Add a paragraph containing an important warning in bold/strong formatting and an emphasized note in italic/emphasis formatting. Include one example of smaller text for a disclaimer and demonstrate the legacy big text element for comparison.

Reference Answer - VS Code Theme

```
<!DOCTYPE html>
<html>
<body>
  <h1>Science Learning Note</h1>
  <p>Water:  $\text{H}_2\text{O}$ </p>
  <p>Carbon dioxide:  $\text{CO}_2$ </p>
  <p> $x^2 + y^2$ </p>
  <p> $10^3 = 1000$ </p>
  <p><strong>Warning: Never mix chemicals without supervision.</strong></p>
  <p><em>Note: Read the experiment instructions first.</em></p>
  <small>For educational use only.</small>
  <p><big>Legacy big text example</big></p>
</body>
</html>
```

Q4. Build a Student Roadmap

A learning platform wants to show a student's Full Stack Development roadmap. Create an ordered list that begins from step 3 and contains HTML, CSS, JavaScript, React, and Node.js. Create another ranking list that displays the same five items in reverse numbering. Under JavaScript, add a nested ordered list containing Variables, Functions, Arrays, and DOM. Below it, add an unordered list of tools: VS Code, Git, GitHub, and Chrome DevTools.

Reference Answer - VS Code Theme

```
<!DOCTYPE html>
<html>
<body>
  <h1>Full Stack Development Roadmap</h1>
  <ol start="3">
    <li>HTML</li><li>CSS</li>
    <li>JavaScript
      <ol>
        <li>Variables</li><li>Functions</li>
        <li>Arrays</li><li>DOM</li>
      </ol>
    </li>
    <li>React</li><li>Node.js</li>
  </ol>

  <h2>Reverse Ranking</h2>
  <ol start="5" reversed>
    <li>HTML</li><li>CSS</li><li>JavaScript</li>
    <li>React</li><li>Node.js</li>
  </ol>

  <ul>
    <li>VS Code</li><li>Git</li>
    <li>GitHub</li><li>Chrome DevTools</li>
  </ul>
</body>
</html>
```

Q5. Build an FAQ and Code Example Section

Reference Answer - VS Code Theme

[illegible]

Q6. Create a Semantic News Article

You are working for a digital news website. Build the HTML structure for an article page containing a website header, navigation area, main article, related-news sidebar, and footer. The article must contain a title, publication information, two paragraphs, and one image with a meaningful caption. Do not use generic containers for sections that have a suitable semantic HTML element.

Reference Answer - VS Code Theme

```
<!DOCTYPE html>
<html>
<body>
  <header>
    <h1>Daily Tech News</h1>
    <nav>Home | Technology | AI | Startups</nav>
  </header>

  <main>
    <article>
      <h2>Students Build New Campus App</h2>
      <p><small>Published: 18 September 2026</small></p>
      <figure>
        
        <figcaption>Students presenting their prototype.</figcaption>
      </figure>
      <p>The student team created an application for campus services.</p>
      <p>The first version focuses on events and student communication.</p>
    </article>

    <aside>
      <h2>Related News</h2>
      <p>AI workshop announced for first-year students.</p>
    </aside>
  </main>

  <footer><p>© 2026 Daily Tech News</p></footer>
</body>
</html>
```

Q7. Build a Netflix-Style Header Structure

You are asked to create the HTML structure of a simplified Netflix-style landing page header. The page should contain a brand/logo area, navigation options Home, TV Shows, Movies, and My List, and a main hero section containing a heading, description, and two action labels: Play and More Info. Use semantic layout elements wherever appropriate and use generic containers only where no suitable semantic element exists.

Reference Answer - VS Code Theme

```
<!DOCTYPE html>
<html>
<body>
  <header>
    <div><strong>NETFLIX</strong></div>
    <nav>
      <span>Home</span> |
      <span>TV Shows</span> |
      <span>Movies</span> |
      <span>My List</span>
    </nav>
  </header>

  <main>
    <section>
      <h1>Stranger Things</h1>
      <p>A group of friends uncover supernatural mysteries.</p>
      <div>
        <strong>Play</strong>
        <span>More Info</span>
      </div>
    </section>
  </main>
</body>
</html>
```


Q8. Create a Developer Profile Card

A coding community needs a developer profile component. Create a section containing a profile image located at `images/adfar-profile.jpg`, the developer name “Adfar Rashid”, the role “Full Stack Developer & Educator”, and a short bio. The image must have useful alternative text. Semantically associate the image with a caption. Use inline text containers to separately identify the developer’s primary skill “MERN Stack” and experience “5+ Years”. Add reasonable internal spacing to the card.

Reference Answer - VS Code Theme

```
<!DOCTYPE html>
<html>
<head>
  <style>
    .card { padding: 24px; border: 1px solid #ccc; width: 360px; }
    .meta { padding: 8px 0; }
  </style>
</head>
<body>
  <section class="card">
    <figure>
      
      <figcaption>Developer Profile</figcaption>
    </figure>
    <h1>Adfar Rashid</h1>
    <h2>Full Stack Developer & Educator</h2>
    <p>I teach practical software development to students.</p>
    <p class="meta">
      Skill: <span>MERN Stack</span><br>
      Experience: <span>5+ Years</span>
    </p>
  </section>
</body>
</html>
```

Q9. Build a Restaurant Menu

You are working on a restaurant website called Kashmiri Kitchen. Create a menu section with three categories: Starters, Main Course, and Desserts. Each category must have at least three items. Use nested lists where appropriate. Mark one unavailable item using deleted/struck text and show its replacement as inserted text. Display one chef recommendation with strong importance and one note with emphasis.

Reference Answer - VS Code Theme

```
<!DOCTYPE html>
<html>
<body>
  <h1>Kashmiri Kitchen</h1>
  <h2>Menu</h2>
  <ul>
    <li>Starters
      <ul><li>Soup</li><li>Kebab</li><li>Paneer Tikka</li></ul>
    </li>
    <li>Main Course
      <ul>
        <li><strong>Chef Recommendation: Kashmiri Dum Aloo</strong></li>
        <li>Rajma Rice</li>
        <li><del>Veg Biryani</del> <ins>Kashmiri Pulao</ins></li>
      </ul>
    </li>
    <li>Desserts
      <ul><li>Phirni</li><li>Gulab Jamun</li><li>Kheer</li></ul>
    </li>
  </ul>
  <p><em>Note: Please ask the staff about today's availability.</em></p>
</body>
</html>
```

Q10. Build an Image Gallery with Correct Paths

You are building a travel website whose HTML file is inside a pages folder. Three local images are stored in assets/images at the project root: dal-lake.jpg, gulmarg.jpg, and pahalgam.jpg. Create a gallery that displays all three using correct relative paths. Each image must have meaningful alternative text and a visible caption. Also add one image using a valid absolute web URL. Organize the gallery semantically.

Reference Answer - VS Code Theme

```
<!-- Project:
project/
  assets/images/dal-lake.jpg
  assets/images/gulmarg.jpg
  assets/images/pahalgam.jpg
  pages/gallery.html
-->
<!DOCTYPE html>
<html>
<body>
  <main>
    <h1>Explore Kashmir</h1>

    <figure>
      
      <figcaption>Dal Lake</figcaption>
    </figure>

    <figure>
      
      <figcaption>Gulmarg</figcaption>
    </figure>

    <figure>
      
      <figcaption>Pahalgam</figcaption>
    </figure>

    <figure>
      
      <figcaption>Travel inspiration from an absolute URL</figcaption>
    </figure>
  </main>
</body>
</html>
```

Q11. Build a Product Article with Background and Colors

An e-commerce company wants a promotional product page. Set an appropriate page background image using the legacy HTML body background attribute and choose readable page text/background colors. Add a product heading, product image, description, old price, new price, and a small terms-and-conditions note. Use appropriate formatting elements to communicate old price, new price importance, and the smaller disclaimer.

Reference Answer - VS Code Theme

```
<!DOCTYPE html>
<html>
<body background="images/pattern.jpg" bgcolor="#F5F5F5" text="#222222">
  <main>
    <h1>Wireless Headphones</h1>
    <figure>
      
      <figcaption>Noise-cancelling wireless headphones</figcaption>
    </figure>
    <p>Comfortable headphones for work and travel.</p>
    <p>Old Price: <del>■4,999</del></p>
    <p><strong>New Price: ■2,999</strong></p>
    <small>Terms and conditions apply. Offer may change.</small>
  </main>
</body>
</html>
```

Q12. Build a Scrollable Course Curriculum

An online learning platform has a long curriculum. Create a section titled “Full Stack Curriculum” containing at least 15 lessons in a list. The list area should have a fixed height and become vertically scrollable when the content exceeds that height. Below the curriculum, create pagination showing 1, 2, 3, 4, 5 using a list structure. Use HTML for the structure and internal CSS for the scrolling and pagination presentation.

Reference Answer - VS Code Theme

```
<!DOCTYPE html>
<html>
<head>
  <style>
    .curriculum {
      height: 180px;
      overflow-y: auto;
      padding: 12px;
      border: 1px solid #999;
    }
    .pagination { list-style: none; padding: 0; }
    .pagination li { display: inline-block; padding: 8px; }
  </style>
</head>
<body>
  <section>
    <h1>Full Stack Curriculum</h1>
    <ol class="curriculum">
      <li>HTML Basics</li><li>Semantic HTML</li><li>Forms</li>
      <li>CSS Basics</li><li>Flexbox</li><li>Grid</li>
      <li>Responsive Design</li><li>JavaScript Basics</li>
      <li>Functions</li><li>Arrays</li><li>DOM</li>
      <li>React</li><li>Node.js</li><li>Express</li><li>MongoDB</li>
    </ol>
    <ul class="pagination">
      <li>1</li><li>2</li><li>3</li><li>4</li><li>5</li>
    </ul>
  </section>
</body>
</html>
```

Q13. Create a Course Information Dialog

A course website needs an enrollment information popup. Create a page containing course information and a dialog that is visible when the page loads. The dialog should contain the title "Before You Enroll", two important points in a list, and a Close button. Include a small script that closes the dialog when the button is clicked. Keep the page structure semantic and place the script appropriately.

Reference Answer - VS Code Theme

```
<!DOCTYPE html>
<html>
<body>
  <header><h1>Full Stack Development Course</h1></header>
  <main>
    <article>
      <h2>Learn Web Development</h2>
      <p>Build practical projects from HTML to full stack applications.</p>
    </article>

    <dialog open id="enrollDialog">
      <h2>Before You Enroll</h2>
      <ul>
        <li>Attend classes regularly.</li>
        <li>Complete practical assignments.</li>
      </ul>
      <button onclick="document.getElementById('enrollDialog').close()">Close</button>
    </dialog>
  </main>

  <script>
    // The dialog starts visible because it has the open attribute.
  </script>
</body>
</html>
```

Q14. Design a Mini Tech Blog Page

You are building the first version of a tech blog. Create a complete HTML page with proper head metadata and a linked stylesheet. In the body, include a header with navigation, a main area containing two separate articles, an aside containing "Popular Topics", and a footer. Each article must contain a heading, paragraph, image with caption, and at least one correctly formatted technical term or code sample. One image must use a relative path and another an absolute URL.

Reference Answer - VS Code Theme

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="description" content="A beginner-friendly technology blog">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>DevDaily Tech Blog</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <header>
    <h1>DevDaily</h1>
    <nav>Home | Web Development | AI</nav>
  </header>

  <main>
    <article>
      <h2>Why Semantic HTML Matters</h2>
      <figure>
        
        <figcaption>Semantic page structure</figcaption>
      </figure>
      <p>Elements such as <code>&lt;article&gt;</code> describe meaning.</p>
    </article>

    <article>
      <h2>Learning Web Development</h2>
      <figure>
        
        <figcaption>A developer workspace</figcaption>
      </figure>
      <p>Start with <strong>HTML fundamentals</strong> before frameworks.</p>
    </article>

    <aside>
      <h2>Popular Topics</h2>
      <ul><li>HTML</li><li>CSS</li><li>JavaScript</li></ul>
    </aside>
  </main>

  <footer><p>© 2026 DevDaily</p></footer>
</body>
</html>
```

CHALLENGE

Q15. Final Revision Challenge - Student Learning Portal

You have been hired to create the HTML prototype of a student learning portal called CodeCampus. Build one complete page that demonstrates everything needed for a meaningful first prototype: correct HTML document structure and head information, semantic page layout, navigation, headings and paragraphs, text formatting, a learning roadmap using nested ordered/unordered lists, at least two images with meaningful alternative text and captions, correct relative paths, a sidebar, a code example, a visible course notice dialog, and a footer. Add simple internal CSS for colors, spacing, a scrollable resource list, and list-based pagination. Use a small script to close the dialog. The final page should be logically structured and readable in Chrome.

Reference Answer - VS Code Theme

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="description" content="CodeCampus student learning portal">
  <meta name="keywords" content="coding, students, web development">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>CodeCampus - Learn to Build</title>
  <style>
    body { font-family: Arial, sans-serif; background: #f6f7fb; color: #222; }
    header, main, footer { padding: 20px; }
    nav span { padding: 8px; }
    .resources { height: 120px; overflow-y: auto; padding: 12px; border: 1px solid #aaa; }
    .pagination { list-style: none; padding: 0; }
    .pagination li { display: inline-block; padding: 8px; }
  </style>
</head>
<body>
  <header>
    <h1>CodeCampus</h1>
    <nav><span>Home</span><span>Courses</span><span>Resources</span></nav>
  </header>

  <main>
    <article>
      <h2>Full Stack Learning Path</h2>
      <p><strong>Build fundamentals first.</strong> <em>Practice every day.</em></p>

      <ol>
        <li>HTML
          <ul><li>Structure</li><li>Semantics</li><li>Images</li></ul>
        </li>
        <li>CSS</li><li>JavaScript</li>
      </ol>

      <figure>
        
        <figcaption>Learning HTML fundamentals</figcaption>
      </figure>

      <figure>
        
        <figcaption>Practice through projects</figcaption>
      </figure>

      <h3>Code Example</h3>
      <pre><code>&lt;h1&gt;Hello CodeCampus&lt;/h1&gt;</code></pre>

      <h3>Resources</h3>
      <ul class="resources">
        <li>HTML Boilerplate</li><li>Head Section</li><li>Meta Tags</li>
        <li>Body Elements</li><li>Semantic HTML</li><li>Lists</li>
        <li>Images</li><li>Paths</li><li>Formatting</li><li>DOM Structure</li>
      </ul>

      <ul class="pagination"><li>1</li><li>2</li><li>3</li></ul>
```



```
</article>

<aside>
  <h2>Revision Tip</h2>
  <p>Read the requirement first, then choose the HTML element.</p>
</aside>

<dialog open id="notice">
  <h2>Course Notice</h2>
  <p><strong>Complete today's revision challenge.</strong></p>
  <button onclick="document.getElementById('notice').close()">Close</button>
</dialog>
</main>

<footer><p>© 2026 CodeCampus</p></footer>
</body>
</html>
```