

half-twins	m3hd1	C/C++	x86-64	1.3	2.0	Unix/ .linux etc.	16.20 KB	2019-11-15 10:39	181 [↑]
------------	-------	-------	--------	-----	-----	-------------------------	-------------	---------------------	---------

< > Home / Downloads



ghidra-master



ghidra_12.1.2_PUBLIC



5dce805c33c5d419aa0131ae.zip



ghidra_12.1.2_PUBLIC_20260605.zip



ghidra-master.zip



half-twins

```
adha@Reverse-Engineer:~/Downloads$ unzip 5dce805c33c5d419aa0131ae.zip
Archive: 5dce805c33c5d419aa0131ae.zip
[5dce805c33c5d419aa0131ae.zip] half-twins password:
password incorrect--reenter:
  inflating: half-twins
adha@Reverse-Engineer:~/Downloads$ chmod +x half-twins
adha@Reverse-Engineer:~/Downloads$ ./half-twins
hmm... i'm not sure you know what the word "twins" mean :/
good luck next time
adha@Reverse-Engineer:~/Downloads$ ./half-twins AAA BBB
Abby: i'm older than that :(
good luck next time
adha@Reverse-Engineer:~/Downloads$
```

CodeBrowser: Crackmes_Half-twins/half-twins

File Edit Analysis BSim Graph Navigation Search Select Tools Window Help

Program Trees

- half-twins
 - .bss
 - .data
 - .got.plt
 - .got
 - .dynamic
 - .fini_array

Program Tree x

Symbol T...

- deregister_tm_clone
- frame_dummy
- FUN_00101020
- main
 - local_20
 - local_28
 - local_30

Filter:

Data Type Manager

Data Types

- BuiltInTypes
- half-twins
- generic_clib_64

Filter:

Listing: half-twins

```

00101187 e9 03 01 JMP LAB_0010135f
00 00

LAB_0010118c
0010118c 48 8b 45 b0 MOV RAX,qword ptr [RDI+0]
00101190 48 8b 40 08 MOV RAX,qword ptr [RDI+8]
00101194 48 89 45 e0 MOV RAX,qword ptr [RDI+10]
00101198 48 8b 45 b0 MOV RAX,qword ptr [RDI+10]
0010119c 48 8b 40 10 MOV RAX,qword ptr [RDI+10]
001011a0 48 89 45 e8 MOV RAX,qword ptr [RDI+10]
001011a4 48 8b 45 e0 MOV RAX,qword ptr [RDI+10]
001011a8 48 89 c7 MOV RDI,RAX
001011ab e8 90 fe CALL <EXTERNAL>::puts
ff ff
001011b0 48 83 f8 06 CMP RAX,0x6
001011b4 77 22 JA LAB_001011d8
001011b6 48 8d 3d LEA RDI,[s_Abby:]
9e 0e 00 00
001011bd e8 0e fe CALL <EXTERNAL>::puts
ff ff
001011c2 48 8b 45 d8 MOV RAX,qword ptr [RDI+8]
001011c6 48 89 c7 MOV RDI,s_good_l
001011c9 e8 62 fe CALL <EXTERNAL>::puts
ff ff
001011ce b8 00 00 MOV EAX,0x0
00 00
001011d3 e9 87 01 JMP LAB_0010135f
00 00
LAB_001011d8

```

Decompile: main - (half-twins)

```

1 undefined8 main(int param_1,long param_2)
2
3
4 {
5     char *__s;
6     char *__s_00;
7     size_t sVar1;
8     size_t sVar2;
9     int local_3c;
10
11     if (param_1 == 3) {
12         __s = *(char **)(param_2 + 8);
13         __s_00 = *(char **)(param_2 + 0x10);
14         sVar1 = strlen(__s);
15         if (sVar1 < 7) {
16             puts("Abby: i\'m older than that :(");
17             puts("good luck next time");
18         }
19     }
20     else {
21         sVar1 = strlen(__s_00);
22         if (sVar1 < 7) {
23             puts("Gabby: i\'m older than that :(");
24             puts("good luck next time");
25         }
26     }
27     sVar1 = strlen(__s);
28     sVar2 = strlen(__s_00);
29     if (sVar1 == sVar2) {
30         sVar1 = strlen(__s);
31     }
32 }

```

Console - Scripting

001011b4 main JA 0x001011d8

```

11 if (argc == 3) {
12     __s = *(char **)(argv + 8);
13     __s_00 = *(char **)(argv + 0x10);
14     sVar1 = strlen(__s);
15     if (sVar1 < 7) {
16         puts("Abby: i\'m older than that :(");
17         puts("good luck next time");
18     }
19     else {
20         sVar1 = strlen(__s_00);
21         if (sVar1 < 7) {
22             puts("Gabby: i\'m older than that :(");
23             puts("good luck next time");
24         }
25     }
26 }

```

```

25     else {
26         sVar1 = strlen(__s);
27         sVar2 = strlen(__s_00);
28         if (sVar1 == sVar2) {
29             sVar1 = strlen(__s);
30             if ((sVar1 & 1) == 0) {
31                 sVar1 = strlen(__s);
32                 for (local_3c = 0; local_3c < (int)(sVar1 >> 1); local_3c = local_3c
33                     if (__s[local_3c] != __s_00[local_3c]) {
34                         puts("Abby & Gabby: we're half twins you know...");
35                         puts("good luck next time");
36                         return 0;
37                     }
38             }
39             sVar1 = strlen(__s);
40             for (; local_3c < (int)sVar1; local_3c = local_3c + 1) {
41                 if (__s[local_3c] == __s_00[local_3c]) {
42                     puts("Abby & Gabby: we are only HALF twins... :3 ");
43                     puts("good luck next time");
44                     return 0;
45                 }
46             }
47             puts("Abby & Gabby: yaayy!! nice job! :D");
48         }
49         else {
50             puts("Abby & Gabby: we are not \"odd\" years old :(");
51
52             else {
53                 puts("Abby & Gabby: we are not \"odd\" years old :(");
54                 puts("good luck next time");
55             }
56         }
57     }
58 }
59 }
60 }
61 else {
62     puts("hmm... i'm not sure you know what the word \"twins\" mean :/");
63     puts("good luck next time");
64 }
65 return 0;
66 }

```

Agar kita bisa memunculkan pesan kemenangan "Abby & Gabby: yaayy!! nice job! :D", *input* kita harus memenuhi semua syarat berikut:

1. Minimal panjang 8 karakter (karena minimal 7 dan harus genap).
2. Panjang argumen 1 dan argumen 2 harus sama.
3. Sepuluh awal argumen 1 dan 2 harus **sama**.
4. Sepuluh akhir argumen 1 dan 2 harus **berbeda**.

yang berarti kita akan membuat bagian 4 karakter pertama sama dan 4 karakter terakhir berbedaa

disini saya akan mencoba menggunakan password ABCD1111 ABCD2222 agar simple saja. dan hasilnya adalah:

```
adha@Reverse-Engineer:~/Downloads/ghidra_12.1.2_PUBLIC$ cd ..  
adha@Reverse-Engineer:~/Downloads$ ./half-twins ABCD1111 ABCD2222  
Abby & Gabby: yaayy!! nice job! :D  
adha@Reverse-Engineer:~/Downloads$
```