

Adham Anbur
202202760

SQL code

"Some of the codes are reference from Lab 4"

Question A

```
SELECT
    flight_no,
    Airline,
    weekdays,
FROM
    FLIGHT
ORDER BY
    Airline ASC;
```

then "inserting values (bonus)"

- ① insert into airport values ['airport code', 'name', 'city', 'state']
- ② insert into airport values
- ③ insert into flight values ['flight_no', 'airline', 'weekdays']

Question B

```
SELECT
    flight_no,
    restrictions,
    amount as Original_amount,
    (amount * 1.15) as amount after tax
FROM
    Fare
WHERE
    amount > 50;
```

11

Question C

With Rows - to - delete As

Select Flight-number, Leg-number, Date, Seat-number
from Seat-Reserv.

ORDER BY Random()

Limit (Select CEIL (Count(*) * 0.05) From seat-Reservation)

)

Delete from Seat-Reservation

where (Flight-no, leg-no, Date, Seat-no.)

Question D

Select

AT Airplane-type-name

A. Total-number-of-seats

FROM

Airplane-type AT

Join

Airplane A

ON

AT.airplane-type-name = A.Airplane-type

Question E

Select

AT Airplane-type-name

FROM

Airplane-type

where

Airplane-type-name LIKE 'E%T';

Question F

Select

F. Flight_no.;
F. airplane;
FL. Departure-airport-code;
DA. Name as Departure-Airport;
FL. Arrival-airport-code;
AA. Name as Arrival-Airport;
FL. scheduled-departure-time;
LI. Airplane-id;
AT. Airplane-type-name;
'Monday' AS week day

FROM

Flight F

Join

Flight-leg FL ON F. Flight_no. = FL. Flight_no.

Join

Leg-instance LI ON FL. Flight_no. = LI. Flight_no.

Join

Airplane A ON LI. Airplane-id = A. Airplane-id

Join

Airplane-type at ON A. Airplane-type = AT. Airplane-type-name

Join

Airport DA ON FL. Departure-airport-code = DA. Airport-code

Join

Airport AA ON FL. Arrival-airport-code = AA. Airport-code

Where

F. weekdays = "Monday";

3

Question J

select

F.Flight-no;

F. airline,

DA.Name as Departure-Airport,

AA.Name as Arrival-airport,

FL. ~~see~~ scheduled-departure-time,

FL. scheduled-arrival-time

from

FLight F

Join

FLight-LEG FL on F.Flight-number = FL.Flight-number

Join

Airport DA on FL.Departure-airport-code = DA.Airport-code

Join

Airport AA on FL.Arrival-airport-code = AA.Airport-code

where

F.Airline like "%Ain%";