

- A A E Mohamed, S Gh R Sorour, T F Metwally and Gh A Elsayed. (2022). Growth and yield of some promising Egyptian rice genotypes under foliar application of different stimulating compounds. *Oryza* Vol. 59 Issue 2 2022 (252-258).
- A. S. Hendawy, M. R. Sherif, A. A. El-Sayed, A. M. Omar and A. S. Taha (2018). Role of the egg parasitoid, *Trichogramma evanescens* West. release and silica applications in controlling of the stem borer, *Chilo agamemnon* Bles. (Lepidoptera: Crambidae) in rice fields in Egypt. *Egyptian Journal of Biological Pest Control*: (2018) 28:92 (689-693)
- A.Kubota , B. Zayed, H. Fujimaki, T. Higashi, S. Yoshida, M. M. A. Mahmoud, Y. Kitamura, W. H. Abou El Hassan(2017) Water and Salt Movement in Soils of the Nile Delta. *Irrigated Agriculture in Egypt*, pp 153-186;
- Aamer, S. M., Gharieb, A. S., and Ghazy, H. (2021). EFFECT OF HARVESTING TIME ON GRAIN YIELD AND QUALITY CHARACTERISTICS OF SOME RICE CULTIVARS AT DIFFERENT STORAGE PERIODS. *Menoufia Journal of Plant Production*, 6(7), 373-385.
- Abd Allah, A.A. ; A. Badawy Shaimaa ; B.A. Zayed and A.A. El-Gohary (2010). The role of root system traits in the drought tolerance of rice (*Oryza sativa* L.), *J. Of Plant Production*, 1 (4): 631-631.
- Abd Allah, A.A. ; A. Badawy Shaimaa ; B.A. Zayed and A.A. El-Gohary (2010). The role of root system traits in the drought tolerance of rice (*Oryza sativa* L.) *J. Of Plant Production*, 1 (4): 631-631.
- Abd El-Hadi A.H., H.F. El-Mowafi and O.A. El-Badawy (2016). Genetic behavior and cluster analysis of some floral traits affecting cross breeding in the production of hybrid rice seed. *J. Agric. Chem. and Biotechn.*, Mansoura Univ., 7(6): 163 – 168.
- Abd El-Hadi, A. H., H.F. Elmowafi and O.A. Elbadawy (2009). Combining ability and genetic variance components of a diallel crosses among restorer lines of rice (*Oryza sativa* L.). *J. Agric. Sci. Mansoura Univ.*, 30 (3): 1363-1379.
- Abd El-Maksoud, A.M: A.M. El-Adl: M.S. Hamada: A.O. Bastswisi and R.A. El-Namaky (2008) Detection of Wide Compatibility and Restoring Ability Genes Using Molecular Markers in Rice. Egypt. *J. Genet. Cytology*.
- Abdallah ,A.A.,R.N.Gorgy and B.A. Zayed (2005) Screening some rice genotypes (*Oryza Sativa* L.) under drought condition .*J.of Agric., Res.,Tanta university ,Egypt*,31(2):244-258.)
- Abdallah A.A, M. Aboyessef, S. Hammoud, S. Sedeek, R. EL-Namaky, et al. (2022). Sakha107 Egyptian rice variety high yielding and good grain quality under water shortage. *J. of Plant Production*, Mansoura Univ.,Vol. 11 (2):1261 - 1270, 2022.
- Abdallah A.A., M.M.Gaballah and A. A. Hodefa (2016). Phenotypic performance of rice cultivars under different locations and fertilizer conditions in Egypt. *Alex. J. Agric. Sci.* 61, (4): 373-38.
- Abdallah AA, MI Aboyousef, SA Hammoud, SE Sedeek, Abdulmajid D, et al. (2022) Sakha 107 Egyptian Rice Variety with High Yielding and Good Grain Quality under Water Shortage. *J. of Plant Production*, Mansoura Univ., Vol. 13 (3):85-98, 2022. 10.21608/jpp.2022.127304.1100
- Abdallah, A. A., & Gharieb, A. S, ... & Khatab AA. Sakha 107 Egyptian Rice Variety with High Yielding and Good Grain Quality under Water Shortage. *Journal of Plant Production*, 2022, 13(3): 85-98.
- Abdallah, A. A., Gharieb, A. S., Elsehely, A. B., & et al. (2022). Sakha 107 Egyptian Rice Variety with High Yielding and Good Grain Quality under Water Shortage. *Journal of Plant Production*, 13(3), 85-98.
- Abdallah, A. A.; M. I. Aboyouse; M.M. Gaballah (2022). Sakha 107 Egyptian Rice Variety with High Yielding and Good Grain Quality under Water Shortage. *J. of Plant Production*, Mansoura Univ., 13 (3):85-98. www.jpp.journals.ekb.eg

- Abdallah, A. A.; M. I. Aboyousef; A. S. Taha; et al. (2022). Sakha 107 Egyptian Rice Variety with High Yielding and Good Grain Quality under Water Shortage. *J. of Plant Production*, Mansoura Univ., Vol., 13 (3):85-98.
- Abdallah, A. A.; M. I. Aboyousef; H. M. Hassan; et al. (2022). Sakha 107 Egyptian Rice Variety with High Yielding and Good Grain Quality under Water Shortage. *J. of Plant Production*, Mansoura Univ., 13 (3):85-98. <https://dx.doi.org/10.21608/jpp.2022.127304.1100>
- Abdallah, A. A.; M. I. Aboyousef; S. A Hammoud; S. E. Sedeek; R. A. EL-Namaky; O.A. Elbadawy.... and A.M. Tahooun (2022). Sakha 107 Egyptian Rice Variety with High Yielding and Good Grain Quality under Water Shortage. *J. of Plant Production*, Mansoura Univ., Vol. 13 (3):85-98.
- Abdallah, A.A., M.I.Abousef, S.A. Hammoud, S.E. Sedeek et al. (2022). Sakha 107 Egyptian Rice Variety with High Yield and Good Grain Quality under Water Shortage. *J. of Plant Production*. Mansoura Univ., Vol., 13(3): 85-98. [10.21608/jpp.2022.127304.1100](https://doi.org/10.21608/jpp.2022.127304.1100)
- Abdallah, A.A.; M.I. Aboyousef; S.A Hammoud; M.A. Negm, et al., (2022). Sakha 107 Egyptian rice variety with high yielding and good grain quality under water shortage. *J. of Plant Production*, Mansoura Univ., 13 (3):85-98.
- Abdel Megeed. Essam ElShamey, et al. (2024). Rice grain quality, affected by a combined foliar spray of different biostimulated components under different levels of water stress. *APPLIED ECOLOGY AND ENVIRONMENTAL RESEARCH* 20(3):2095-2112. http://dx.doi.org/10.15666/aer/2003_20952112
- Abdelaty MS., AB. El-Abd, MH. Ibrahim, A. Youssif, M. Batool, R. Sami, AA Ashour, A. Shafie, and HM. Hassan (2022). Identification of Drought Tolerant Rice Genotypes Based on Morpho-Physiological and Yield Traits Under Normal and Drought Stress Conditions. *J. Biobased Mater. Bioenergy* 16(3):390-401. doi:10.1166/jbmb.2022.2188
- Abdelhmeed Omar, Bassiouni Zayed, Ahmed Abdel Salam, Yaser M Hafez, Khaled A Abdelaal(2020). FOLIC ACID AS FOLIAR APPLICATION CAN IMPROVE GROWTH AND YIELD CHARACTERS OF RICE PLANTS UNDER IRRIGATION WITH DRAINAGE WATER. *Fresenius Environmental* , 29(10): 9420-9428.
- Abdelkhalek SM, Abdelrahman M, Mazal T, Elshenawy M, Aamer S, Hassan AA, Rehan M and Ammar M (2025) Integrating in vitro breeding, BLUP prediction, and marker analysis to enhance rice yield, quality, and blast resistance. *Front. Plant Sci.* 16:1588427. doi: 10.3389/fpls.2025.1588427.
- Abdelrahman M., Zhang W., Rohaila J.S., Zhao K. (2021). Multiplex genome editing technologies for revolutionizing plant biology and crop improvement. *Frontiers in plant science*: 2099. IF: 6.627.
- Abdel-Rahman, A.A.; A. Leilah; M.A. Badawi and B.A. Zayed (2004). Effect of irrigation intervals and modes of nitrogen application on growth and yield of some rice cultivars under saline soil condition, *Egypt. J. Agric. Res.* 82(1)197-209
- Abdel-Rahman, A.A.; B.A. Zayed and S.M. Shehata (2004). Response of two rice cultivars to potassium nutrition under saline soil. *Egypt. J. Agric. Res.* 82(1).209-219.
- Abdelrahman, M. et al., (2022). Detection of superior rice genotypes and yield stability under different nitrogen levels using AMMI model and stability statistics. *Plants*, 11(20), 2775. IF: 4.568.
- Abdelrahman, M., et al. (2021). Developing Novel Rice Genotypes Harboring Specific QTL Alleles Associated with High Grain Yield under Water Shortage Stress. *Plants*, 10(10), p.2219. IF: 4.568.
- Abdelrahman, M.; Selim, M.E.; ElSayed, M.A.; Ammar, M.H.; Hussein, F.A.; ElKholi, N.K.; ElShamey, E.A.; Khan, N.; Attia, K.A. Developing Novel Rice Genotypes Harboring Specific QTL Alleles Associated with High Grain Yield Under Water Shortage Stress. *Plants* 2021, 10, 2219. <https://doi.org/10.3390/plants10102219>.

- Abdelrahman, M.; Selim, M.E.; ElSayed, M.A.; Ammar, M.H.; Hussein, F.A.; ElKholy, N.K.; ElShamey, E.A.; Khan, N.; Attia, K.A. Developing Novel Rice Genotypes Harboring Specific QTL Alleles Associated with High Grain Yield Under Water Shortage Stress. *Plants* 2021, 10, 2219. <https://doi.org/10.3390/plants10102219>.
- Abdulhamid AA, A A Aboshousha, M H Ammar, Abdulmajid DAM, Y Z El-Refae (2012) Inheritance of Some Drought and Root Parameters Related to Yield in Rice (*Oriza sativa* L.), Minia International Conference for Agriculture and Irrigation in the Nile Basin Countries Egypt, P:965-975
- Abdulmajid D, Ali N, Eltahawy MS , Liu E, Dang X and Hong D (2020) Mining Favorable Alleles for Rice Coleoptile Elongation Length Sensitivity to Exogenous Gibberellin Under Submergence Condition, *Journal of Plant Growth Regulation*, 40: 1422–1439. <https://doi.org/10.1007/s00344-020-10196-z>
- Abo -Yousef M.I., S.E.M. Sedeek et al. (2023). Giza 179 Egyptian rice variety: as new early, high yielding, tolerant to saline and climate change challenge. *Egypt J.Agric., Res.*,100(2):567-588.10.21608/ejar.2023.196433.1374
- Abo Youssef , M. I ; S. A. Dora; A. A. M. Abo-Shosha and E. A. Z. El Shamey (2007). Genetical analysis of yield and some related characters in rice. *Egyptian Journal of plant breeding*. 11 (2) : 551- 561P.
- Abo Youssef, M. I.; S. A. Dora; A. A. M. Abo -Shosha and E. A. Z. El Shamey (2006). Genetic behavior of various floral traits in some rice genotypes. *First Field Crops Conference*, 22- 24, August. 214-222 P.
- Abou El-Enin, M. M., Abo-Remalia, S. H., and El Sehely, A. B. (2016). Calibration and Validation of CERES and CROPGRO-Models for Simulating No-Tillage in Central Delta, Egypt. *Science, Management and Technological Journal*, 1(1), 23-32.
- Abou Kalifa ,A.A.,B.A.Zayed, R.N.Gorgy and I.S.El Refae (2005) :Effect of sowing dates , seedling age and some rice cultivars on grain yield and its components .11th conference of agron.,15-16 Nov., Agron. Dept ., Fac.of Agric., Assiut Univ., Egypt, PP215-223.
- Abouelella, A.E., M. M. Gaballah, A. H. Afify and F. I. A. Houka (2019). Effect on inoculation with cyanobacterial strains and nitrogen fertilization on yield and component of rice plant. *J. Agric. Chem, and Biotechn.*, 10(3):51-55. https://journals.ekb.eg/article_36826.html
- Abou-khadrah S.H., A.E.Draz, H.S. Gharib and Fatma A. Hussein (2014). The Performance of some Rice Cultivars under Different Water Regimes and Their Contents from Rice Bran Oil. *Journal of Agricultural Research Kafr El-Sheikh University*, Vol. (40) No.2, June 2014."
- Abou-Khadrah, S.H., A. A. Glelah, T. F. Metwally , and A. S. Gharieb. 2015. Growth and Productivity of Egyptian Rice Variety Sakha106 as Affected by Application of Compost and Ascobien under Different Nitrogen Levels. *J. Agric. Res. Kafr El-Sheikh Univ.* 41(2).
- Abou-Khalifa, A. A.; A. A. Ziden; M. M. Elshenawy and H. M. Hassan (2021). Effect of Planting Methods and Cultivars on Rice Grain Quality. *Plant Production, Mansoura Univ.*, 12 (11):1247 - 1254. doi: 10.21608/JPP.2021.209336
- Abo-Yousef M. I.; Sedeek S. S.; H. M. Hassan; et al. (2023). Giza 179 Egyptian rice variety: as a new, early, high-yielding, tolerant to saline, and climate change challenge. *Egyptian Journal of Agricultural Research* 101(2): 569-590. doi: 10.21608/EJAR.2023.196433.1374
- Abo-Yousef, M. I., Ghidan, W. F., Talha, I. A., Elsehely, A. B., & Tabl, D. M. (2020). Combining ability, heterosis and gene action for grain yield and its related traits of some WA-CMS with tester lines of rice (*Oryza sativa* L.). *Journal of Experimental Agriculture International*, 42(9), 102-123.
- Abo-Yousef, M. I., Sedeek, S. E., EL-Rafae, I. S., Hammoud, S. A., EL-Abd, A. B., El-Malkey, M. M., Metwally T.F., & Shehab, M. M. (2023). Giza 179 Egyptian rice variety: as a new, early, high-

- yielding, tolerant to saline and climate change challenge. *Egyptian Journal of Agricultural Research*, 101(2).
- Abo-Youssef, M. I., Elbagory, M., Elsehely, A. B., El-Gammaal, A. A., El Denary, M. E., Elaty, M. S. A., ... & El-Kallawy, W. H. (2023). Biochemical, Anatomical, Genetic, and Yield Assessment of Seven Rice Genotypes (*Oryza sativa* L.) Subjected to Drought Stress. *Agronomy*, 13(10), 2542.
- Adnan, M., Ghoneim, AM., et al. (2023). Biochar as Soil Amendment for Mitigating Nutrients Stress in Crops. In: Fahad, S., Danish, S., Datta, R., Saud, S., Lichtfouse, E. (eds) *Sustainable Agriculture Reviews* 61. n book: *Sustainable Agriculture Reviews*, 61. Springer, Cham. https://doi.org/10.1007/978-3-031-26983-7_5.
- Afify, A. H., F.I. A. Hauka, M.M. Gaballah and A. E. Abou Elatta (2018). Isolation and identification of dominant N2 fixing Cyanobacterial strains from different locations. *J. Agric. Chem. And biotechn.*, Mansoura univ. 9 (6): 141-146. https://jacb.journals.ekb.eg/article_35217.html
- Ahmed S. Taha a, Wael T. Abd El-Rahema, Osama Elbadawya and Elsayed A. Khattab (2023). Effect of Potassium Fertilization Levels on Rice Yield, Yield Attributes and Rice Stemborer infestation of Giza 178 Rice Cultivar Grown under Nitrogen Fertilizer Levels. *Env. Biodiv. Soil Security*, Vol. 7, pp: 231 – 242.
- Ahmed S. Taha; Wael T. Abd El-Rahema; Osama Elbadawy and Elsayed A. Khattab (2023). Effect of Potassium Fertilization Levels on Rice Yield, Yield Attributes and Rice Stemborer infestation of Giza 178 Rice Cultivar Grown under Nitrogen Fertilizer Levels. *Environment, Biodiversity & Soil Security*, Vol. 7, 231 – 242.
- Aidy, I.R., M.Z. Abd EL-Kareem, Abd EL-H. Glelah, E.EL. M. EL-Shreaf and S.E.M. Sedeek (2006). Combining ability and heterosis for yield and some physiological traits in Rice (*Oryza sativa* L.). *The First Field Crops Conference* 22-24 August 137-145.
- Alafari, H. A., Freeg, H., Abdelrahman, M., Attia, K. A.,... & Fiaz, S. (2024). Integrated analysis of yield response and early stage biochemical, molecular, and gene expression profiles of pre-breeding rice lines under water deficit stress. *Scientific Reports*, 14(1), 17855.
- Alaskar, A.A., Metwally, T.F., Gharib, H.S., Abo-Shama, Y.M., Hafez, Y., Abdelaal, K., and Galal, A.A. (2024). Nutritional Value and Grain Quality Characteristics of Different Improved Egyptian Rice Genotypes Under Nitrogen Fertilizer Levels. *Pol. J. Environ. Stud.* Vol. 33, No. 4: 1-8.
- Alharbi, Saif; Majrashi, Ali; Ghoneim, Adel M.; Ali, Esmat F.; Modahish, Abdullah S.; Hassan, Fahmy A.S.; Eissa, Mamdouh A. (2021). A new method to recycle dairy waste for the nutrition of wheat plants. *Agronomy* 11(5): 840. <https://doi.org/10.3390/agronomy11050840>.
- Ali N, Li D, Eltahawy MS, Abdulmajid D, Bux L, Liu E, Dang X and Hong D (2020) Mining of Favorable Alleles for Seed Reserve Utilization Efficiency in *Oryza Sativa* by Means of Association Mapping, *BMC Genomic*, 21(1):4. 10.1186/s12863-020-0811-3
- Almasoud WA, Abdel-Sattar M, Sedeek S, Elgammaal AA, El-Refae N, Ramadan IA, Abdulmajid D, Rihan HZ (2024) The Path Towards Novel Varieties: Investigating Phenotypic-Genetic Diversity in New Promising Egyptian Rice Lines. *Agronomy*. 14(12):2775. <https://doi.org/10.3390/agronomy14122775>
- Al-Modaihsh, A. S., Majoub, M., Sallam, A.Sh and Adel M. Ghoneim (2015). Assessing soil degradation in ALkharj, Saudi Arabia. Edited by Rahim Ahmadi and Mariam Gaidamashvili, ISBN: 978-93-84422-11-0.
- Al-Mutairi, S.O., Ghoneim, A.M., Al-Modaihsh, A.S., Mahjoub, M.S., & Reda, Y.A. (2014). The characterization and composting of municipal solid waste of Riyadh City, Saudi Arabia. Editad by: C.A. Brebbia, Wessex Institute of Technology, UK; G. Passerini, Universit? Politecnica delle Marche, Italy; H. Itoh, University of Nagoya, Japan. *Waste Management and Environment* VII.

WIT Transactions on Ecology and the Environment (pp. 283–292). Wessex Institute of Technology, UK: WIT Press. www.witpress.com, ISSN 1743-3541 (on-line). Doi: 10.2495/WM140241.

- Alotaibi, M.O., Alotibi, M.M., Majrashi, Esawy Mahmoud, Adel M. Ghoneim, Mamdouh A. Eissa, Suzan A. Tammam (2024). Effect of selenium form and dose on camelthorn (*Alhagi maurorum* Medik) grown on a metal-contaminated soil. *Environ Sci Pollut Res.* 31, 39704–39713. <https://doi.org/10.1007/s11356-024-33771-3>.
- Alotaibi, M.O., Gebreel, M., Ikram, M. Ghoneim, A.M*, et al. (2025). Enhancing water productivity and wheat (*Triticum aestivum* L.) production through applying different irrigation manners. *BMC Plant Biol* 25, 33. <https://doi.org/10.1186/s12870-025-06299-y>.
- Alotaibi, M.O., Ghoneim, A.M. & Eissa, M.A. (2023). Cd uptake and translocation by camelthorn (*Alhagi maurorum* Medik): a promising approach for phytoremediation of Cd-contaminated soils. *Environ Sci Pollut Res.*, 30, 65892–65899. <https://doi.org/10.1007/s11356-023-27105-y>.
- Amir Sohail, Liaqat Shah, Ling Liu, Anowerul Islam, Zhengfu Yang, Qinqin Yang, Galal Bakr Anis, Peng Xu, Riaz Muhammad Khan, Jiabin Li, Xihong Shen, Shihua Cheng, Liyong Cao, Yingxin Zhang and Weixun Wu (2022). Mapping and Validation of qHD7b: Major Heading-Date QTL Functions Mainly Under Long-Day Conditions. *Plants*, 11, 2288. <https://doi.org/10.3390/plants11172288>.
- Amira L. Hanna, Hayam M. Hamouda, Hanan A. Goda, Mahmoud W. Sadik, Farahat S. Moghanm, Adel M. Ghoneim*, Muneefah A. Alenezi, Sultan F. Alnomasy, Pravej Alam, Tarek R. Elsayed (2022). Biosynthesis and characterization of silver nanoparticles produced by *Phormidium ambiguum* and *Desertifilum tharense* Cyanobacteria. *Bioinorganic Chemistry and Applications*. <https://doi.org/10.1155/2022/9072508>. (*corresponding author).
- Amr A. Hassan , Ahmed I. Elsherif , Zeinab A. Kalboush (2025). Exploring resistance-related physiological and molecular responses of rice genotypes against blast disease: Unraveling defense mechanisms and implications for breeding. *Physiological and Molecular Plant Pathology*, 136: 102569
- Anis G B, A S Taha, Heba S Abd El-Aty, Tahany M Mazal (2022). Characterization and selection of novel rice promising lines based on genetic variability, grain yield, yield components and rice stem borer susceptibility. *International Journal of Entomology Research: Volume 7, Issue 6, 2022, Page No. 136-147*.
- Anis G. B. (2017). Cytological Behavior for Fertility Maintenance and Restoration Ability of Elite Local and Exotic Genotypes in Hybrid Rice. *Egypt. J. Plant Breed.* 21 (5): 237 – 250.
- Anis G. B., A. S. Taha, Heba S. Abd El-Aty, Tahany M Mazal (2022). Characterization and selection of novel rice promising lines based on genetic variability, grain yield, yield components and rice stem borer susceptibility. *International Journal of Entomology Research*, 7(6):136-147.
- Anis G. B., H. F. El-Mowafi, A. Elsabagh and C. Barutçular (2016). Hybrid Vigor Expression for Some Important Agronomic Traits in Rice Using Diallel Method. *Journal of Experimental Agriculture International*, 14(3):1-5.
- Anis G., El-Sabagh A., El-Badry A., Barutçular C. (2016). Improving Grain Yield in Rice (*Oryza Sativa* L.) by Estimation of Heterosis, Genetic Components and Correlation Coefficient. *International Journal of Current Research*, Vol. 8(01):25080-25085.
- Anis G.B.; H.M. Hassan, A.Z. El-Sherif, H. Saneoka and A.R. EL Sabagh (2019). Evaluation of new promising rice hybrid and its parental lines for floral, agronomic traits and genetic purity assessment. *Pak. J. Agri. Sci.*, Vol. 56(3) 567-576; 2019, ISSN (Print) 0552-9034, ISSN (Online) 2076-0906, doi: 10.21162/PAKJAS/19.7297.

- Anis, G. B., A. I. Elsherif, Tahany M. Mazal, Mervat M. Osman and O. A. Elbadawy (2024). Identification of new high yielding Indica-Japonica and effective restorer variety for different cytoplasmic male sterile (CMS) sources in rice. *Menoufia Journal of Plant Production*, 9(1): 55-70.
- Anis, G. B., A. I. Elsherif, Tahany M. Mazal, Mervat M. Osman and O. A. Elbadawy (2024). Identification of new high yielding Indica-Japonica and effective restorer variety for different cytoplasmic male sterile (CMS) sources in rice. *Menoufia Journal of Plant Production*, 9(1): 55-70.
- Anis, G. B.; A. A. Hassan and A. S. Taha (2021). Genetic Diversity Analysis and Molecular Characterization of Elite Rice Promising Lines for Yield, Blast Disease Resistance and Rice Stem Borer. *Journal of Plant Protection and Pathology*, 12 (10):733 -743.
- Anis, G. B.; A. A. Hassan* and A. S. Taha (2021). Genetic Diversity Analysis and Molecular Characterization of Elite Rice Promising Lines for Yield, Blast Disease Resistance and Rice Stem Borer. *J. of Plant Protection and Pathology*, Mansoura Univ., Vol 12 (10):733 -743.
- Anis, G. B.; A. M. El-Moghazy; M. M. Shehab and W. H. Elgamal (2022). Development of Two Novel Photoperiod and Thermo-Sensitive Genic MaleSterile Lines in Rice (*Oryza sativa* L.). *J. of Plant Production*, Mansoura Univ., Vol. 13 (11): 839 – 845.
- Anis, G. B.; H. M. Hassan; Tahany Mazal and W. H. Elgamal (2017). Development and Characterization of New Integrated Lines for Use in Two-Way Inbred and Hybrid Rice. *International Journal of Agricultural and Environmental Sciences*, 2(2): 15-24.
- Anis, G. B.; Zhang, Y.; Wang, H.; Li, Z.; Wu, W.; Sun, L.; Riaz, A.; Cao, L.; Cheng, S. (2018). Genomic Regions Analysis of Seedling Root Traits and Their Regulation in Responses to Phosphorus Deficiency Tolerance in CSSL Population of Elite Super Hybrid Rice. *International Journal of Molecular Sciences*, 19(5):1-14.
- Anis, G., A. EL Sabagh, A Ghareb, I. EL-Rewainy (2016). Evaluation of promising lines in rice (*Oryza sativa* L.) to agronomic and genetic performance under Egyptian conditions. *International Journal of Agronomy and Agricultural Research*, Vol. 8(3): 52-57.
- Anis, G., M. El-Malky, E. Rashwan, A. EL Sabagh (2016). Genetic Analysis to Improve Grain Yield Potential and Associated Agronomic Traits of Rice. *Sylwan Journal*, 160(6):303-319.
- Anis, G., Zhang, Y.X., Xu, X.M., Fiaz, S., Wu, W.X., Rahman, M.H., Riaz, A., Chen, D., Shen, X.H., Zhan, X.D., Cao, L.Y. and Cheng, S.H. (2018). QTL analysis for rice seedlings under Nitrogen deficiency using Chromosomal Segment Substitution Lines. *Pakistan Journal of Botany*, 50(2): 537-544.
- Anis, G.B. and H. S. Gharib (2016). Physical and Physicochemical Properties for Selected Hybrid Rice Combinations Derived from Three Line System. *J. Plant Production*, Mansoura Univ., 7(11): 1155 – 1163.
- Anis, G.B., Elmoghazy, A.M. and Nahla S. Zidan (2016). Grain quality and nutritional value of some Egyptian and exotic rice (*Oryza sativa* L.) varieties. *Alexandria Journal of Agriculture Sciences*. 61(2): 105-113.
- Anis, G.B., EL-Namaky R.A., AL-Ashkar I.M., Barutçular C., EL Sabagh A. (2016). Yield potential and correlation analysis of some rice hybrids for yield and its component traits. *Journal of Animal and Plant Sciences*, 30(2): 4748-4757.
- Anis, G.B., M. M. Kamara and M. A. El-Sayed (2016). Genetic Analysis of Some Quantitative Traits in Hybrid Rice with Utilizing Cytoplasmic Genetic Male Sterility System. *Egypt. J. Agron.*, 38(2): 241 -256.
- Anis, G.B.; A.Z. El-Sherif and H.F. El-Mowafi (2015). Exploitation of hybrid rice technology to develop new hybrids resistant to water shortage under Egyptian conditions. *Green Economy Conference*, 16-17 December 2015 Bibliotheca Alexandria, Egypt.

- Anis, G.B.; H. M. Hassan; M. M. El-Malky and E. F. A. Arafat (2016). Combining ability estimates for some agronomic, yield components and blast reaction traits in rice (*Oryza sativa* L.). *J. Agric. Res. Kafr El-Sheikh Univ.*, 42(4): 441 – 454.
- Anis, G.B.; H.F. El-Mowafi and A.I. El-Sherif (2015). Developing new hybrids of rice to boost food security in Egypt. *Texas A&M Plant Breeding Symposium*.
- Anowerul Islam, Yingxin Zhang, Galal Anis, M. H. Rani, Workie Anley, Xihong Shen, Liyong Cao, Shihua Cheng, Weixun Wu (2020). Mapping and validation of a major quantitative trait locus qRN5a associated with increasing root number under low potassium in rice. *Plant Growth Regulation*, <https://doi.org/10.1007/s10725-020-00574-8>
- Anowerul Islam, Yingxin Zhang, Galal Anis, Mohammad Hasanuzzaman Rani, Workie Anley, Qinqin Yang, Ling Liu, Xihong Shen, Liyong Cao, Shihua Cheng, Weixun Wu (2021). Fine mapping and candidate gene analysis of qRN5a, a novel QTL promoting root number in rice under low potassium. *Theoretical and Applied Genetics*, <https://doi.org/10.1007/00122-020-03692-z>
- Arafat, E.F.A.; M.E. Negm and D.E. Elsharnobi (2022). Studies on correlation and some morphological, yield and its components traits in some rice hybrids. *J. of Plant Production, Mansoura Univ.*, 13 (8):635 – 640.
- Arwa Abdulkreem AL-Huqail, Mamdouh A. Eissa, Adel M. Ghoneim, Reem A. Alsalmi, Zahrah Mohammed Al Thagafi, Amany H. A. Abeed & Suzan A. Tammam (2023). Phytoremediation of dinitrophenol from wastewater by atriplex lentiformis: effect of salicylic acid. *International J. of Phytoremediation*, 25:12, 1558-1566, DOI: 10.1080/15226514.2023.2175779.
- Attia, K. A: A. F. Abdelkhalik; M. H. Ammar, M. H EL-Malky, R. A. El-Namaky and H. F. EL-Mowafi (2009) Application of Molecular Markers in Hybrid Rice Breeding. The 6th International plant breeding conference, Ismailia, Egypt. (1): 600-608.
- Ayman Abdeldayem Mohamed, Bassiouni Zayed, Emad Hafaz, Rehab Eltobgy, Yaser M Hafez4, Khaled A Abdelaal,(2021) EFFECT OF POTASSIUM FERTILIZER TREATMENTS ANDHARVEST DATE ON RICE GRAIN YIELD AND QUALITY OF RICE PLANTS (GIZA 179 VARIETY). *Fresenius Environmental J*,30(05)
- B. Zayed, S. Bassiouni, A. Okasha, M. Abdelhamed, S. Soltan, and M. Negm, (2023) Path coefficient, Eigenvalues, and Genetic Parameters in Egyptian Rice (*Oryza sativa* l.) under Aerobic Conditions. *SABRAO Journal of Breeding and Genetics* 55 (1) 131-145.
- Badawy, S.A.; Zayed, B.A.; Sherif M. A. Bassiouni; Ayman H.A. Mahdi; Majrashi, A.; Seleiman, M.F.(2021) Influence of Nano Silicon and Nano Selenium on Root Characters, Growth, Ion Selectivity, Yield and Yield Components of Rice (*Oryza Sativa* L.) under Salinity Conditions. *Plants* 2021, 10, x. <https://doi.org/10.3390/xxxxx>
- Bassiouni A. Zayed , Hasnaa A. Ghazy , Mahrous E. Negm , Sherif M. Bassiouni , Adel A. Hadifa , Dalia E. El-Sharnobi , Mohamed M. Abdelhamed, Elsayed A. Abo-Marzoka , Amira M. Okasha , Salah Elsayed , Aitazaz A. Farooque and Zaher Mundher Yaseen, (2023). Response of varied rice genotypes on cell membrane stability, defense system, physio-morphological traits and yield under transplanting and aerobic cultivation. *Scientific Reports* | (2023) 13:5765 | <https://doi.org/10.1038/s41598-023-32191-6>
- Bassiouni A. Zayed, Aki Kubota, Haruyuki Fujimaki, and Sherif M. A. Bassiouni (2015). Leaching effect of paddy cultivation on salt accumulation in Egypt. *Water Saving Agriculture in the Nile Delta-SATREPS Egypt Symposium*, 1st and 2nd of March, 2015, Safir Hotel, Giza, Egypt.
- Bassiouni A. Zayed, Amira, M.Okasha , Sherif M. Bassiouni1 and Elsayed A. Abo Marzoka (2023). Effect of aerobic rice planting methods on methane gas emission, water fingerprint and rice productivity

- under different sources of organic fertilizer. International Conference of Field Crop Research Institute Egypt. J. Agric. Res., 101 (2), 393-411.
- Bassiouni A. Zayed, Galal B. Anis, Abdel-Fattah G. Abdel-Fattah, Abdelfatah S. Gharieb and Amgad A. Elgamal (2025). Validation and Detection of Some New Rice Hybrids to Salt Stress Using Various Statistical Analysis Methods. Trends Appl. Sci. Res., 20 (1): 01-13.
- Bassiouni A. Zayed, Salah El-Hendawy, Yuncai Hu, Amira M. Okasha, Mohamed M. Abdelhamed, Hasnaa A. Ghazy, Samah M. Aamer, Dalia E. El-Sharnobi, Saied A. Soltan, Abdelfatah A. Gaber and Salah Elsayed (2024). Enhancing the Photosynthetic and Yield Performance of Rice in Saline Soil by Foliar-Appling Cost-Effective Compounds as Sources of Carbon Dioxide and Potassium. Agronomy 14, 4, 850. <https://doi.org/10.3390/agronomy14040850>
- Bassiouni, S. M.; M. S. M Abdel-Aal and O. A. M. Ali, (2020). Productivity and Quality of Rice as Influenced by Foliar Spray of Different Silicon Sources and Rates Under Salinity Soil Conditions. J. of Plant Production, Mansoura Univ., Vol 11 (12):1201 – 1206.
- Bassiouni, S. M. A.; B. A. Zayed; A. A. E. Mohamed and A. M. Omer (2011). Effect of pre-sowing seed and seedling treatments on growth and yield of Egyptian hybrid rice under saline soil conditions. J. Agric. Res. Kafer El-Sheikh Univ., 37 (2) 2011. Egypt
- Bassiouni, S.M. (2016). Response of rice crop to phosphorus and sulfur fertilizers under saline soil conditions. J. Plant Prod., Mansoura Univ., 7(10):1101-1107.
- Bassiouni, S.M. (2018). Effect of irrigation intervals and submergence head on rice yield and soil quality under salinity of soil and water. J. Plant Production, Mansoura Univ., 9 (4): 409-415.
- Bassiouni, S.M.A.; I.M. Hashem; G.A. Dewedar and T.M. Abd El-Megeed (2016). Effect of Plant Growth Regulators on Growth and Yield of Egyptian Hybrid Rice One Under Saline Soil Conditions. J. Plant Production, Mansoura Univ., 7(5):511-517.
- Bassiouni, S.M.A., B.A. Zayed, A.A.E. Mohamed and A.M. Omar (2011). Effect of pre-sowing seed and seedling treatments on growth and yield of Egyptian hybrid rice under saline soil. Agric. Res. Kafer El Sheikh Univ., 37(2):270-283.
- Batool M, El-Badri AM, Wang C, Mohamed IA, Wang Z, Khatab AA, Bashir F, Xu Z, Wang J, Kuai J, Wang B. The role of storage reserves and their mobilization during seed germination under drought stress conditions of rapeseed cultivars with high and low oil contents. Crop and Environment. 2022, 1(4):231-40.
- Belih, E.M.; K.A. Attia; S.E.M. Sedeek; N.A. EL-Baghdady and H.F. EL-Mowafi (2010). Evaluation and DNA marker analysis of stigma characteristics in rice (*Oryza sativa* L.). J. Agric. Res. Kafer El-Sheikh Univ., 36(4):409-419.
- Bleih, E.M.; S. Sultan; O.A. ELbadawy; A.S. Taha; M. Negm and R.A. EL-Namaky (2022). Characterization of some agronomic traits and salinity tolerance indices under normal and saline soil conditions in rice. J. of Plant Production, Mansoura Univ., 13(12): 907-917.
- Boghdady, S. M., & Metwally, T. F. (2024). Impact of Technological Change in Cultivated Rice Varieties on Water Ratio. Journal of the Advances in Agricultural Researches, 29(3), 325-337.
- Boghdady, S. M., & Metwally, T. F. (2024). Impact of Technological Change in Cultivated Rice Varieties on Water Ratio. Journal of the Advances in Agricultural Researches, 29(3), 325-337.
- Daher, E. M.; S. A. Elnaem; Sara A. El-leithy and H.M. Hassan (2024). Allelic and Non-Allelic Interaction of some Quantitative Traits in Rice under Water Deficit Conditions. J. of Plant Production, Mansoura Univ., 15 (12): 825 – 834. doi: 10.21608/JPP.2024.325597.1392"
- Daher, E.M.; S.A. El-Naem; Mariam T. Wissa and Eman A.H. Essa (2023). Studies on combining ability and heterosis for some traits of root and yield characters of some rice genotypes under normal and water deficit conditions, J. Product. & Dev., 28(1):33-62.

- Dewedar G.A.; S.M. Bassiouni; F.I. Yousof and M.S. Abo El-Dahab (2016). Response of broadcast-seeded rice to seed treatments and foliar application of yeast extract. The sixth Field Crops Conference 22-23 Nov.2016.
- Di Liu, Marzoq Hadi Al Fahd, Esmat F Ali, Ali Majrashi, Adel M Ghoneim, Zheli Ding, Mamdouh A Eissa (2021). Soil microbial biomass, CO₂ and NH₃ emission and nitrogen use efficiency in a sandy soil amended with recycled dairy products. Environmental Technology & Innovation. <https://doi.org/10.1016/j.eti.2021.101546>.
- Ding, Z., Majrashi, M.A., Ghoneim, A.M., Esmat F. Ali, Mamdouh A. Eissa, Rania El Shal (2022). Irrigation and biochar effects on pearl millet and kinetics of ammonia volatilization from saline sandy soils. J. Soil Sci. Plant Nutr. <https://doi.org/10.1007/s42729-021-00753-0>.
- Djaman K, Mel VC, Ametonou FY, El-Namaky R, Diallo MD, and Koudahe K (2018). Effect of Nitrogen Fertilizer Dose and Application Timing on Yield and Nitrogen Use Efficiency of Irrigated Hybrid Rice under Semi-Arid Conditions. J Agri Sci Food Res 2018, 9:2.
- DONG, R., TIAN, W., ELSHAMEY, E., XIAO, L., XIAO, Y., LI, F., CHEN, Z., YE, D., WANG, H. & ZHU, T. (2025). Isoamyl isothiocyanate preserves postharvest quality of matsutake (*Tricholoma matsutake*) by modulating oxidative and antioxidative homeostasis. Frontiers in Plant Science, 16, 1627772.
- Ebrahim Ramadan, Galal Anis, Mohamed Gawish and Mostafa Elshenawy (2017). Fingerprinting of some Egyptian rice genotypes using Intron-exon Splice Junctions (ISJ) markers. Journal of Plant Molecular Breeding, 5(2): 38-49.
- Eissa, M.A., Al-Yasi, H.M., Ghoneim, A.M., Esmat F. Ali, Rania El Shal (2022). Nitrogen and compost enhanced the phytoextraction potential of Cd and Pb from contaminated soils by Quail Bush [*Atriplex lentiformis* (Torr.) S.Wats]. J. Soil Sci Plant Nutr. <https://doi.org/10.1007/s42729-021-00642-6>.
- El Abd A. B., M. Sh. El-Keredy, M. S. Abd El-Aty and H. M. Hassan (2009). Inheritance of grain yield traits using Triple Test Cross analysis in rice (*Oryza sativa* L.). 6th International Plant Breeding Conference, Ismalia, Egypt: 339-349.
- El Abd, A. B., M. Sh. El-Keredy, M. S. Abd El-Aty and H. M. Hassan (2009). Detection of epistasis and estimation of additive and dominance components of genetic variation using Triple Test Cross analysis in rice (*Oryza sativa* L.). 6th International Plant Breeding Conference, Ismalia, Egypt: 350-366.
- El Denary, I. M. and E. A. Z. El Shamey (2014). Analysis of gene expressions associated with increased allelopathy in rice under low nitrogen treatment. Egypt. J. Genet. Cytol., 43: 113-131.
- El Denary, I. M.; S. A. Dora; M. I. Abo Youssef; D. R. Gealy and E. A. Z. El Shamey (2012). Analysis of gene expressions associated with increased allelopathy in rice induced by exogenous salicylic acid. Plant Growth Reg., J. USA. (23) 551-559 P.
- El Denary, I. M.; S. A. Dora; M. I. Abo Youssef; M. Pansion and E. A. Z. El Shamey (2011). Genetic behavior for momilactone B in some lines and their hybrids of rice. Plant breeding, Egypt. J. Mansura Univ. 14 (22).
- El Keredy, M. Sh.; A. A. El-Hissewy; M. S. Abd El-Aty; A. B. El-Abd and H. M. Hassan (2003). Diallel analysis for root and shoot characters in rice (*Oryza sativa* L.). Proc. 10th National Conference of Agronomy, Fac. of Environ. Sci., El-Arish, Suez Canal Univ., Egypt, 7-10, 191-202.
- El Keredy, M. Sh.; A. A. El-Hissewy; M. S. Abd El-Aty; A. B. El-Abd and H. M. Hassan (2003). Heterosis and combining ability analysis for agronomic, yield and its components characters in rice (*Oryza sativa* L.). Proc. 10th National Conference of Agronomy, Fac. of Environ. Sci., El-Arish, Suez Canal Univ., Egypt, 7-10, 160-175.

- El- Mowafi, H. F.; E.F.A. Arafat; M.E. Negm; M.T. Wissa and D.E. Elsharnobi (2022). Study of heterosis and genetic parameters for yield and its components traits in hybrid rice (*Oryza sativa* L.) using line x tester mating system. *J. of Plant Production, Mansoura Univ.*, 13 (7): 297–303.
- El Shamey, E. A. Z. (2016). Genetical studies on allelopathic activity and yield component in some lines of hybrid rice against barnyardgrass weed under Nitrogen stress. *Asian Journal of Plant Science and Research*, 6(4):30-36.
- El Shamey, E. A. Z., M. A. A. El Sayed, and W. H. El Gamal (2015). Genetical analysis for allelopathic activity in some wheat varieties. *Egypt. J. Plant Breed.* 19 (3):125-137.
- El Shamey, E. A. Z., M. A. A. El Sayed, and W. H. El Gamal (2015). Genetical analysis for allelopathic activity in some wheat varieties. *Egypt. J. Plant Breed.* 19 (3):125-137.
- El Shamey, E. A. Z., M. A. A. El Sayed, and W. H. El Gamal (2016). Genetical studies on the relationship of isozymes with allelopathy in hybrid rice. *KMITL Sci. Tech. J. Vol.16 No.2 Jul.-Dec.*
- El Shamey, E. A. Z., M. A. A. El Sayed, and W. H. El Gamal (2016). Genetical studies on the relationship of isozymes with allelopathy in hybrid rice. *KMITL Sci. Tech. J. Vol.16 No.2 Jul.-Dec.*
- El Shamey, E. A. Z., M. A. Babar, and A. Borojourdi (2025). Biochemical and physiological studies at wheat genotypes under drought stress using NMR-metabolic analysis. Accepted at *Field Crop Science Journal*, and release next volum.
- El Sharkawi H., M. B.A. Zayed ,T. Honna and S.Yamamoto(2006):Chemical compositions and salinity development in paddy soil as affected by irrigation intervals of mixed water saline soil, *Pakistan J. of Biological Sciences* 9(4):741-745.
- El Sharkawi, M. H. and B. A. Zayed. (2012). Effect of nitrogen forms and rates on heavy metals availability and rice productivity under wastewater irrigation. *J. plant production, Mansoura Univ.*, Vol. 3 (2):173 - 190.
- El Sharkawy, M.; AL-Huqail, A.A.; Aljuaid, A.M.; Kamal, N.; Mahmoud, E.; Omara, A.E.-D.; El-Kader, N.A.; Li, J.; Mahmoud, N.N.; El Baroudy, A.A.; Adel M.Ghoneim*; et al. (2024). Nano-bioremediation of arsenic and its effect on the biological activity and growth of maize plants grown in highly arsenic-contaminated soil. *Nanomaterials*, 14, 1164. <https://doi.org/10.3390/nano14131164>.
- El –Wahah ,S.M.; R.A.Ebaid ,M.I.Abou Youssef and B.A. Zayed (2005):Combining ability effect on some rice varieties and their crosses for brown spot resistance and some physiological characters in saline soil .*Egypt. J. of Agric., Res.*,82(5 B) :521-539.
- El-Abd, .A. B,Abd Allah ,S.M.Shehata ,A.S.Aba El-Latif and B.A. Zayed (2007) Heterosis and combining ability for yield and its components and some of root characters in rice under water stress condition .*Egypt J. plant breed.*11(2)593-609.
- EL-Abd, A.B.; S.E.M. Sedeek; S.A.A. Hammoud and A.A. Abd Allah (2008). Studies on genetic variability, heritability and genetic advance for grain yield and grain quality traits in some promising genotypes of rice (*Oryza sativa* L.). *J. Agric.Res. Kafr EL-Sheikh Univ.*,34(1): 73-97.
- El-Akhdar, I., Taha, H. A., Ghazy, H. A., and El-Nahrawy, S. M. (2025). Impact of different rates of N2 fertilizer amendment and foliar spraying with compost tea on the Biological activity and the productivity of rice plants. *Environment, Biodiversity and Soil Security*, 9(2025), 39-50.
- El-amawi ,R.M.,S.M. Bassiouni ,W.M. Elkhoby and B.A. Zayed (2016) Effect of zinc oxide nanoparticules on brown spot disease and rice productivity under saline soil conditions *J. plant Prot. and Path.*, Mansoura Univ.,Vol.7(3):171-181.
- Elamawi, R.M.; S.M. Bassiouni; W.M. Elkhoby and B.A. Zayed (2016). Effect of zinc oxide nanoparticles on brown spot disease and rice productivity under saline soil. *J. Plant Prot. And Path.*, Mansoura Univ., 7 (3):171-181.

- El-Badawy O. A., H. F. El-Mowafi, A. H. Abd El-Hadi (2017). Genetic analysis for F1 rice hybrids developed using three cytoplasmic male sterile line system. *International Journal of Agricultural and Environmental Sciences*, 2(5): 60-67.
- Elbadawy, O. A., A. T. Samir and G. B. Anis (2024). Adaptation And Selection Early And High Yielding Production of Some Exotic Rice Genotypes Under Egypt Conditions. *Environment, Biodiversity & Soil Security*, (In press).
- El-Badri AM, Batool M, AA Mohamed I, Wang Z, Khatab A, Sherif A, Ahmad H, Khan MN, Hassan HM, Elrewainy IM, Kuai J, Zhou G, Wang B. (2021). Antioxidative and Metabolic Contribution to Salinity Stress Responses in Two Rapeseed Cultivars during the Early Seedling Stage. *Antioxidants* (Basel, Switzerland). Jul;10(8). doi: 10.3390/antiox10081227. PMID: 34439475; PMCID: PMC8389040.
- El-Badri AM, Batool M, AA Mohamed I, Wang Z, Khatab AA, Sherif A, Ahmad H, Khan MN, Hassan HM, Elrewainy IM, Kuai J. Antioxidative and metabolic contribution to salinity stress responses in two rapeseed cultivars during the early seedling stage. *Antioxidants*, 2021, 10(8):1227.
- EL-Badri, A., G. Anis, A. Hefaina, C. Barutçular, A. EL Sabagh (2016). Genetic Variability in F2 Generation for Some Physio-Morphological Characteristics in Rice. *Journal of Agriculture Biotechnology*, 1(2): 68-75.
- El-Beltagi HS, El-Nady MF, Rezk AA, Tahoon AM, Al-Daej MI, Abdulmajid D, et al. (2024) Effects of paclobutrazol seed priming on seedlings quality, physiological and bakanae disease index characteristics of rice (*Oryza sativa* L.). *Phyton-Int J Exp Bot*. 2024;93(10):2535-2556 <https://doi.org/10.32604/phyton.2024.056734>
- El-Denary M.E., M.S. Abdel Megeed, S.E.M. Sedeek and T. M. Mazal(2015). Evaluation of some rice genotypes for stem borer resistance using genetic and molecular markers analysis. *Minufiya Res.Agric.J.Vol.40 No. 1(1): 67 – 77*.
- El-EKhtyar, A.M.; B.A. Zayed A.A. AbdAllah; A.B. El-Abd and A.F. Abd El-Khalik (2008) Pre- sowing seed treatments related to seedling vigor, growth and grain yield of Egyptian hybrid rice under saline soil. *J. Argic., Sci., Mansoura University* .,36(12)7487-7500.
- Elekhtyar, Nehal M., T.F. Metwally and M. Nour El-Din. Evaluation of Biofertilizer of NPK and Compost Tea on Seedling Vigor and Yield of Rice. (2016). *Proceedings of International Conference on Applied Microbiology, Biotechnology and its Applications in the Field of Sustainable Agricultural Development*. March 1-3, 2016, Giza, Egypt, pp 8-20.
- El-Gamaal, A. A. 1 ; B. A. Zayed ; H. M. Ashry and A. E. M. M. Bakr(2022).Estimation of Heterosis and Combining Ability for some Grain Traits of Rice under Saline Sodic Soil Conditions. *J. of Plant Production, Mansoura Univ.*, Vol. 13 (8):629 – 634.
- Elgohary A.A., I.M. Hashem, T.F. Metwally and S.E.M. Sedeek. 2016. Performance of Some Promising Egyptian Rice Genotypes under Different Locations. *J. Agric. Res. Kafr El-Sheikh Univ.*, 42(1): 87-101.
- Elgohary, A.A., I.M. Hashem, T.F. Metwally and S.E.M. Sedeek (2016). Performance of some promising Egyptian rice genotypes under different locations. *Journal of Sustainable Agricultural Sciences*, 42(1): 87-101.10.21608/jsas.2016.2776
- El-Habashy, M.M; R.A.S. El-Shafey, G.B. Anis and S.A.A. Hammoud (2015). Yield potential of novel rice genotypes and effect of Trichogramma release and blast resistance on rice productivity. *J. Plant Protection and pathology, Mansoura University*, Vol. 6(10): 1381-1397.
- EL-Hity M.A., Metwally, T.F., Mohammed, A.A., Gharieb A.S, and Elsaka M.A.M. (2021). Some Nutrients Availability in Rice Soil under Utilization of Organic and Inorganic Fertilizers. *Alexandria Journal of Agricultural Sciences*, 66(2), 23-33.

- El-Hity, M., Omar, A., El-Saka, M., Ibrahim, A., & Metwally, T. (2024). Assessment of Rice Quantity and Quality at Different Locations in El-Behira Governorate, Egypt. *Egyptian Journal of Agronomy*, 46(2), 411-420.
- El-Kady A. A., S. H. Abou Khadra, Nessreen N. Bassuony and H. M. Hassan (2013). Effect of storage conditions on grain quality characters of some special rice varieties. *Egypt J. Plant Breed.* 17 (4): 70 – 84, doi: 10.12816/0004001
- El-Kallawy, W.H., F.A. El-Amary, E.E. Gewaily and M.M. Abd El-Hamed (2017). Canopy index and productivity of broadcasted Hybrid rice influenced by nitrogen splitting application. *J. Plant Production, Mansoura Univ.* 8(4) P: 509-519.
- ElKhoby W. M., A. M. El-Khtyar, H. M. Hassan, B. B. Mikhael Kh. A. Abdelaal (2013). Effect of Split Application of Nitrogen Fertilizer on Morpho-Physiological Attributes and Grain Yield of Broadcast Seeded Egyptian Hybrid Rice (I). *J. Plant Production, Mansoura Univ.*, 4 (8): 1259 – 1280, doi: 10.21608/jpp.2012.85376.
- Elkhtyar, A. M., A. A. El-Gohary, S. M. Bassiouni and A. K. M. Salem (2014). Effect of phosphorus and sulfur fertilizer interaction on rice yield and yield attributes. *J. Plant Production, Mansoura Univ.*, 5 (4):637-647.
- Elkhtyar, A. M.; S. M. Bassiouni; B.B. Mikhael and W.M. Elkoby (2014). Effect of Gibberellic acid and Potassium applications in improving salinity tolerance of three rice cultivars. *Alexandria. Sci. Exchange J.* 35(1):49-63.
- El-Malky, M. M., H. M. Hassan, E. M. R. Metwali and A. A. Hadifa (2016). Identifying the genes of blast resistance in rice (*Oryza sativa* L.) using Line x Tester analysis. *J. Plant Production, Mansoura Univ.* Vol., 7(12): 1269 – 1280, doi: 10.21608/jpp.2016.47016.
- Elmoghazy, A.M., G.B. Anis and H.F. El-Mowafi (2015). Genetic behavior of some traits of Indica-Japonica rice hybrids. *ORYZA*, 52(4):255-265.
- El-mohamady, A. A., El-Khtyar, A.M. and Zayed B.A. (2011). Molecular genetic studies on sterility and fertility traits in rice under Egyptian conditions, 6th environmental condition conferences, faculty of science, Zagazig Univ., P :56-65.
- El-Mowafi H.F., A.O. Bastawisi, K.A. Attia, A.F. Abdelkhalik, R.M. Abdallah, A.M. Reda, E.F. Arafat, R.A. El-Namaky, M.H. Ammar, S.M. Abdelkhalek, W.A. Ahmed, O.A. El-Badawy, R.A.S. El-Shafey, A.S. Hendawy, M.R. Sherif, S.M. Shebl, M.I. Abou Youssef, A.E. Draz, F.N. Mahrous, A.T. Badawi, and M.S.M. Soliman (2019). EHR3 (EGYPTIAN HYBRID RICE 3): A NEW HIGH YIELDING HYBRID VARIETY OF RICE. *Egypt. J. Plant Breed.* 23(1):11– 23.
- El-Mowafi, H.F., A.I. Sayed, M. A. ABD EL-Rahman, O.A. Elbadawy, R.M. Abdallah and A.M. Reda (2012). Identification of aromatic hybrid rice using microsatellite (SSR) markers in Egypt. 6th International Hybrid Rice Symposium, India.
- El-mowafi, H.F., A.M. Reda, E. F. Arafat, O.A. Elbadawy and R. M. Abdallah (2012). HYBRID RICE TECHNOLOGY IN EGYPT. 6th International Hybrid Rice Symposium, India.
- EL-Mowafi, H.F., A.O. Bastawisi, A.F., Abdelkhalik K.A. Attia, R.A. El-Namaky and M.H. Ammar. (2009) Hybrid Rice Technology in Egypt. The 5th International Hybrid Rice Symposium. 11-15 Oct 2008. Changsha. Hunan. China.
- El-Mowafi, H.F.; A.O. Bastawisi,, H.M. Hassan; et al. (2024). Sakha super 302, a new Egyptian short duration and climate resilient super rice variety. *Egypt. J. Plant Breed.* 28(1):165– 185. doi:10.12816/EJPB.2024.372796
- El-Mowafi, H.F.; A.R. Ahmed and G.B. Anis (2015). Identification of restorers and maintainer lines based on CMS and EGMS systems for developing rice hybrids in Egypt. *Egypt, J. plant breed.*, 19(6):1865-1872

- El-Naem, S. A.; E. M. Daher; M. I. Ghazy and H.M. Hassan (2024). Improving Rice Genetic Resources by Conducting Differential Crossings to Create New Hybrids in Both Regular and Water- Deficient Conditions. *J. of Plant Production*, Mansoura Univ., 15 (11): 699 -716. doi: 10.21608/JPP.2024.330083.1400
- El-Namaky R.A, Demont M. 2013. Hybrid rice in Africa: Challenges and prospects. In: Wopereis M C S. *Realizing Africa's Rice Promise*. Wallingford, the United Kingdom: CAB International: 173-178.
- El-Namaky R.A., Sedeek S.E.M., Hammoud S.A.A., Manneh B and El-Shafey R.A.S. (2010) Gene action and combining ability for agronomic traits and biotic stress tolerance in rice. In *AfricaRice congress*, Bamako, 2010 (1.3), 1-11.
- El-Namaky, R.A. (2012) Heterosis and Combining ability of Some Agronomic and Physiological Characters in Rice. In *J. of Agric. Res. Kafr El- Sheikh Univ.*, 38 (2): 266- 283.
- El-Namaky, R.A. (2012) Identification of Some Widely Compatible Restorer Lines Using Testcross and SSR Markers. In *J. of Plant Production*, Mansoura Univ., 3 (11): 2913-2926.
- EL-Namaky, R.A.; S.E.M. Sedeek; S.A.A.Hammoud and R.A.S. EL-Shafey (2010). Gene action and combining ability for agronomic traits and biotic stress tolerance in rice. *Second Africa Rice Congress: Innovation and partnerships to realize Africa s Rice potential*, 22 to 26 March 2010, Bamako, Mali.
- El-Namaky. R.A, S.E Seedek, O.A. Elbadawi, E.A. belih, S.A Sultan, M. Awadallah, A. Tahon and A. Taha (2023). Shorting Rice Breeding Cycle and Developing New Promising Lines. In *international conference of Field Crops Research Institute (FCRI)*, 13-16 March, Cairo, Egypt in *Egypt. J. Agric. Res.*, (2023) 101, (2)685-699. DOI: 10.21608/EJAR.2023.195656.137.
- El-Refae YZ and Abdulmajid DAM (2011) Heterosis Analysis for Physio-Morphological Traits and Yield in Relation to Drought Tolerance in Rice (*Oryza sativa* L.), *Egypt J of Plant Breed.*, (15)2: 175-192
- El-Refae, I. S., E. E. Gewaily, E. S. Naeem and B. A. Zayed (2011). Water Balance and Economic Evaluation of Some Egyptian Rice Cultivars. *J. Agric. Res. Kafr El-Sheikh Univ.*, 37(1):85-98.
- El-Refae, I. S., E. E. Gewally and E. S. Naeem and B. A. Zayed (2011). Water balance and economic evaluation of some Egyptain rice cultivars. : *J. Agric. Res. Kafr El-Sheikh Univ.*, 37(1):85-98.
- El-Refae, I. S., Ghazy, H. A., and Sheta, I. A. (2021). Effect of nitrogen fertilizer splitting and water management on productivity and grain quality of Giza 179 rice cultivar. *Menoufia Journal of Plant Production*, 6(10), 465-477.
- El-Refae, I. S., R. N. Gorgy and T. F. Metwally. 2012. Response of some rice cultivars to plant spacing for improving grain yield and water productivity under different irrigation intervals. *Alex. J. Agric. Res.*, 88(1):1-23.
- El-Refae, I. S.; I. M. El-Rewainy, B. A. Zayed and M. M. El-Malky (2005). Physiological aspects of grain yield variation in short and medium duration cultivars of rice grown under submergence conditions. *Alex. J. Agric. Res.*, 50 (2B): 33-38.
- El-Refae, Y. Z., Randa S. Nofal and Sara A. El-leithy, (2021). Genetic Diversity Analysis by SSR Markers Linked to Major QTLs of Cooking and Eating Quality Traits in Rice (*Oryza sativa* L.) *J. of Agricultural Chemistry and Biotechnology*, Mansoura Univ., Vol 12 (7):137 -143.
- EL-Refae, Y.Z.A.; S.E.M. Sedeek; R. A. S. EL-Shafey and B. A. Zayed(2011) Genetic diversity associated with agronomic traits and biotic stresses using ssr markers in some Egyptian rice genotypes. *J. Plant Production*, Mansoura Univ., 2(1):109-126.
- EL-Refae, Y.Z.A.; S.E.M. Sedeek; R. A. S. EL-Shafey and B. A. Zayed(2011). Genetic diversity associated with agronomic traits and biotic stresses using SSR markers in some Egyptian rice genotypes. *J. Plant Production*, Mansoura Univ., 2(1):109-126.

- EL-Refaei, Y.Z.A.; S.E.M. Sedeek; R.A.S EL-Shafey and B.A. Zayed (2011). Genetic diversity associated with agronomic traits and biotic stresses using SSR markers in some Egyptian rice genotypes. *J. Plant production, Mansoura Univ.*, Vol. 2(1):109-126. [10.21608/jpp.2011.85469](https://doi.org/10.21608/jpp.2011.85469)
- El-Rewainy I.M., A.M El-Ekhtyar and T.F Metwally. 2006. Response of Some Rice Varieties to Bio and Nitrogen Fertilization. *Proc. 3rd Egypt & Syr. Conf. for Agric. & Food, El-Minia, Nov. 6-9, 3(1): 45-54.*
- El-Rewainy I.M., S.A. Hamoud, T.F. Metwally and S.E. Sedeek. 2007. Response of two rice cultivars to different seedling ages and nitrogen levels. *African Crop Sci. proceedings. El-Minia, Egypt. 8: 1937-1940.*
- El-Rewainy, I.M., T.F. Metwally, W.H. El-Kellawy and E.S. Naeem. 2010. Performance of Egyptian Hybrid Rice under Different Nitrogen Fertilizer Sources. *Egypt. J. Agric. Res.*, 88 (1):297-306.
- El-Rewainy: I.M.O.: S.A.A. Hammoud, T.F. Metwally and S.E.M. Sedeek (2007). Response of two rice cultivars to different seedling ages and nitrogen levels. *African Crop Science Conference EL-Minia, Egypt. vol. (8):1937-1941.*
- ElSayed M. A. A. et al (2020). Sakha 108 Egyptian rice variety japonica type high yielding and resistant to blast. *Journal of Plant Production, Mansoura Univ.*, Vol (11): 1153-1162.
- ElSayed, M. A., et al., (2021). Water Deficit Induced Physiological and Amino Acid Responses in Some Rice Varieties Using NMR-Metabolic Analysis. *Agronomy Journal*. <https://doi.org/10.1002/agj2.20846>
- Elsayed, S.; Ibrahim, H.; Hussein, H.; Elsherbiny, O.; Elmetwalli, A.H.; Moghanm, F.S.; Ghoneim, A.M.; Danish, S.; Datta, R.; Gad, M. (2021). Assessment of water quality in Lake Qaroun using ground-based remote sensing data and artificial neural networks. *Water*, 13, 3094. <https://doi.org/10.3390/w13213094>.
- Elsehly, A. B., El-Gammaal, A. A., El-Denary, M. E., Abo Yousef, M. I., & Abd-Elaty, M. S. (2022). Genetic Behavior of Grain Yield and Quality Traits under Water Deficit and Normal Conditions of some Rice Genotypes. *Journal of Plant Production*, 13(6), 225-239.
- El-Shafey, R.A., G.B. Anis and A.M. Elmoghazy (2016). Evaluation of some developed high yielding rice genotypes resistant to blast, bakanae and white tip nematode. *J. plant production, Mansoura Univ.*, 7(3): 317-329.
- El-Shal, R.M.; El-Naggar, A.H.; El-Beshbeshy, T.R.; Mahmoud, E.K.; El-Kader, N.I.A.; Missaui, A.M.; Du, D.; Ghoneim*, A.M.; El-Sharkawy, M.S. (2022). Effect of nano-fertilizers on alfalfa plants grown under different salt stresses in hydroponic system. *Agriculture*, 12, 1113.
- ElShamey, E. A. Z. (2018). Analysis of Gene Expressions Associated with Response of Phenolic Metabolism of Allelopathic Rice under Barnyardgrass Stress. *Open Access Journal of Agricultural Research. Volume 3 Issue 10.*
- ElShamey, E. A. Z. (2019). Locating Genes Controlling Allelopathic Effects Against Barnyardgrass in Hybrid Rice. 7th Conference for Field Crops, December, 2018.
- ElShamey, E. A. Z. (2019). Locating Genes Controlling Allelopathic Effects Against Barnyardgrass in Hybrid Rice. 7th Conference for Field Crops, December, 2018.
- ElShamey, E. A. Z. et al (2020). Sakha 108 Egyptian rice variety japonica type high yielding and resistant to blast. *Journal of Plant Production, Mansoura Univ.*, Vol (11): 1153-1162.
- ElShamey, E. A. Z., et al., (2021). Water Deficit Induced Physiological and Amino Acid Responses in Some Rice Varieties Using NMR-Metabolic Analysis. *Agronomy Journal*. DOI:10.1002/agj2.20846.

- ElShamey, E. A. Z., et al., (2021). Water Deficit Induced Physiological and Amino Acid Responses in Some Rice Varieties Using NMR-Metabolic Analysis. *Agronomy Journal*. <https://doi.org/10.1002/agj2.20846>
- ElShamey, E.A.; Yang, X.; Yang, J.; Pu, X.; Yang, L.E.; Ke, C.; Zeng, Y. (2025). Occurrence, Biosynthesis, and Health Benefits of Anthocyanins in Rice and Barley. *International Journal of Molecular Sciences*.
- ElShamey, E.A.Z.; et al. Growth Regulators Improve Outcrossing Rate of Diverse Rice Cytoplasmic Male Sterile Lines through Affecting Floral Traits. *Plants* 2022, 11, 1291. <https://doi.org/10.3390/plants11101291>
- ElShamey, Essam, Jiazhen Yang, Xiaomeng Yang, Md. Mahmudul Hasan, Tao Yang, and Yawen Zeng. (2025). Genetic Divergence and Functional Significance of Bioactive Compounds in Rice and Barley: Implications for Biofortification and Human Health. *International Journal of Molecular Sciences* 26, no. 15: 7374. <https://doi.org/10.3390/ijms26157374>
- El-Sharkawy M, Alotaibi MO, Li J, Mahmoud E, Ghoneim AM, Ramadan MS, Shabana M. (2024). Effect of nano-zinc oxide, rice straw compost, and gypsum on wheat (*Triticum aestivum* L.) yield and soil quality in saline-sodic soil. *Nanomaterials*. 14(17):1450. <https://doi.org/10.3390/nano14171450>.
- El-Sharkawy, M.; El-Naggar, A.H.; AL-Huqail, A.A.; Ghoneim, A.M. (2022). Acid-modified biochar impacts on soil properties and biochemical characteristics of crops grown in Saline-Sodic Soils. *Sustainability* 14, 8190.
- Elsharnobi, D.E.; E.F.A. Arafat; R.M. Abdallah and M.E. Negm (2022). Study of combining ability of some important traits in some hybrid rice combinations. *Menoufia J. Plant Prod.*, 7: 57 – 74.
- Elshayb, O. M., Ghazy, H. A., Wissa, M. T., Farroh, K. Y., Wasonga, D. O., and Seleiman, M. F. (2024). Chitosan-based NPK nanostructure for reducing synthetic NPK fertilizers and improving rice productivity and nutritional indices. *Frontiers in Sustainable Food Systems*, 8, 1464021.
- Elshenawy, M. M, W. H. Elgama, Fatma A. Hussein and Neama El-kholly(2024). Genetic Analysis of Yield Related Characteristics Using Line \times Tester Mating Design in Rice (*Oryza sativa* L.) *J. of Plant Production, Mansoura Univ.*, Vol. 15 (2):21 - 28, 2024.
- Elsisi, M., Elshiekh, M., Sabry, N. & Abdelrahman, M. (2024). The genetic orchestra of salicylic acid in plant resilience to climate change induced abiotic stress: critical review. *Stress Biology* 4, 31.
- Elsorady, M.E. I., T. F. Metwally and Zenab A. A. Abd-Alhafez. 2015. Growth Performance, Bran Oil Characteristics and Hull Volatile Constituents of Some Rice Varieties. *Egypt. J. Agric. Res.*, 93 (2): 481-499.
- Eltahawy MS, Ali N, Zaid IU, Li D, Abdulmajid D, Bux L, Wang H and Hong D (2020) Association Analysis between Constructed SNPLDBs and GCA Effects of 9 Quality-Related Traits in Parents of Hybrid Rice (*Oryza Sativa* L.), *BMC Genomics*, 21(1):31. 10.1186/s12864-019-6428-0
- Eman A. Elshnawy, Mohamed I. Ghazy, Mahmoud M. Gaballah, Medhat Eldenary (2025). Exploring the genetic background and performance stability of some egyptian rice genotypes to water stress. *JSAES* 2025, 4 (2), 49-57.
- Eman M. Bleih*; S. Sultan; O. A. ELbadawy; A. S. Taha; M. Negm and R. A. EL-Namaky (2022). Characterization of some Agronomic Traits and Salinity Tolerance Indices Under Normal and Saline Soil Conditions in Rice. *J. of Plant Production, Mansoura Univ.*, Vol. 13 (12) : 907 -917.
- Eman M. Bleih; S. Sultan; O. A. ELbadawy; A. S. Taha; M. Negm and R. A. EL-Namaky (2022). Characterization of some Agronomic Traits and Salinity Tolerance Indices under Normal and Saline Soil Conditions in Rice. *J. of Plant Production, Mansoura Univ.*, Vol. 13 (12): 907 -917.

- Eman M. Bleih; S. Sultan; O.A. Elbadawy; A. S. Taha; M. Negm and R. A. EL-Namaky (2022). Characterization of some Agronomic traits and salinity tolerance indices under normal and saline soil conditions in rice. J. of plant production, Mansoura Univ., vol. 13(12) : 907 – 917.
- Esawy M., Ghoneim*, A., El Baroudy A., Abd El-Kader, N., Aldhumri, A., Othman, S., El Khamisy, R. (2021). Effects of phosphogypsum and water treatment residual application on key chemical, biological properties of clay soil and maize yield. Soil Use Management, 37:494- 503.
- Essam A. ElShamey, Cheng Cheng, Yu Fan, Xiaofang Wu, Yu Tang, Kaixuan Zhang, D C Joshi, Rintu Jha, Mingli Yan, Meiliang Zhou (2025). *Fagopyrum esculentum* ssp. *ancestrale*-A transitional buckwheat species from diploid *F. cymosum* to *F. esculentum*. Accepted at Botany of Annals Journal, and release next volum.
- Essam A.Z. ElShamey, et al. Heterosis and combining ability for floral and yield characters in rice using cytoplasmic male sterility system. Saudi Journal of Biological Sciences 29 (2022) 3727–3738. <https://doi.org/10.1016/j.sjbs.2022.03.010>
- Essam A.Z. ElShamey, et al. Heterosis and combining ability for floral and yield characters in rice using cytoplasmic male sterility system. Saudi Journal of Biological Sciences 29 (2022) 3727–3738. <https://doi.org/10.1016/j.sjbs.2022.03.010>
- Farad, F., Basir, A., Wahid, F., Adnan, M., Ahmad Khan, M., Moghanm, F., & Ghoneim, A. (2025). Interactive effect of gibberellic acid and nitrogen sources on quality and yield of wheat under different tillage systems. Egyptian J. of Soil Science, 65(1), 149-162. doi: 10.21608/ejss.2024.326112.1873.
- Farid, M.A.; A.A. Abou shousha; M.E.A. Negm and S.M. Shehata(2016). Genetical and molecular studies on salinity and drought tolerance in rice (*Oryza sativa*, L). J. Agric. Res. Kafr El-Sheikh Univ. J. Genetic Scinence. 42(2): 1-23.
- Fatma A. Hussein (2021). Heterosis and Combining Ability of some Colored Rice Genotypes for Yield Characteristics and Grain Micronutrient Content Using Line X Tester Analysis. J. of Plant Production, Mansoura Univ., Vol. 12 (6):635 – 643.
- Fatma A. Hussein and Soheir N. Abd El-Rahman (2021). COMPARATIVE STUDIES OF SOME AGRONOMIC AND GRAIN QUALITY TRAITS FOR THREE NEW DEVELOPED RICE VARIETIES. Menoufia J. Plant Prod., Vol. 6 June (2021): 315 –326 <https://mjppf.journals.ekb.eg/>
- Fatma A. Hussein, Raghda M. Sakran and Mostafa M. Elshenawy (2021). Evaluation of new promising rice lines under water deficit conditions based on grain yield, quality and stress tolerance indices. Plant Production, Mansoura Univ., Vol 12 (7): 795-804.
- Fazaa, M., A. EL-Sabagh, G. Anis, I. El-Rewainy, C. Barutçular, M. Yildirim and M.S. Islam (2016). Grain Quality of Doubled Haploid Lines in Rice (*Oryza sativa* L.) Produced by Anther Culture. Journal of Agriculture Science, Vol. 8(5): 184-190.
- Fazaa, M., A. EL-Sabagh, G. Anis, I. El-Rewainy, C. Barutçular, R. Hatipoğlu and M.S. Islam (2016). The Agronomical Performances of Doubled Haploid Lines of Rice (*Oryza sativa* L.) Derived from Anther Culture. Journal of Agriculture Science, Vol. 8(5): 177-183.
- Fazaa, M., G. Anis, Tahany M. Mazal, A. EL-Sabagh, C. Barutçular, M.S. Islam (2016). Genetic Identification of Quantitative Trait Loci (QTL) for High Nutritional Value Traits in DHLs derived from Black Rice. Journal of Agriculture Biotechnology, 1(2): 58–67.
- Fiaz S., S. A. Khan, M. A. Noor, A. Younas, H. Ali, K. Ali, M. M. Gaballah, G. B. Anis (2021). Genome Engineering for Food Security. Chapter 21. Wiley Online Library Access by Special Products. <https://doi.org/10.1002/9781119672425.ch21>

- Freeg, H.A., G.B. Anis, A.A. Abo-Shousha, A.N. El-Banna, A. El-Sabagh (2016). Genetic Diversity among Some Rice Genotypes with Different Drought Tolerance Based on SSR Markers. *Cercetări Agronomice in Moldova*, 3(167): 39-50.
- G. M. Ali, Mamdouh A. Eissa (2021). Effect of amount of irrigation and type of P fertilizer on potato yield and NH₃ volatilization from alkaline sandy soils. *J. Soil Sci. Plant Nutr.* 21(2): 1565-1576. <https://doi.org/10.1007/s42729-021-00462-8>.
- Gaballah M. M. and Abd Allah, A. A. (2015). Effect of water irrigation shortage on some quantitative characters at different rice development growth stages. *World Rural Observations*.7 (2):10-21. http://www.sciencepub.net/rural/rural070215/003_28135rural070215_10_21.pdf
- Gaballah M.M. and M. M. Shehab (2016). Genetic analysis for some agronomic traits in rice (*Oryza Sativa* L.) under water stress condition. *J. Agric. Res. Kafrelsheikh Univ* 35 (4):964-994.
- Gaballah MM, El-Agoury RY, Sakr SM, Zidan AA (2021). Genetic behavior of the physiological, nutrient, and yield traits of rice under deficit irrigation conditions. *SABRAO J Breed Genet* 53: 139-156. <http://sabraojournal.org/wp-content/uploads/2021/06/SABRAO-J-BREED-Genet-53-2-139-156-Gaballah.pdf>
- Gaballah, M. M. and Aziz F. Abu El-Ezz (2018). Genetic behavior of some rice genotypes under normal and high temperature stress. *Alex. Sci. Exchange J.* 15 (40): 370 - 384. DOI: 10.21608/ASEJAIQJSAE.2019.40780
- Gaballah, M. M.; H. M. Hassan and M.M. Shehab (2016). Stability parameters for grain yield and its component traits in some rice genotypes under different environments. The sixth field crops conference. *Agri. Sci Jour.*1-14.
- Gaballah, M.; Hamad, H.; Bamagoos, A.; Alharby, H.; Ahmed, S.; Ismail, I.A.; Sohikul Islam, M.; EL Sabagh, A. (2021). Flowering Synchronization in Hybrid Rice Parental Lines at Different Sowing Dates. *Sustainability*, 13, 3229. <https://doi.org/10.3390/su13063229>
- Gaballah, M.M. (2016). Genetic variation, heritability, phenotypic and genotypic correlation studies for yield and yield components of rice genotypes. *Egypt. J. Plant Breed.* 20(1)75 – 89.
- Gaballah, M.M., R.Y. El-Agoury, E.A. Abo-Marzoka, H.Sh. Hamad, A.F. Abu-Elezz, M.M. Shehab, I. Al-Ashkar, M.A. Iqbal, L. Liyun and A. El Sabagh. (2023). Genetic analysis of rice genotypes with contrasting response to aerobic conditions. *Pak. J. Bot.*, 55(5): DOI: [http://dx.doi.org/10.30848/PJB2023-5\(26\)](http://dx.doi.org/10.30848/PJB2023-5(26))
- Gaballah, M.M.; Attia, K.A.; Ghoneim*, A.M.; Khan, N.; EL-Ezz, A.F.; Yang, B.; Xiao, L.; Ibrahim, E.I.; Al-Doss, A.A. (2022). Assessment of genetic parameters and gene action associated with heterosis for enhancing yield characters in novel hybrid rice parental lines. *Plants*, 11, 266. <https://doi.org/10.3390/plants11030266>.
- Gaballah, M.M.; Attia, K.A.; Ghoneim, A.M.; Khan, N.; EL-Ezz, A.F.; Yang, B.; Xiao, L.; Ibrahim, E.I.; Al-Doss, A.A. Assessment of Genetic Parameters and Gene Action Associated with Heterosis for Enhancing Yield Characters in Novel Hybrid Rice Parental Lines. *Plants* 2022, 11, 266. <https://doi.org/10.3390/plants11030266>
- Gaballah, M.M.; Ghoneim*, A.M.; Rehman, H.U.; Shehab, M.M.; Ghazy, M.I.; El-Iraqi, A.S.; Mohamed, A.E.; Waqas, M.; Shamsudin, N.A.A.; Chen, Y. (2022). Evaluation of morphophysiological traits in rice genotypes for adaptation under irrigated and water-limited environments. *Agronomy*, 12, 1868.
- Gaballah, M.M.; Ghoneim, A.M.; Rehman, H.U.; Shehab, M.M.; Ghazy, M.I.; El-Iraqi, A.S.; Mohamed, A.E.; Waqas, M.; Shamsudin, N.A.A.; Chen, Y. (2022). Evaluation of Morpho-Physiological Traits in Rice Genotypes for Adaptation under Irrigated and Water-Limited Environments. *Agronomy*, 1-12. <https://doi.org/10.3390/agronomy12081868>

- Gaballah, M.M.; Metwally, A.M.; Skalicky, M.; Hassan, M.M.; Brestic, M.; EL Sabagh, A.; Fayed, A.M. (2021). Genetic diversity of selected rice genotypes under water stress conditions. *Plants*, 10, 27. <https://www.mdpi.com/2223-7747/10/1/27>.
- Gad H. K. and B.A.Zayed (2018). Performance of some wheat cultivars as affected by varying salinity levels of irrigation water in the northern Delta. *Egypt., J. plant breed.*, 22(7):1575-1590.
- Galal Anis, Hamada Hassan, Ahmed El-Sherif, Hirofumi Saneoka and Ayman EL Sabagh (2019). Evaluation of New Promising Rice Hybrid and Its Parental Lines for Floral, Agronomic Traits and Genetic Purity Assessment. *Pakistan Journal of Agricultural Sciences*, 56(3): 567-576.
- Galal Anis, Hamada Hassan, Ahmed El-Sherif, Hirofumi Saneoka and Ayman EL Sabagh (2019). Evaluation of New Promising Rice Hybrid and Its Parental Lines for Floral, Agronomic Traits and Genetic Purity Assessment. *Pakistan Journal of Agricultural Sciences*, 56(3): 567-576.
- Galal Anis, Hamdi El-Mowafi, Ahmed El-Sherif, Haytham Freeg, Arafat El-Sayed, Ayman EL Sabagh (2017) Utilizing two line system in hybrid rice (*Oryza sativa* L.) and potential yield advantage under Egyptian conditions. *Agricultural Advances*, 6(3): 398-406.
- Galal B. Anis, Ahmed I. Elsherif, Tahany M. Mazal, Mervat M. Osman and Osama A. Elbadawy (2024). IDENTIFICATION OF NEW HIGH-YIELDING INDICA-JAPONICA AND EFFECTIVE RESTORER VARIETY FOR DIFFERENT CYTOPLASMIC MALE STERILE (CMS) SOURCES IN RICE. *Menoufia J. Plant Prod.*, Vol. 9 (2): 55 – 70.
- Galal Bakr Anis (2019). Assessment of Genetic Variability and Identification of Fertility Restoration Genes Rf3, Rf4 of WA-CMS in RILs Population of Rice. *Journal of Applied Sciences*, 19: 199-209.
- Galal Bakr Anis, Hamada Mohamed Hassan, Tahany Mohamed Mazal, Walid Hassan Elgamal (2017). Development and Characterization of New Integrated Lines for Use in Two-Way Inbred and Hybrid Rice. *International Journal of Agricultural and Environmental Sciences*, 2(2): 15-24.
- Galal Bakr Anis, Yingxin Zhang, Anowerul Islam, Yue Zhang, Yongrun Cao, Weixun Wu, Liyong Cao and Shihua Cheng (2019). RDWN6XB, a major quantitative trait locus positively enhances root system architecture under nitrogen deficiency in rice. *BMC Plant Biology*, 19 (1):1-13.
- Galal Bakr Anis, Zeinab Abdelnaby Kalboush, Ahmed Ibrahim Elsherif and Raghda Mohamed Sakran (2022). Genomic Characterization and Identification of Effective Blast Resistant Genes for Sakha 101 and Sakha 108 as High Yielding Egyptian Rice Cultivars. *Journal of Plant Sciences*, 10(4):150-164.
- Galal Bakr Anis, Zeinab Abdelnaby Kalboush, Ahmed Ibrahim Elsherif and Raghda Mohamed Sakran (2022). Genomic Characterization and Identification of Effective Blast Resistant Genes for Sakha 101 and Sakha 108 as High Yielding Egyptian Rice Cultivars. *Journal of Plant Sciences*, 10(4):150-164.
- Gewaily E. E. (2018). Performance of the rice variety Egyptian hybrid under different levels of phosphorus fertilizer and orthophosphoric acid as foliar spray. *Bull. Fac . Agric., Cairo Univ.*, 69: 155-166
- Gewaily E. E. (2019). Influence of Arbuscular Mycorrhizal Fungi (AMF) Inoculation on the Performance of Sakha 107 Rice Cultivar under Different Irrigation Intervals. *Env. Biodiv. Soil Security* Vol. 3pp. 119 - 129
- Gewaily E. E., Amera T. Mohammed and W.T. Abd El-Rahem (2019). Effect of Different Irrigation Regimes on Productivity and Cooking Quality of Some Rice Varieties. *World Journal of Agricultural Sciences* 15 (5): 341-354.
- Gewaily E. E., H. Sh Hamad and E. F. Arafat (2019). Optimizing sowing date and nitrogen fertilizer level for the new rice variety Sakha Super 300. *J. Plant Production, Mansoura Univ.*, 10(9): 377- 384, (2019)

- Gewaily E.E., Adel M. Ghoneim, Marvet M.A. Osman (2018). Effects of nitrogen levels on growth, yield and nitrogen use efficiency of some newly released Egyptian rice genotypes. *Open Agriculture* 3: 310–318.
- Gewaily E.E., W. T Abd El-Rahem, Soheir T. El-Hadide and Maha M. Tawfik (2018). Chemical and technological evaluation of some Egyptian rice cultivars. *Middle East Journal of Agriculture Research*. 7 (3) P: 876-886.
- Gewaily, E. E. (2018). Impact of Compost Rice Straw and Rice Straw as Organic Fertilizer with Potassium Treatments on Yield and Some Grain Quality of Giza 179 Rice Variety. *J. Plant Production, Mansoura Univ.*, 10 (2): 143 – 151
- Gewaily, E. E., A. M. Ghoneim and Howida B. I. Elhabet (2018). Effects of soil fertilization on sakha 105 rice cultivar productivity NPK uptake and soil nutrient. *J. Soil Sci. and Agric. Eng., Mansoura Univ.* 9 (7): 253– 259.
- Gewaily, E. E., H. Sh. Hamad, B. B. Mikhael and E. F. Arafat (2021). Performance of promising hybrid rice genotypes under different irrigation intervals. *Menoufia J. Plant Prod.*, 6 : 19 –33.
- Gewaily, E.E., S. S. Neeam, T.F. Metwally and I. E. Nasr El-Din. 2011. Availability of some nutrients and rice yield as affected by rice straw fertilization under continuous flooding and saturation. *J. Soil Sci. and Agric. Eng., Mansoura Univ.*, 2(3): 379-392.
- Gewaily, E.E.; E. S., Naeem; T.F. Metwally and I. E. Nasr El-Din (2011). Availability of some nutrients and rice yield as affected by rice straw fertilization under continuous flooding and saturation. *J. Soil Sci. and Agric. Eng. Mansoura Univ.*, 2 (3): 379 – 392.
- Gharib H. S., T.F. Metwally, S.S. Naeem , E.E. Gewaily. 2011. Influence of Some Stimulating Compounds And Nitrogen Fertilizer Levels On Growth And Yield Of Hybrid Rice. *Zagazig J. Agric. Res.*, 38(1):1-21.
- Gharib, H. S., Metwally, T. F., Aboukhadrah, S. H., Elsanafawy, N. M., & Gharieb, A. S. (2025). Ameliorative effects of water deficit in rice by foliar application of Ascobien and Potassium Silicate. *Egyptian Journal of Soil Science*, 65(2).
- Gharieb A.S., T.F. Metwally, S.H. Abou-Khadrah, A.A. Glela, A. El Sabagh. 2016. Quality of Rice Grain is influenced by Organic and Inorganic Sources of Nutrients and Antioxidant Application. *Cercetari Agronomice IN Moldova (Agronomic Research in Moldavia)* 2016(4168):57-68. January 2017.
- Gharieb, A. S., AS, G., and Hasnaa, G. (2025). IMPACT OF FOLIAR NUTRIENTS SPRAY AND PLANT GROWTH REGULATORS ON GROWTH, PRODUCTION, AND GRAIN QUALITY OF RICE. *Menoufia Journal of Plant Production*, 10(1), 1-10.
- Gharieb, A. S.; T. F. Metwally; S.H. Abou-Khadrah and A. A. Glelah. 2015. Rice Soil Properties and Nutrients Uptake as Affected by compost and Antioxidant Application. *Int.J. ChemTech Res.* 8(4):1543-1556.
- Ghazy, H. A. (2021). Influence of potassium silicate on water deficit tolerance for some rice genotype. *Journal of Plant Production*, 12(10), 1101-1110.
- Ghazy, H. A., Hashem, I. M., and Sheta, I. A. (2024). Role of composted rice straw and potassium silicate in improving productivity of Sakha 106 rice cultivar with raised water use efficiency. *Environment, Biodiversity and Soil Security*, 8(2024), 97-110.
- Ghazy, H. A., Mikhael, B. B., and El-Refaei, I. S. (2019). Improving Irrigation Regimes and Plant Spacing to Maximize Rice Grain Yield and Water Productivity. *Journal of Plant Production*, 10(12), 1095-1102.
- Ghazy, H. Wissa, G., Mariam, and Sheta, I. A. (2021). Response of Sakha 109 rice cultivar to irrigation intervals and phosphorus levels. *Menoufia Journal of Plant Production*, 6(11), 479-489.

- Ghazy, M. I., Abdelrahman, M., et al., (2023). Exploring Genetics by Environment Interactions in Some Rice Genotypes across Varied Environmental Conditions. *Plants*, 13(1), 74.
- Ghidan W, Negm M, Abdelhamed M, Talha I, Abdelfatah A, Abdulmajid D (2024) Genotypic Differences in Agro-Physiological, Yield and Yield-Related Traits Responses to Saline Field Environment for Rice Genotypes through Line x Tester Analysis. *Journal of Plant Production*; 15(12): 789-802. doi: 10.21608/jpp.2024.339493.1418
- Ghidan W.F., R.Y. El-Agoury and Fatma A. Hussein (2019). Utilization of Combining Ability and Genetic Components for Yield and its Contributing Traits of some Rice (*Oryza sativa* L.) Genotypes. *Journal of Agricultural Chemistry and Biotechnology. Mansoura Univ.*, 10(12): 257- 267.
- Ghidan WF, Abdulmajid DA (2025). Egyptian Rice Gene Bank. In: Al-Khayri, J.M., Salem, K.F.M., Jain, S.M., Kourda, H.C. (eds) *Plant Gene Banks*. Springer, Singapore. https://doi.org/10.1007/978-981-99-4236-7_106-1
- Ghidan, W. F.; M. E. Negm ; M. M. Abdelhamed ; I. A. Talha ; A. G. Abdelfatah and Dina Abdulmajid(2024). Genotypic Differences in Agro-Physiological, Yield and Yield-Related Traits Responses to Saline Field Environment for Rice Genotypes through Line x Tester Analysis. *J. of Plant Production, Mansoura Univ.*, 15 (12): 789- 802.
- Ghislain Kanfany, Raafat El-Namaky, Kabirou Ndiaye, Karim Traore and Rodomiro Ortiz (2014) Assessment of Rice Inbred Lines and Hybrids under Low Fertilizer Levels in Senegal. In *Sustainability* 2014, 6, 1153-1162.
- Ghoneim, A., Al-Modaihsh, A., Naeem, S., Metwally, T., Gewailly, E., & Ebid, A. 2014. Examination of nitrification inhibition by sorghum (*Sorghum bicolor*) in soil around its roots. *Proceedings of the International Academy of Ecology and Environmental Sciences*, 4(1), 30-38.
- Gorgy, R.N, B.A. Zayed and A.A. Abou Khalifa(2009) Effect of split application of nitrogen and potassium to SK2034H hybrid rice. *J. of Agric. Sci. Mansoura Univ.*, 34(11):10631-10642.
- H. S. El-Beltagi, M. M. S. Metwaly, A. A. Rezk, M. M. Gaballah, M. I. Al-Daej, A. M. El-Sayed, W. F. Shehata, and M. F. El-Nady (2025). Mitigation of Water Deficit Stress by Exogenous Application of Salicylic Acid in Rice. *Russian Journal of Plant Physiology*, 72(85):1-13.
- H. S. El-Beltagi, M. M. S. Metwaly, M. M. El-Mogy, M. M. Gaballah, W. Elmenofy, A. M. El-Sayed, A. M. Ismail, and M. F. El-Nady (2025). Impact of salicylic acid on reducing drought stress in rice through the modulation of antioxidant enzyme activity, stomatal conductance and anatomical features. *Russian Journal of Plant Physiology*, 2025, Vol. 72:74.
- H.F. El- Mowafi , A.O. Bastawisi , A.M. Reda , R.M. Abdallah , K.A. Attia, Fatma A. Hussein A.F. Abdelkhalik , M.H. Ammar , W.A. Ahmed (2024). SAKHA SUPER 302, A NEW EGYPTIAN SHORT DURATION AND CLIMATE RESILIENT SUPER RICE VARIETY. *Egypt. J. Plant Breed.* 28(1):165– 185(2024)
- H.F. El- Mowafi, A.O. Bastawisi, A.M. Reda, R.M. Abdallah, K.A. Attia, E.F. Araft, Dalia E. El Sharnoby, A.F. Abdelkhalik, M.H. Ammar, W.A. Ahmed, A.A. Hadifa, W.H. El-Gamal, Samah M. Abdelkhalek, A.A. Hadifa, M.A. El Shenawy, M.A.A. El Sayed, Tahany M. Mazal, M.A. Abdelrhman, I.A. Ramadan, Fatma A. Hussein, Raghda M. Sakran, S.S.M. Abd El-Naby, A.M.A. El- Ghandor, Heba A. El- Sherbiny, H.M. Hassan, I.S. El Rafae, W.H. El-Kallawy, B.A. Zayed, A.M. Nada, Zeinab A. Kalboush, S.M. El-Washsh, W.E. Gabr, A.S. Hendawy3, M.M. Elhabashy3 and A.A. Hassan.(04) SAKHA SUPER 30, A NEW EGYPTIAN SHORT DURATION AND CLIMATE RESILIENT SUPER RICE VARIETY. *Egypt of J plant breeding* 8():65-85.
- H.F. El-Mowafi, A.O. Bastawisi, K.A. Attia, A.F. Abdelkhalik, R.M. Abdallah, A.M. Reda, E.F. Arafat, R.A. El-Namaky (2019). EHR3 (Egyptian Hybrid Rice 3) a new high yielding hybrid variety of rice. *Egypt. J. Plant Breed.* 23(1):11– 23

- H.F. El-Mowafi1, A.O. Bastawisi1, K.A. Attia1, A.F. Abdelkhalik1, R.M.Abdallah1, A.M. Reda1, E.F. Arafat1, R.A. El-Namaky1, M.H. Ammar1, S.M. Abdelkhalek1, W.A. Ahmed1, D.E. El-Sharnoby, O.A.A. ElBadawy, B.A. Zayed, R.A.S. El-Shafey1, A.S. Hendawy2, M.R. Sherif, A.A. Hadifa1, S.M. Shebl, M.I Abou Youssef, A.E. Draz, F.N. Mahrous, A.T.Badawi and M.S.M. Soliman (2019) EHR3 (EGYPTIAN HYBRID RICE 3): A NEW HIGH YIELDING HYBRID VARIETY OF RICE Egypt. J. Plant Breed. 23(1):11– 23 (2019)
- Hagras, A. M., B.A. Zayed, N. F. Doula and A.M. Zayed (2011). Effect of nitrogen and potassium levels on yield and yield components of some rice genotypes under saline soil. J. of plant production, Masoura Univ., 2(12):1907-1917.
- Hagrus, A. M., Abo-Youssef, M. I., Zaazaa, E. I., & El Sehely, A. B. (2014). Effect of some cultural treatments on the productivity of hybrid rice seed Sakha 2046 (IR69625A/Giza 181). J. Kafrelsheikh Univ., 3(2), 440-452.
- Hagrus, A. M., Abo-Youssef, M. I., Zaazaa, E. I., & El Sehely, A. B. (2013). Effect of seeding rates and plant spacing on hybrid rice seed production in Egypt. J. Plant Production Mansoura Univ., 4(4), 591-604.
- Hamad H. Sh., M. M. Gaballah, M. A. A. El Sayed and E. A.Z. El Shamey (2015). Effect of GA3 doses and row ratio on cytoplasmic male sterile line seed production in rice (*Oryza sativa* L.). Banha Agriculture faculty conference. 5-6/9/2015. DOI: 10.21608/JSAS.2016.3066
- Hamad, H. Sh.; M. M. Gaballah; M. A. A. El Sayed and E. A.Z. El Shamey (2015). Effect of GA3 doses and row ratio on cytoplasmic male sterile line IR69625A seed production in hybrid rice. Egypt. J. Plant Breed. 19 (3):155-167.
- Hamad, H. Sh.; M. M. Gaballah; M. A. A. El Sayed and E. A.Z. El Shamey (2015). Effect of GA3 doses and row ratio on cytoplasmic male sterile line IR69625A seed production in hybrid rice. Egypt. J. Plant Breed. 19 (3):155-167.
- Hamad, H. Sh.; E. E. Gewaily; Neama K. El-Kholly and Haba A. Elsherbiny (2022). Seed Set as Affected by Male to Female Ratio, Male Direction and Different Flowering Date in Hybrid Rice Seed Production. J. of Plant Production, Mansoura Univ., Vol. 13 (5):167 - 173.
- Hamad, H.S.; Ghazy, M.I.; Bleih, E.M.; Gewaily, E.E.; Gaballah, M.M.; Alqahtani, M.M.; Afifi, F.A.; Alshamrani, S.M.; Mansour, E. (2022). Evaluation of Advanced Mutant Restorer Lines for Enhancing Outcrossing Rate and Hybrid Seed Production of Diverse Rice Cytoplasmic Male Sterile Lines. Agronomy, 12, 2875. <https://doi.org/10.3390/agronomy12112875>
- Hamad, H. Sh. and S.M. Bassiouni (2020): Hybrid rice seed production as affected by sowing dates, seedling ages and male rows direction. J. of Plant Production, Mansoura Univ., Vol. 11(7):661-667.
- Hamad, H. Sh., El.E. Gewaily, A.M. Elmoghazy and M.A. Elsayed (2023). Out-crossing rate as influenced by optimizing the method of parental lines synchronization for hybrid rice seed production. Egypt. J. Plant Breed. 27(1):61– 76
- Hamada M. Hassan, Adel A. Hadifa, Sara A. El-leithy, Maria Batool, Ahmed Sherif, Ibrahim Al-Ashkar, Akihiro Ueda, Md Atikur Rahman, Mohammad Anwar Hossain, Ayman Elsabagh. Variable level of genetic dominance controls important agronomic traits in rice populations under water deficit condition. PeerJ, 2023.
- Hammad H. Sh.; H. M. Hassan, I. H. Abou El-Darag and S. S. M. Abd El-Naby (2017). The Mean Performance of Some Rice Varieties (*Oryza sativa* L.) under Different Storage Periods. The 11th International Plant Breeding Conference, Kafr El-Sheikh Univ., Egypt, (Special Issue, 17 - 18 October), 21 (4): 403 - 419.

- Hammoud S.A, M.I. Aboyessef and Fatma A. Hussein et al., (2020). Sakha108 Egyptian Rice Variety Japonica Type High Yielding and Resistant to Blast. *Journal of Plant Production*. Mansoura Univ., 11(11):1153 – 1162.
- Hammoud S.A; M.I. Aboyessef;and H.M. Hassan (2020). Sakha108 Egyptian Rice Variety Japonica Type High Yielding and Resistant to Blast. *J. of Plant Production*, Mansoura Univ., 11 (11):1153 – 1162. doi: 10.21608/jpp.2020.131158.
- Hammoud S.A; M.I. Aboyessef; A. S. Taha and et al (2020). Sakha108 Egyptian Rice Variety Japonica Type High Yielding and Resistant to Blast . *J. of Plant Production*, Mansoura Univ., Vol. 11 (11):1153 - 1162, 2020.
- Hammoud S.A; M.I. Aboyessef; G.B. Anis; A.T. Badawi and F.N. Mahrous (2020). Sakha108 Egyptian Rice Variety Japonica Type High Yielding and Resistant to Blast. *Journal of Plant Production*, Mansoura Univ., 11(11):1153-1162.
- Hammoud S.A; M.I. Aboyessef; S.E. Sedeek; R.A. EL-Namaky ; M.M. El-Malkey; A.B. EL-Abd; M.H. Ammar; A.A. AbdAllah; A.F. Abdelkhalik; I.S. EL-Rafae; B.A. Zayed; A.B. Abou-khalifa; W.M. Elkhoby; E.S. Naeem; T.F. Metwally; E.E. Gewally; Y.Z. El-Refae; A.M. Elmoghazy; W.H. Elgamal; M.M. Gaballah; et al. (2020). Sakha108 Egyptian rice variety japonica type high yielding and resistant to blast. *J. of Plant Production*, Mansoura Univ. 11(11):1153–1162. https://journals.ekb.eg/article_131158_0.html
- Hammoud S.A; M.I. Aboyessef; S.E. Sedeek; R.A. EL-Namaky*; M.M. El-Malkey; A.B. EL-Abd; M.H. Ammar; A.A. AbdAllah; A.F. Abdelkhalik; I.S. EL-Rafae; B.A. Zayed; A.B. Abou-khalifa; W.M. Elkhoby; E.S. Naeem; T.F. Metwally; E.E. Gewally; Y.Z. El-Refae; A.M. Elmoghazy; W.H. Elgamal; M.M. Gaballah; M.M. Shehab; Nessreen N. Bassuony; M.M. Awad-Allah; I.A. Ramadan; G.B. Anis; M. A. Ali ; H. S. Hamd; E. A. Elshamy; Howida B. El-Habet; A. A. Zidan; B.B. Mikhael; W.H. El-Kallawy; I.M. Hashem; I.H. Aboueldarag; S.S. Abdelnaby; S.M. Shebl; Marvet M. Osman; A.G. Hefeina; S.A. Maher; Eman M.Bleih; O.A. Elbadawy; Samah M. Abdelkhalik; Tahany M. Mazal; W.F. Ghidan; M.I. Gahzy; S.A. Elnaem; I.A. Talha; Samah M. Amer; Heba A. Elsherbiny; M.A. Abdelrahman; Fatama A. Hussein; M.F. Abdelmgeed; Walaa M. Esaa; M.A. Elshenawy; R.Y. El-Agoury; Raghda M. Sakran; Amira M. Okasha ; M.A. Negm; A.M. Nada; T.M. Abd El-Megeed; Hasnaa A. Ghazy; A.S. Gharieb; Rabab M. ELamawi; W. E. Gabr; S.M. El-Wash ; Zainab A. Kalboush; R. A. EL-Shafey; M.M. Elhabashy; A.S. Taha; A.S. Hendawy; A. M. Mousa; A.F. Abo-Alez; R.A. Ebeid; I.M. EL-Rewainy; A.M. ElEkhtyar; H.F. El-Mowfi; A.A. EL-Kady; I.R. Aidy; A.A. EL-Hissewy; A.E. Draz; A.T. Badawi and F.N. Mahrous (2020) Sakha108 Egyptian Rice Variety Japonica Type High Yielding and Resistant to Blast. *J. of Plant Production*, Mansoura Univ., Vol 11 (11):1153 - 1162
- Hammoud S.A; M.I. Aboyessef; S.E. Sedeek; R.A. EL-Namaky; M.M. El-Malkey; A.B. EL-Abd; M.H. Ammar; A.A. AbdAllah; A.F. Abdelkhalik; I.S. EL-Rafae; B.A. Zayed; A.B. Abou-khalifa; W.M. Elkhoby; E.S. Naeem; T.F. Metwally; et al. (2020). Sakha108 Egyptian Rice Variety Japonica Type High Yielding and Resistant to Blast. *J. of Plant Production*, Mansoura Univ., 11 (11):1153 – 1162.
- Hammoud S.A; M.I. Aboyessef; S.E. Sedeek; R.A. EL-Namaky; O.A. Elbadawy, et al (2020). Sakha108 Egyptian Rice Variety Japonica Type High Yielding and Resistant to Blast. *J. of plant production*, Mansoura Univ., 11(11): 1153 – 1162.
- Hammoud, S. A. A.; M. M. El-Malky, H. M. Hassan and S. E. M. Sedek (2013). Assessment and evaluation of genetic diversity of some lines developed from sakha101 cv. of rice by using SSR markers. *J. Agric. Chem. and Biotechn. Mansoura Univ.*, 4 (12): 371 – 387, doi: 10.21608/jac.2013.53302.

- Hammoud, S. A., Aboyessef, M. I., Sedeek, S. E., and EL-Namaky, R. A. (2020). Sakha108 Egyptian rice variety Japonica type high yielding and resistant to blast. *Journal of Plant Production*, 11(11), 1153-1162.
- Hammoud, S. M. Aboyessef, S. Sedeek, R. EL-Namaky, et al. (2020). Sakha108 Egyptian rice variety Japonica type high yielding and resistant to blast. *J. of Plant Production*, Mansoura Univ., Vol. 11 (12):1261 - 1270, 2020
- Hammoud, S.A. A., I.S.M. EL-Degwy, S.E.M. Sedeek and B.A. Zayed(2008). Line x tester analysis for some rice quantitative traits. 2nd Field Crops Conference 14-16 Oct. Giza, Egypt 121-140.
- Hammoud, S.A. A., R.A.S. EL-Shafey, S.E.M. Sedeek and M.M.H. EL-Malkey (2009). Genetic studies of some rice promising lines derived from cross (Giza 177x HR5824-B-3-2-3) for yield and its components and resistance to blast disease. 6th International Plant Breeding Conference. Ismalia, Suez Canal University, Egypt 365-383.
- Hammoud, S.A. A.; S.E.M. Sedeek; I.O.M. EL-Rewainy and R.A. EL-Namaky (2012). Genetic behaviour of some agronomic traits, blast disease and stem borer resistance in two rice crosses under two N-Levels. *J. Agric.Res. Kafer EL-Sheikh Univ.*, 38(1): 83-105.
- Hammoud, S.A., A.B. Khattab, S.E.M. Sedeek and A.B. EL-Abd (2006). Genetic analysis of grain yield, panicle traits and some grain quality in Rice (*Oryza sativa* L.). The First Field Crops Conference 22-24 August 157-170.
- Hammoud, S.A., M.I. Aboyessef, S.E. Sedeek et al. (2020). Sakha 108 Egyptian Rice Variety Japonica Type High Yielding and Resistant to Blast. *J.of Plant production*, Mansoura Univ., Vol. 11(11): 1153-1162.10.21608/jpp.2020.131158
- Hammoud, S.A.A., I.S. M. EL-Degwy, M. EL-Habshy and S.E.M. Sedeek (2012). Genetic variability, correlation and path coefficient analysis for yield and some yield related traits for some genotypes of rice. *J. plant Production*, Mansoura Univ., 3(11):2867-2882.10.21608/jpp.2012.85352
- Hammoud, S.A.A., M.M.H. EL-Malkey, and S.E.M. Sedeek (2013). Assessment and evaluation of genetic diversity of some lines developed from Sakha 101 cv. Of rice by using SSR markers. *J. Agric. Chem. and Biotech. Mansoura Univ.*, Vol., 4(12):371-387.10.21608/jacb.2013.53302
- Hammoud, S.A; M.I. Aboyessef; and M.A. Negm; et.al. (2020). Sakha108 Egyptian rice variety japonica type high yielding and resistant to blast. *Journal of Plant Production*, Mansoura Univ., 11(11):1153 -1162.
- Hammoud, S.A; S.E.M. Sedeek; I.M .El Rewainy and R. A. El-Namaky (2012). Genetic behavior of some agronomic traits, blast disease and stem borer resistance in two rice crosses, under two N-levels. In *J. of Agric. Res. Kafr El- Sheikh Univ.*, 38 (1): 83-105.
- Hammoud,A.M.,Gorgy,R.A.S. El-Shafey.and B.A.Zayed (2011) Evaluation of some quatitative of some blast resistance under different nitrogen fertilizer levels in some promising lines. *J.Agric. Res. Kafr El shiekh univ.*,37(3):418-450.
- Hany S. Gharib1, T.F. Metwally, E.S. Naeem and E.E. Gewaily (2011). Influence of some stimulating compounds and nitrogen fertilizer levels on growth and yield of hybrid rice. *J. Agric. Res. Zagazig Univ.*, 38(1):1-21
- Haq MZU, Zhang Z, Qiang S, Ahmad RM, Abdulmajid D, Fiaz M. (2022) An Insight of Quinclorac Resistance Mechanism in Early Water grass (*Echinochloa Oryzoides*), *Advances in Weed Science*, 40(1): 1-12. 10.51694/AdvWeedSci/2022;40:00009
- Hashem, I.M., E. S. Naeem, T. F. Metwally and H. M. El Sharkawi. 2016. Enhancement of lodging resistance and productivity of rice using growth regulators at different nitrogen levels. *J. Plant Breed. Crop Sci.*8(3):34-44.

- Hashim, I., Sorour, S., Yosouf, S., El-Sayed, S., and Metwally, T. (2023). Impact of organic fertilizer on some chemical properties of soil, nutrient availability and yield of the wheat-rice cropping system. *Egyptian Journal of Agricultural Research*, 101(2), 424-437.
- Hassan H. M., (2017). Inheritance of Some Root and Grain Quality Traits in Rice under Salinity Conditions. *J. Plant Breed. Cairo Univ.*, 21 (3): 606 - 635.
- Hassan H. M., A. B. EL-Abd and N. M. El-Baghdady (2011). Combining Ability for some root, physiological and grain quality traits in rice (*Oryza sativa* L.) under water deficit conditions. *J. Agric. Res. Kafr El-Sheikh Univ.*, 37 (2): 239 - 256.
- Hassan H. M., A. B. El-Abd, Gimmy Lamo, and N. M. El-Baghdady (2013). Inheritance of Grain Quality and Yield Traits in Rice using Triple Test Cross Analysis. The 8th Plant Breeding International Conference, Kafr El-Sheikh Univ., Egypt, (Especial Issue, 14 - 15 May), 17 (2): 231 - 245.
- Hassan H. M.; G. B. Anis and I. H. Abou El-Darag (2017). Utilization of wide adaptability of some imported rice (*Oryza sativa* L.) genotypes for weed suppression and fertility restoration ability. The 11th International Plant Breeding Conference, Kafr El-Sheikh Univ., Egypt, (Especial Issue, 17 - 18 October), 21 (4): 181 - 200.
- Hassan H. M.; G. B. Anis and I. H. Abou El-Darag (2017). Utilization of wide adaptability of some imported rice (*Oryza sativa* L.) genotypes for weed suppression and fertility restoration ability. *Egypt. J. Plant Breed.* 21 (5): 181 – 201.
- Hassan H.M., A.A.H. Youssef, A.A. Rezk and M.M. El-Malky (2018). Developing Some Promising Lines Resistant to Magnaporthe grisea Derived from Egyptian and American Rice Varieties (*Oryza sativa* L.). *J Plant Pathol. J.*, ISSN 1812-5387, doi: 10.3923/ppj.2018.39.50.
- Hassan hamad, Elsayed Gewaily, Adel Ghoneim, Mohamed Shehab and Neama El-kholly (2021) Improvement ability of male parent by gibberellic acid application to enhancing the outcrossing of cytoplasmic male sterility rice lines. *Acta agriculture Slovenica*, 117/3, 1–11, Ljubljana.
- Hassan Sh. Hamad , Mohamed I. Ghazy , Eman M. Bleih, Elsayed E. Gewaily, Mahmoud M. Gaballah , Mesfer M. Alqahtani, Fatmah A. Safhi, Salha M. ALshamrani , and Elsayed Mansour (2022). Evaluation of Advanced Mutant Restorer Lines for Enhancing Outcrossing Rate and Hybrid Seed Production of Diverse Rice Cytoplasmic Male Sterile Lines. *Agronomy*, 12, 2875. <https://doi.org/10.3390/agronomy12112875>
- Hassan Sh. Hamad, Eman M. Bleih, Elsayed E. Gewaily, Ahmed E. Abou Elataa, Heba A. El Sherbiny, Noha M. Abdelhameid and Medhat Rehan (2022). Cyanobacteria Application Ameliorates Floral Traits and Outcrossing Rate in Diverse Rice Cytoplasmic Male Sterile Lines. *Plants*, 11, 3411. <https://doi.org/10.3390/plants11243411>
- Hassan Sh. Hamad, Eman M. Bleih, Elsayed E. Gewaily, Khadiga Alharbi and Medhat Rehan.(2023) The Potential Effects of Kinetin Implementation on Hybrid Rice Seed Production under Water Deficit. *Sustainability* 15, 5623. <https://doi.org/10.3390/su15075623>
- Hassan, H. M. (2012). Genetic Studies on Grain Dimension, Yield and its Related Traits in Rice under Saline Soil Conditions (*Oryza sativa* L.). *J. Plant Production, Mansoura Univ.*, 3 (12): 3149 – 3164, doi: 10.21608/jpp.2012.85376.
- Hassan, H. M. (2013). Breeding Studies for Grain Yield and Some of its Related Traits in Rice through Diallel Analysis under Water Stress Conditions. *Minufiya J. Agric. Res.* 38 (6): 1551-1565.
- Hassan, H. M. (2017). Genetic behavior of some roots and grain quality traits under water deficit conditions in rice (*Oryza sativa* L.). *Minufiya J. Agric. Res.*, 2(6): 65 – 80. doi: 10.21608/MJPPF.2017.175890
- Hassan, H. M., S. A. A. Hammoud, A. M. El-Moghazy and A. B. El-Abd (2012). Combining Ability and Heterosis Estimates from Line X Tester Mating Design under Water Stress Conditions in Rice

- (*Oryza sativa* L.). J. Plant Production, Mansoura Univ., 3 (12): 3117 – 3137, doi: 10.21608/jpp.2012.85374.
- Hassan, H. M.; W. M. El-Khoby and A.A. El-Hissewy (2013). Performance of Some Rice Genotypes under both Salinity and Water Stress Conditions in Egypt. J. Plant Production, Mansoura Univ., 4 (8): 1235 – 1257, doi: 10.21608/jpp.2013.74084.
- Hassan, H.M., E. F. A. Arafat and A. EL.Sabagh (2016). Genetic studies on vegetative and agronomic traits in rice (*Oryza sativa* L.) under water stress conditions. J. Agr. Biotechnol., 1(2): 76 - 84.
- Hassan, HM., et al. (2023). Variable level of genetic dominance controls important agronomic traits in rice populations under water deficit condition. PeerJ 11:e14833. <https://doi.org/10.7717/peerj.14833>
- Hayat Ali Alafari, Mahmoud M. Gaballah, Abdelwahed E. Mohamed, Mohamed I. Ghazy, Ahmed S. ElIraqi, Mohamed M. Shehab, Khaled Abdelaal, Areej S. Jalal (2023). Genetic parameters and characterization of rice genotypes under drought stress. Agricultural Mechanization in Asia, 54, (3):12339-12353. Search | AMA, Agricultural Mechanization in Asia, Africa and Latin America (shin-norinco.com)
- Haytham M. El Sharkawi and Tamer. F. Metwally. 2017. Effect of Soil Amendments on Ni, Cd And Pb Dynamic under Paddy Field Irrigated with Low Water Quality. Int. J. Adv. Res. 5(2), 1168-1179.
- Heba A. Elsherbiny, Mahmoud M. Gaballah, Hassan Sh. Hamad, Shimaa M. Sakr, Osama A. Elbadawy, Khairiah M. Alwutayd, Ridha Boudiar, Elsayed Mansour, and Eman M. Bleih (2024). Inducing potential mutants in rice using different doses of gamma rays for improving agronomic traits. CHILEAN JOURNAL OF AGRICULTURAL RESEARCH 84(3): 381-391
- Heba A. Elsherbiny, Mahmoud M. Gaballah, Hassan Sh. Hamad, Shimaa M. Sakr, Osama A. Elbadawy, Khairiah M. Alwutayd, Ridha Boudiar, Elsayed Mansour, and Eman M. Bleih (2024). Inducing potential mutants in rice using different doses of gamma rays for improving agronomic traits. CHILEAN JOURNAL OF AGRICULTURAL RESEARCH 84 (3): 380 – 390.
- Heba A. Elsherbiny; Neama K. El-Kholly; Mariam T. Wissa; H. Sh. Hamad and O. A. Elbadawy (2023). Genetic Variability, Multivariate and Association Analysis for Agronomic Traits in Different Rice Genotypes. J. of Plant Production, Mansoura Univ., 14 (7): 367 – 372.
- Heba Abdelhamid El Sherbiny , Essam F. El-Hashash , Moamen M. Abou El-Enin, Randa Samir Nofal, Taia A. Abd El-Mageed, Eman Mohamed Bleih, Mohamed T. El-Saadony, Khaled A. El-Tarabilly and Ahmed Shaaban, (2022). Exogenously Applied Salicylic Acid Boosts Morpho-Physiological Traits, Yield, and Water Productivity of Lowland Rice under Normal and Deficit Irrigation. Agronomy, 12(8): 1860.
- Hendawy AS, Taha AS, Ghada M Ramadan, Ismael MM and Heba S Abd El-Aty (2022). Rice skipper, *Pelopidas thrax* (hubner) (Hesperiidae: lepidoptera): An emerging insect pest in rice fields in Egypt, host plants, population fluctuation, damage and related natural enemies. Journal of Entomology and Zoology Studies. 10(5): 16-22.
- Hong Wang, Yingxin Zhang, Lianping Sun, Peng Xu, Ranran Tu, Shuai Meng, Weixun Wu, Galal Bakr Anis, Kashif Hussain, Aamir Riaz, Daibo Chen, Liyong Cao, Shihua Cheng and Xihong Shen (2018). WB1, a Regulator of Endosperm Development in Rice, Is Identified by a Modified MutMap Method. International Journal of Molecular Sciences, 19(8):1-20.
- Howida B. El-Habet, Elsayed S. Naeem, Taher M. Abel-Meeged and Saber Sedeek (2014). Evaluation of Genotypic Variation in Lead and Cadmium Accumulation of Rice (*Oryza sativa*) in Different Water Conditions in Egypt. International Journal of Plant & Soil Science.3 (7):911-933.10.9734/ijpss/2014/8993

- Huang Y, Huang L, Cheng M, Li C, Zhou X, Ullah A, Sarfraz S, Khatab AA, Xie G. Progresses in biosynthesis pathway, regulation mechanism and potential application of 2-acetyl-1-pyrroline in fragrant rice. *Plant Physiology and Biochemistry*, 2024, 215: 109047
- Ibrar Hussain, Muqarrab Ali, Adel M. Ghoneim, Khurram Shahzad, Omer Farooq, Shahid Iqbal, Fahim Nawaz, Shakeel Ahmad, Viliam Bárek, Marian Brestic, Sami Al Obaid, Shah Fahad, Subhan Danish, Suleyman TABAN, Hanife AKÇA, Rahul Datta (2022). Improvement in growth and yield attributes of cluster bean through optimization of sowing time and plant spacing under climate change scenario. *Saudi J. of Biological Sciences*, 29 (2): 781-792, <https://doi.org/10.1016/j.sjbs.2021.11.018>.
- Ikram, M., Minhas, A., AL-Huqail, A.A., Adel M. Ghoneim*, et al., (2024). Promoting tomato resilience: effects of ascorbic acid and sulfur-treated biochar in saline and non-saline cultivation environments. *BMC Plant Biology* 24, 1053. <https://doi.org/10.1186/s12870-024-05734-w>.(*corresponding author).
- Ilyas Fariha, Ali Muhammad Arif, Modhish Abdulaah, Ahmed Niaz, Hussain Sajjad, Bilal Muhammad, Arshad Muhammad, Danish Subhan, Ghoneim Adel M., Ilyas Ayesha, Akram Arslan, Fahad Shah, Ansari Mohammad Javed, Datta Rahul (2023). Synchronisation of zinc application rates with arbuscular mycorrhizal fungi and phosphorus to maximise wheat growth and yield in zinc-deficient soil. *Crop & Pasture Science*, 74, 157-172. <https://doi.org/10.1071/CP21042>.
- Irfana Lalarukh, Nayab Zahra, Arwa A. Al Huqail, Syeda F. Amjad, Sami A. Al-Dhumri, Adel M. Ghoneim, Abdullah H. Alshahri, Mohammad M. Almutari, Fatimah S. Alhusayni, Wasimah B. Al-Shammari, Peter Poczai, Nida Mansoor, Muhammad Ayman, Mohamed H.H. Abbas, Ahmed A. Abdelhafez, (2022). Exogenously applied ZnO nanoparticles induced salt tolerance in potentially high yielding modern wheat (*Triticum aestivum* L.) cultivars. *Environmental Technology & Innovation*, 27, 102799. <https://doi.org/10.1016/j.eti.2022.102799>.
- Isaac Kofi Bimpong, Baboucarr Manneh, Raafat El-Namaky, Faty Diaw, Nana Kofi Abaka Amoah, Bakary Sanneh, Kanfany Ghislain, Abdulai Sow, R.K. Singh, Glenn Gregorio, Jean Berchmans Bizimana, M Wopereis. (2014) Mapping QTLs Related to Salt Tolerance in Rice at the Young Seedling Stage using 384-plex Single Nucleotide Polymorphism SNP, Marker Sets; in *Molecular Plant Breeding* 2014, Vol.5, No.9, 47-63.
- Jiyue Wang, Zheli Ding, Modhi O. Alotaibi, Yingdui He, Yongyong Hui, Mamdouh A. Eissa, Adel M. Ghoneim, Saudi A. Rekaby (2022). *Azolla* (*Azolla pinnata*) mitigated water stress and enhanced fruit yield of mango plants (*Mangifera indica* L.) in arid-degraded soil. *J. Soil Sci Plant Nutr.* <https://doi.org/10.1007/s42729-022-01112-3>.
- K. Shimizu, S. M. A. Bassiouni and B. A. Zayed 2013. Comparison of the Germination Percentages and Yield of Egyptian Salt-tolerant Rice Varieties under Saline Conditions. *Research for Tropical Agriculture* 6 Extra Issue 2:1-2. Japan
- Kalboush ZA, Hassan AA, Sherif A, Gabr WE, 2024, Endophytic bacteria nano-formula: A promotor for plant growth and systemic acquired resistance against sheath blight disease on rice. *Physiological and Molecular Plant Pathology*, 131:102295-102306.
- Kalboush ZA, Mazrou YSA, Hassan AA, Sherif A, Gabr WE, Ali Q, Nehela Y: Revisiting the emerging pathosystem of rice sheath blight: deciphering the *Rhizoctonia solani* virulence, host range, and rice genotype-based resistance. *Front Plant Sci* 2024, 15:1-25.
- Katsuyoshi Shimizu and Sherif M. A. Bassiouni (2015). Testing salt tolerance of Egyptian rice cultivars. *Water Saving Agriculture in the Nile Delta-SATREPS Egypt Symposium*, 1st and 2nd of March, 2015, Safir Hotel, Giza, Egypt.

- Katsuyoshi SHIMIZU, Asumi MORITA, Sherif M.A. BASSIOUNI and Sayed A. SAFINA (2018). Effect of Salt Stress on Early Growth and Photosynthesis of *Jatropha curcas* L. in Egypt and Its Salt Tolerance Level. *Trop. Agr. Develop.* 62 (4):151-157.
- Katsuyoshi Shimizu, Korany Abdel-Gawad, Sayed A. Safina, Sachio Maruyama, Sherif M. A. Bassiouni, Hassan M.A. El-Baki and Naoto Ishikawa (2014). Response to photosynthesis of sugar beet cultivated with conventional surface irrigation and drip irrigation in the Nile Delta, Egypt. *Trop. Agri. Develop.* 58(2):75-77.
- Keqin Zhang, Yingxin Zhang, Weixun Wu, Xiaodeng Zhan, Galal Bakr Anis, Habibur Rahman, Yongbo Hong, Aamir Riaz, Aike Zhu, Yongrun Cao, Lianping Sun, Zhengfu Yang, Qinqin Yang, Liyong Cao and Shihua Cheng (2018). qSE7 is a major quantitative trait locus (QTL) influencing stigma exsertion rate in rice (*Oryza sativa* L.). *Scientific Reports*, 8:14523.
- Khadim Dawar, Ahmad Ullah Khan, Motirh Al-Mutairi, Modhi O. Alotaibi, Ishaq Ahmad Mian, Asim Muhammad, Syed Sartaj Alam, Saniha Shoaib, Adel M. Ghoneim*(2025). Utilizing spent mushroom substrate biochar to improve *Zea mays* L. growth and biochemical resilience against cadmium and chromium toxicity. *Sci Rep* 15, 17511 <https://doi.org/10.1038/s41598-025-01617-8> (*corresponding author).
- Khaled Abdelaal, Ayman Abdeldaiem A. Mohamed, Mohamed Ghazy, Mohamed Barakat, Yasser Mazrou, Yaser Hafez, Mahmoud Gaballah (2021). The different responses of rice genotypes to heat stress associated with morphological, chlorophyll and yield characteristics. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 49 (4): 1-16. DOI: 10.15835/nbha49412550
- Khatab AA, Li J, Hu L, Yang J, Fan C, Wang L, Xie G. Global identification of quantitative trait loci and candidate genes for cold stress and chilling acclimation in rice through GWAS and RNA-seq. *Planta*, 2022, 256: 82.
- Kheir, AMS, Abdullah A. Alrajhi, Adel M. Ghoneim, Esmat F. Ali, Ali Magrashi, et al. (2021). Modeling deficit irrigation-based evapotranspiration optimizes wheat yield and water productivity in arid regions. *Agricultural Water Management* 256, 107122.
- Koffi Djaman, Valere C. Mel, Lamine Diop, Abdoulaye Sow, Raafat El-Namaky, Baboucarr, Manneh, Kazuki Saito, Koichi Futakuchi, and Suat Irmak (2018). Effects of Alternate Wetting and Drying Irrigation Regime and Nitrogen Fertilizer on Yield and Nitrogen Use Efficiency of Irrigated Rice in the Sahel. In *Water* 2018, 10, 711.
- Koffi Djaman, Valere Mel, Amith Boye, Lamine Diop, Baboucarr Manneh· Raafat El-Namaky, Komlan Koudahe, Koichi Futakuchi (2019) Rice genotype and fertilizer management for improving rice productivity under saline soil conditions. In *Paddy and Water Environment* <https://doi.org/10.1007/s10333-019-00763-w>
- Lamiaa, M. Lotfy and G. B. Anis (2015). Effect of cooking methods on physical and sensory properties, anthocyanins and polyphenolic compounds of pigmented rice grains. *Alexandria Journal of Food Science and Technology*, 12(2): 41-50.
- Li J, Khatab AA, Hu L, Zhao L, Yang J, Wang L, Xie G. Identifies New Candidate Genes for Cold Stress and Chilling Acclimation at Seedling Stage in Rice (*Oryza sativa* L.). *International Journal of Molecular Sciences*, 2022, 23(21):13208.
- Li Zihe, Aamir Riaz, Zhang Yingxin, Galal Bakr Ains, Zhu Aike, Cao Liyong, Cheng Shihua (2019). Quantitative Trait Loci Mapping for Rice Yield-Related Traits Using Chromosomal Segment Substitution Lines. *Rice Science*, 26(5): 261–264.
- Li, Jiajia, Xukai Li, Khatab AA, and Guosheng Xie. Phylogeny, structural diversity and genome-wide expression analysis of fibrillin family genes in rice. *Phytochemistry* 2020, 175:112377."

- Li, Jianjian, Yajun Chang, Arwa A. AL-Huqail, Zheli Ding, Mohammad S. Al-Harbi, Esmat F. Ali, Amany H.A. Abeer, Saudi A. Rekaby, Mamdouh A. Eissa, Adel M. Ghoneim, and Suzan A. Tammam (2021). Effect of manure and compost on the phytostabilization potential of heavy metals by the halophytic plant wavy-leaved saltbush. *Plants* 10, 2176. <https://doi.org/10.3390/plants10102176>.
- Liaqat Shah, Muhammad Yahya, Syed Mehar Ali Shah, Muhammad Nadeem, Ahmad Ali, Asif Ali, Jing Wang, Muhammad Waheed Riaz, Shamsur Rehman, Weixun Wu, Riaz Muhammad Khan, Adil Abbas, Aamir Riaz, Galal Bakr Anis, Hongqi Si, Haiyang Jiang and Chuanxi Ma (2019). Improving Lodging Resistance: Using Wheat and Rice as Classical Examples. *International Journal of Molecular Sciences*, 20(8):1-20.
- Liu Q., Y. Su, Y. Zhu, K. Peng, B. Hong, R. Wang, M. Gaballah and L. Xiao (2019). Manipulating OSA-MIR156F expression by d18 promoter to regulate plant architecture and yield traits both in seasonal and ratooning rice. *Biol Proced Online*. 21, 21. <https://doi.org/10.1186/s12575-019-0110-4>
- Liu, X.; W. Dechuan; S.Tiaofeng; X.Shanbin; Q. Ruiying; L. Hao; M. Negm; W. Dexiang and L. Juan(2020). The trihelix transcription factor OsGTγ-2 is involved adaption to salt stress in rice. *Plant Molecular Biology*, 103:545–560.
- M. M. Elshenawy, W. H. Elgamal, G. B. Anis and Fatma A. Hussein (2018). Combined Genetic Analysis of Brown Spot (*Helminthosporium oryzae*) Disease for Developed Hybrid Combinations and their Parental Lines in Hybrid Rice. *Sustainable Food Production*. ISSN: 2624-876X, Vol. 1, pp 37-48. [doi:10.18052/www.scipress.com/SFP.1.37](https://doi.org/10.18052/www.scipress.com/SFP.1.37). SciPress Ltd., Switzerland
- M. M. Gaballa, H. M. Hassan and M. A. Shehab (2016). Stability parameters for grain yield and its component traits in rice genotypes. 6th Field Crops Conference, FCRI, AEC, Giza, Egypt: 3-14.
- Mahmoud A Elhity, Abdel Hamed M Omer, Bassiouni A Zayed, Abdelaziz A Assra, Yaser M Hafez, Mohamed El-Sharnouby, Khaled A Abdelaal(2021) IMPROVEMENT OF GRAIN QUALITY AND NUTRITION OF RICE UNDER SALINE SODIC CONDITIONS by FOLIAR.SPRAY WITH PHOSPHORIC ACID. *Fresenius Environmental J*,30(51):xx-xx.
- Mahmoud A El-Hity, Tamer F Metwally, Ayman A A Mohammed, Mai A M Elsaka, Fahmy Hassan, Yaser M Hafez, Khaled A Abdelaal. (2020). Integrated fertilizer management on growth and nutrient uptake of Egyptian hybrid rice. *Fresenius Environmental Bulletin*. Volume 29 – No. 12A/2020 pages 11588-11597.
- Mahmoud A. A. ElSayed, Ahmed M. S. Kheir, Fatma A. Hussein, Esmat F. Ali, Mahmoud E. Selim, Ali Majrashi and Essam A. Z. ElShamey (2021). Developing new lines of japonica rice for higher quality and yield under arid conditions. *PeerJ* 9:e11592 DOI 10.7717/peerj.11592.
- Mahmoud A. A. ElSayed, Ahmed M. S. Kheir, Fatma A. Hussein, Esmat F. Ali, Mahmoud E. Selim, Ali Majrashi and Essam A. Z. ElShamey (2021). Developing new lines of japonica rice for higher quality and yield under arid conditions. *PeerJ* 9:e11592 DOI 10.7717/peerj.11592.
- Mahmoud A.A. El Sayed, Ahmed M.S. Kheir, Fatma A. Hussein, Esmat F. Ali, Mahmoud E. Selim, Ali Majrashi and Essam A.Z. El Shamey(2021). Developing new lines of Japonica rice for higher quality and yield under arid conditions. *PeerJ* 9:e11592 DOI 10.7717/peerj.11592
- Mahmoud Abdlehamed Elhity , Abdel Hamed Mohammed Omer , Bassiouni Abdelrazik Zayed, Abdelaziz Ali Assra , Montaser M Hassan , Yaser M Hafez , Khaled A Abdelaal(2021). EFFECT OF PHOSPHORIC ACID SPRAY ON RICE GROWTH AND YIELD UNDER SALINE SODIC SOIL.l *Fresenius Environmental J*,30(050):4935-4942.
- Mahmoud E, Alotaibi MO, Alotibi MM, El-Sharkawy M, Ghoneim AM, Gebreel M, Seleem M, Abo-Ogiala A, Khalafallah N. Residual effects of vinasse and poultry manure application on soil quality

- and spinach (*Spinacia oleracea* L.) yield grown in calcareous soil. *Sustainability*. 2024; 16(23):10719. <https://doi.org/10.3390/su162310719>.
- Mahmoud Gaballah, Amgad Elgammaal, Nabil Elsheery, Mohamed Ghazy, Raghda Sakran, Hasnaa Mahrose (2025). Identifying gene actions to rice yield and its components traits under both normal and drought conditions. *Acta agriculturae Slovenica*, 121/2, 1–23doi:10.14720/aas.2025.121.2.20051
- Mahmoud M. Gaballah (2018). Agronomical traits and drought tolerance indices for some rice genotypes under drought stress and non-stress conditions. *Proceeding of the Seventh Field crops conference*. 18-19 Dec. 149-165
- Mahmoud M. Gaballah (2018). Kinetin application on some rice genotypes (*Oryza sativa* L.) performance under water deficit. *Proceeding of the Seventh Field crops conference*. 18-19 Dec. 299-315
- Mahmoud M. Gaballah, Adel M. Ghoneim*, Mohamed I. Ghazy, Hassna M. Mohammed, Raghda M. Sakran, Hafeez Ur Rehman and Noraziyah Abd Aziz Shamsudin (2021). Root traits responses to irrigation intervals in rice (*Oryza sativa*). *Inter. J. of Agri & Biology*, 26: 23-30. (*corresponding author).
- Mahmoud M. GABALLAH, Aziz F. Abu EL-EZZ, Adel M. GHONEIM, Baochang YANG and Langtao XIAO (2021). Exploiting heterosis and combining ability in two-line hybrid rice. *Acta agriculturae Slovenica*, 117(1):1-16. <https://doi.org/10.14720/aas.2021.117.1.1847>
- Mahmoud M. Gaballah, Aziz F. EL-EZZ, Adel M. Ghoneim*, Baochang Yang, Langtao Xiao (2021). Exploiting heterosis and combining ability in two-line hybrid rice. *Acta Agriculturae Slovenica*, 117/1, 1–16. DOI: <http://dx.doi.org/10.14720/aas.2021.117.1.1847>.
- Mahmoud M. Gaballah, Mohamed I. Ghazy, Khaled M.H. Abd El Salam, Germine M. Abou El-Soud, Abdelsalam M. Marei, Maryam M. Alomran, Khairiah M. Alwutayd and Elsayed Mansour (2024). Assessing productivity and quality potential of promising newly developed rice lines under water deficit and well-watered conditions. *Pak. J. Bot.*, 56(6): 2107-2116 DOI: [http://dx.doi.org/10.30848/PJB2024-6\(26\)](http://dx.doi.org/10.30848/PJB2024-6(26))
- Mahmoud M. Gaballah, Sajid Fiaz, Xiukang Wang, Afifa Younas, Sher Aslam Khan, Fahad Masoud Wattoo & Muhammad Rizwan Shafiq (2021) Identification of genetic diversity among some promising lines of rice under drought stress using SSR markers, *Journal of Taibah University for Science*, 15:1, 468-478, DOI: 10.1080/16583655.2021.1989738
- Mahmoud Selim, Essam ElShamey, et al., (2024). Genetic determinates of weed control in rice (*Oryza sativa*) using allelopathy approach. *Cereal Research Communications*. <https://doi.org/10.1007/s42976-024-00506-6>
- Mahmoud Selim, Essam ElShamey, Mahmoud A. A. ElSayed, (2024). Genetic determinates of weed control in rice (*Oryza sativa*) using allelopathy approach. *Cereal Research Communications*. <https://doi.org/10.1007/s42976-024-00506-6>
- Mahmoud Selim, Essam ElShamey, Neama ElKholy, Mohamed Abdelrahman, Walid Elgamal, Mahmoud Elsayed, Kottb Attia, and Hussein Abdel-Haleem (2024). Genetic determinates of weed control in rice (*Oryza sativa*) using allelopathy approach. *Cereal Research Communications*. <https://doi.org/10.1007/s42976-024-00506-6>.
- Mahmoud Selim, Essam ElShamey, Neama ElKholy, Mohamed Abdelrahman, Walid Elgamal, Mahmoud Elsayed, Kottb Attia, and Hussein Abdel-Haleem (2024). Genetic determinates of weed control in rice (*Oryza sativa*) using allelopathy approach. *Cereal Research Communications*. <https://doi.org/10.1007/s42976-024-00506-6>.
- Mahmoud, E., Ghoneim, A.M*., Seleem, M., Raghda Zuhair, A. El-Refaey, N. Khalafallah (2023). Phosphogypsum and poultry manure enhance diversity of soil fauna, soil fertility, and barley

- (*Hordeum aestivum* L.) grown in calcareous soils. *Scientific Reports* 13, 9944. <https://doi.org/10.1038/s41598-023-37021-3>.
- Mamdouh A. Eissa, Modhi O. Alotaibi, Mashael M. Alotaibi, Alya Aljuaid; Taghreed Hamad Aldayel; Adel M. Ghoneim (2025). A novel biostimulant–biochar strategy for improving soil quality and salinity tolerance in medicinal mint (*Mentha longifolia* L.). *Soil Syst.* 9(2), 58; <https://doi.org/10.3390/soilsystems9020058>.
- Mariac, C., Bethune, K., de Aquino, S. O., Abdelrahman, M., et al., (2022). Optimization of capture protocols across species targeting up to 32000 genes and their extension to pooled DNA. *bioRxiv*.
- Marvet M. Awadallah ; A. S. Taha and A. M. Tagoon (2021). Genetic Variability, Insect and Disease Resistance of some Promising Rice Genotypes. *J. of Plant Protection and Pathology*, Mansoura Univ., Vol. 12 (6):413 – 421.
- Mashael M. Alotibi, Arwa Abdulkreem AL-Huqail, Adel M. Ghoneim, Mamdouh A. Eissa (2023). Seasonal variations in yield and biochemical composition of the mediterranean saltbush (*atriplex halimus* l.) under saline agriculture in semi-arid regions. *J. of Soil Science and Plant Nutr.* <https://doi.org/10.1007/s42729-023-01304-5>.
- Mashael M. Alotibi, Nahaa M. Alotaibi, Ghulam Sabir Hussain, Shabir Hussain, Suleman Haider Shah, Adel M. Ghoneim, Khadim Dawar, Misbah Hareem (2023). Use of zinc quantum dot biochar and AMF for alleviation of Cd stress in maize: Regulation of physiological and biochemical attributes. *Plant Stress*, 10,100262.<https://doi.org/10.1016/j.stress.2023.100262>.
- Megahed H. Ammar, Salem S. Alghamdi, A.F. Abdelkhalik, K.A. Attia, Samah Monir, Mahmoud Fazaa, Randa S. Nofal, Tahany Mazal (2009). Molecular profiling of Egyptian Rice varieties using DNA markers. *Genetic Engineering and Biotechnology Journal*, 7(2):1-3
- Mehran M, Ikram M, Ghoneim AM, Alotaibi MO, Ghafar S, Rafique MT, Ahmad IA, Haider S, Safiullah D and Shah MN, 2025. Plant health, soil structure and fertility: developing a sustainable future. In: Kausar R, Nisa ZU, Jamil M and Bashir I (eds), *Holistic Health: Integrated Health and Sustainability: Plants, Wildlife, and Genetic Resilience*. Unique Scientific Publishers, Faisalabad, Pakistan, pp: 144-152. <https://doi.org/10.47278/book.HH/2025.75>.
- Metwalli, Amani A.A. And T.F.Metwally. 2016. Comparative Study on the Utilization of Rice in Preparing Gluten Free Food Products. *Egypt. J. Agric. Res.*, 94 (4):877- 889.
- Metwally T. F. 2011. Performance of Egyptian Hybrid Rice under Different Rates, Time and Methods of Zinc Application. *J. Agric. Res. Kafer El-Sheikh Univ. J. Agric. Res.* 37 (4): 642-657.
- Metwally, T. F. ; Howwida; B.El-Habat; M.M. EL-Malky and A.S. Barakat. 2014. Comparative studies for grain yield, Grain quality, cooking quality and nutrition value traits of black rice variety. *J. Agric. Sci. Mansoura Univ.*, 5 (3): 401 – 414.
- Metwally, T. F., I. M. El-Rewainy and S. E. M. Sedeek 2012. Performance of Different Rice Genotypes under Application of Phosphorus Fertilizer Levels. *J. Plant Production, Mansoura Univ.* 3(3): 427-444.
- Metwally, T. F., Mohamed, A. A. E., Sorour, S. G. R., & Elsayed, G. A. (2020). Stimulating compounds affect the grain quality characteristics and the nutritional value of rice (*Oryza sativa*). *Applied Ecology and Environmental Research*, 18(5), 6829-6840.
- Metwally, T. F.; S. A. A. Hammoud, M. M. H. El-Malky and S. M. Bassiouni (2014). Genetic variability and performance of some promising rice genotypes as affected by nitrogen fertilizer under salt stress condition. *Minufiya J. Agric. Res.*, 39 (2, 2):685-702.
- Metwally, T., M. M. A. Osman, R. El-Namaky and Haytham M. El Sharkawi. 2016. Association of Mesocotyl and Coleoptile Elongation with Seedling Vigor and Yield and its Components in Rice. *Global Journal of Agricultural Innovation, Research & Development*, 3(2): 28-34.

- Metwally, T.F. ; E.E. Gewaily and E.S. Naeem. 2011. Nitrogen Response Curve and Nitrogen Use Efficiency of Egyptian Hybrid Rice. *J. Agric. Res. Kafer El-Sheikh Univ.*, 37 (1): 73-84.
- Metwally, T.F. ; E.E. Gewaily and M.M. El-Malky. 2015. Influence of Top Leaf Clipping on Growth and Yield of Rice under Different Sowing Dates. *The 5th Field Crops Conf., Field Crops Res. Inst. Egypt. J. Agric. Res.*, 93 (2A): 87-106.
- Metwally, T.F. 2015. Impact of Organic Materials Combined with Mineral Nitrogen on Rice Growth, Yield, Grain Quality and Soil Organic Matter. *Int.J. ChemTech Res.* 8(4): 1533-1542.
- Metwally, T.F. and Hany S. Gharib. 2011. Response of hybrid rice to time and method of potassium application. *Egypt. J. Agron.* 33(1): 19-33.
- Metwally, T.F., Gabr, W. E., & Hashem, I. M. 2017. Growth performance of genotypes at suboptimal level of nitrogen fertilizer and affect of rice blast and white tip nematode diseases. *Egy. J. Plant Pro. Res*, 5(1), 47-74.
- Metwally, T.F., H. M. El-Zun and Nilly A.H. Abdelfattah. 2016. Performance of Some Rice Genotypes Sown on Different Dates in Yield, Quality Traits and Infestation by Lesser Grain Borer. *J. Plant Production, Mansoura Univ.*,7(9):973-982.
- Metwally, T.F., M.M. El-Malky, A.A. Glelah and A.S. Gharieb. 2012. Performance of Elite Aromatic Rice Varieties under Different Sowing Dates under Egyptian Condition. *J. Plant Production, Mansoura Univ.* 3(2): 311-333.
- Metwally, T.F., S.E.M. Sedeek, A.F. Abdelkhalik, I.M. El-Rewiny and E.M.R. Metwali. 2011. Genetic Behaviour of Some Rice (*Oryza sativa* L.) Genotypes under Different Treatments of Nitrogen Levels. *American-Eurasian J. Agric. & Environ. Sci.*, 8 (1): 27-34.
- Metwally, T.F., S.E.M. Sedeek, A.F. Abdelkhalik, and I.M. El-Rewiny. 2010. Varietal differences in physiological efficiency of nitrogen utilization in rice. *Egypt. J. Agric. Res.*, 88 (1): 361-382.
- Metwally, T.F.; E.E. Gewaily and E. S. Naeem (2011). Nitrogen response curve and nitrogen use efficiency of Egyptian hybrid rice. *J. Agric. Res. Kafr El-Sheikh Univ.*, 37(1):73-84.
- Metwally, T.F.; E.E. Gewaily and M. M. El-Malky (2015). Influence of top leaf clipping on growth and yield of rice under sowing dates. *Egypt, J. Agric. Res.* 93, (2) P: 87-105.
- Metwally, T.F.; E.E. Gewaily, E.S. Naeem and M. M. El-Malky (2011). Response of different promising rice genotypes to various nitrogen levels. *J. Plant Production Mansoura Univ.*, 2 (3): 507 – 520.
- Metwally, T.F.; E.E. Gewaily; E.S. Naeem and M.M. El-Malky. 2011. Response of different promising rice genotypes to various nitrogen levels. *J. Plant Production, Mansoura Univ.*,2(3):507-520.
- Metwally, T.F.; S. A. A. Hammoud , M.M. H. EL-Malky and S.M. Bassiouni. 2014. Genetic variability and performance of some promising rice genotypes as affected by nitrogen fertilizer under salt stress condition. *Munufiya J. Agric. Res*, 39: 2(2): 685-702
- Metwally, T.F.; S.E.M. Sedeek; A.F. Abdelkhalik; I.M. EL-Rewiny and E.M.R. Metwali (2010). Genetic Behaviour of some rice (*Oryza sativa* L.) genotypes under different treatment of nitrogen levels. *American Eurasian J. Agric. and Environ.Sci.*,8(1):27-34.
- Metwally, T.F; I.M. EL-Rewainy and S.E.M. Sedeek (2012). Performance of different rice genotypes under application of phosphorus fertilizer levels. *J Plant Production, Mansoura Univ.*, Vol.3 (3): 427-444.10.21608/jpp.2012.84182
- Metwally, T.F; S.E.M. Sedeek; A.F. Abdelkhalik and I.M. EL-Rewiny (2010). Varietal differences in physiological efficiency of nitrogen utilization in rice. *Egypt J.Agric.Res.Kafer EL-Sheikh Univ.*,88(1):361-382.
- Metwally. T M. M. A. Osman, R. El-Namaky and Haytham M. El Sharkawi (2016). Association of Mesocotyl and Coleoptile Elongation with Seedling Vigor and Yield and its Components in Rice. *Global Journal of Agricultural Innovation, Research & Development*, 2016, 3, 28-34.

- Mikael, B. B., Ghazy, H. A., Elekhtyar, N. M., and Aziz, M. A. (2021). Using of bio and organic fertilization to reduce mineral nitrogen fertilizer and improve Sakha 108 rice cultivar productivity. *Menoufia Journal of Plant Production*, 6(1), 71-82.
- Mikhael, B. B.; M. M. A. Awad-Allah and E. E. Gewaily (2018). Effect of Irrigation Intervals and Silicon Sources on the Productivity of Broadcast-Seeded Sakha 107 Rice Cultivar. *J. Plant Production*, Mansoura Univ., 9 (12): 1055 – 1062
- Modhi O. Alotaibi, Mashael M. Alotibi, Mamdouh A. Eissa, Adel M. Ghoneim (2022). Compost and plant growth-promoting bacteria enhanced steviol glycoside synthesis in stevia (*Stevia rebaudiana* Bertoni) plants by improving soil quality and regulating nitrogen uptake. *South African J. of Botany*, 151, Part A, 306-314. <https://doi.org/10.1016/j.sajb.2022.10.010>.
- Modhi O. Alotaibi, Muhammad Ikram, Nahaa M. Alotaibi, Ghulam Sabir Hussain, Adel M. Ghoneim, Uzma Younis, Nargis Naz, Subhan Danish (2023). Examining the role of AMF-Biochar in the regulation of spinach growth attributes, nutrients concentrations, and antioxidant enzymes in mitigating drought stress. *Plant Stress*, 10. <https://doi.org/10.1016/j.stress.2023.100205>.
- Modhi O. Alotaibi, Nahaa M. Alotaibi, Adel M. Ghoneim, Noor ul Ain, Muhammad Atif Irshad, Rab Nawaz, Tahir Abbas, Amjad Abbas, Muhammad Rizwan, Shafaqat Ali (2023). Effect of green synthesized cerium oxide nanoparticles on fungal disease of wheat plants: A field study. *Chemosphere*, 339, 139731. <https://doi.org/10.1016/j.chemosphere.2023.139731>.
- Mohamed A.A.A.; B.A.Zayed; S.Gh.R.Sorour and Amira M. E. Okasha (2015). Effect of foliar spray of antioxidants on rice growth under saline condition .*J. Agric.Res.Kafr El-Sheikh Univ.*,41(1).
- Mohamed Abdelrahman, Mahmoud E. Selim, Mahmoud A. ElSayed, Megahed H. Ammar, Fatma A. Hussein, Neama K. ElKholy, Essam A. ElShamey, Naeem Khan and Kotb A. Attia (2021). Developing Novel Rice Genotypes Harboring Specific QTL Alleles Associated with High Grain Yield underwater Shortage Stress. *Plants* 2021, 10, 2219. <https://doi.org/10.3390/plants10102219>
- Mohamed Hazman, Longbiao Guo, Hanhua Tong, Samer Fawzy, Galal Anis, Ahmed Elsherif, Michael Riemann and Peter Nick (2025). RNA-seq unveils pathways for drought and salinity resilience in Egyptian rice Sakha 102. *Plant Growth Regulation*, <https://doi.org/10.1007/s10725-025-01349-9>
- Mohamed Hazman, Longbiao Guo, Hanhua Tong, Samer Fawzy, Galal Anis, Ahmed Elsherif, Michael Riemann and Peter Nick (2025). RNA-seq unveils pathways for drought and salinity resilience in Egyptian rice Sakha 102. *Plant Growth Regulation*, <https://doi.org/10.1007/s10725-025-01349-9>
- Mohamed I. Ghazy, Hassan Sh. Hamad, Elsayed E. Gewaily, Eman M. Bleih, Elsayed F. A. Arafat, Wael H. EL-Kallawy, Sabry A. EL-Naem, Medhat Rehan, Khairiah Mubarak Alwutayd and Daa Abd El Moneim (2023). Impacts of kinetin implementation on leaves, floral and root-related traits during seed production in hybrid rice under water deficiency. *BMC Plant Biology* 23:398 <https://doi.org/10.1186/s12870-023-04405-6>
- Mohamed, A. E., M. M. Gaballah and L. M. Horiz (2017). Kinetin ameliorates negative effects of water shortage for some rice genotypes (*Oryza sativa* L.). *Plant Archives*, 17(1):8:20.
- Mohamed, A., S. Sedeek, A. Galal and M. Alsakka (2019). Effect of water deficiency as abiotic stress on the reproductive and ripening stage of rice genotypes. *International Journal of Plant Science and Agriculture*: 13- 19.
- Mohamed, A.A.E., Sajid Fiaz, Xiukang Wang, Mohsin Ali, Noshi Parveen, Mahmoud M. Gaballah, Sardar Ali, Abdallah A. Abdallah and Salwa I. Ahmed (2021). Performance of some rice (*Oryza sativa* L.) cultivars under water shortage and high temperature stress. *Sains Malaysiana* 50(3): 617-628. <http://dx.doi.org/10.17576/jsm-2021-5003-05>
- Mohammed, A.A.; B.A. Zayed; H.S. Gharib and Eman A.H. Essa (2015). The role of silica application in raising rice salinity tolerance and productivity. : *J. Agric. Res. Kafr El-Sheikh Univ.*, 1(1).

- Mostafa M. Elshenawy, Galal B. Anis, Walid H. Elgamal and Ebrahim A. Ramadan (2018). Genetic Basis of Combining Ability for Various Quantitative Traits Using CMS Lines of Rice (*Oryza sativa* L.). *Contemporary Agriculture*, 67(2): 125-135.
- Mostafa M. Elshenawy, Walid H. Elgamal, Galal B. Anis and Fatma Awad (2018). Combined Genetic Analysis of Brown Spot (*Helminthosporium oryzae*) Disease for Developed Hybrid Combinations and their Parental Lines in Hybrid Rice. *Sustainable Food Production*, (1): 37-48
- Mostafa Seleem, Naglaa Khalafallah, Raghda Zuhair, Adel M. Ghoneim, Mahmoud El-Sharkawy & Esawy Mahmoud (2022). Effect of integration of poultry manure and vinasse on the abundance and diversity of soil fauna, soil fertility index, and barley (*Hordeum aestivum* L.) growth in calcareous soils. *BMC Plant Biol* 22, 492. <https://doi.org/10.1186/s12870-022-03881-6>.
- Muhammad Irfan, Mashael M. Alotibib, Nahaa M. Alotaibi, Adel M. Ghoneim, Hafeez ur Rehman, Farahat S. Moghanm (2024). Seed nutrimpriming with magnesium to improve seedling growth and yield in wheat: Consequences for seed nutrient reserves metabolism and photochemical efficiency. *South African J. of Botany*, 165:275-281. <https://doi.org/10.1016/j.sajb.2023.12.016>.
- Naeem, E. S., E.E. Gewaily, T.F. Metwally and I. S. EL-Refae (2010). Effect of different nitrogen application techniques on yield and its attributes of Egyptian hybrid rice. *Egypt. J. Agric. Res.*, 88 (1): 283-294.
- Naeem, E. S., E.E. Gewaily, T.F. Metwally and I.S. El-Refae. 2010. Effect of Different Nitrogen Application Techniques on Yield and its Attributes of Egyptian Hybrid Rice. *Egypt. J. Agric. Res.*, 88 (1): 287-295
- Naeem, E., Abd El-Megeed, T., Emadeldin, Y., Abushady, A. M., & Abdelrahman, M. (2022). Injected anhydrous ammonia is more effective than broadcast urea as a source of nitrogen for drill seeded rice. *Agronomy*, 12(4), 942. IF:3.949.
- Naeem, S.S.; Howida B. I. El-habet; R. A. El-Namaky and M. H. El-Salamouni (2012). Effect of organic, inorganic fertilizers and storage periods on grain yield and nutritional value of two Egyptian rice cultivars. In *J. of Soil Sci. and Agric. Eng., Mansoura Univ.*, 3 (12): 1153 - 1168.
- Naeem, S.S; Howida El-habet; I.M .El Rewainy and R.A. El-Namaky (2012) Impact of irrigation water quality on yield of two rice cultivars and concentrations of some heavy metals in rice. In *J. of Soil Sci. and Agric. Eng., Mansoura Univ.*, Vol.3, (5): 561 - 574.
- Naeem. E.S, T.F. Metwally, I.M. Hashem and T.M. AbdEl-Mgeed. 2016. Phosphorous Fertilization Requirement for Rice under Clayed Alkaline Soils. *J. Plant Production, Mansoura Univ.*,7(2):161-168.
- Nahaa M. Alotaibi, Mashael M. Alotibi, Uzma Younis, Ghulam Sabir Hussain, Khadim Dawar, Misbah Hareem, Adel M. Ghoneim*, Shah Fahad, Subhan Danish (2024). Zn-quantum dot biochar regulates antioxidants and nutrient uptake to improve rapeseed growth and yield in drought stress. *Plant Stress*, 11,100286. <https://doi.org/10.1016/j.stress.2023.100286>. (*corresponding author).
- Negm, M.E.; E.A. Abo-Marzoka; M.M. Abdelhameed and W.F. Ghidan (2023). Inheritance of some biochemical, morpho-physiological and yield attributes trait of some rice genotypes under salinity condition. *International Conference of Field Crop Research Institute, Egypt. J. Agric. Res.* (2023)101(3), 552-568.
- Negm, M.E.; Hadifa, A.A.; Soltan, S.A. and Bassiouni, S.M. (2023). Genetic and molecular studies on some traits corresponding to salinity tolerance in rice. *Menoufia J. Plant Prod.*, 8(6): 152 – 169.
- Negm, M.E.; Hadifa, A.A.; Soltan, S.A. and Bassiouni, S.M., (2023). GENETIC AND MOLECULAR STUDIES ON SOME TRAITS CORRESPONDING TO SALINITY TOLERANCE IN RICE. *Menoufia J. Plant Prod.*, Volume 8 Issue 7: 152 – 169.

- Negm, M.E; W. El-Kallawy; A.G. Hefeina(2019). Comparative study on rice germination and seedling growth under salinity and drought stresses. *Environment, Biodiversity and Soil Security*.(3):109-117.
- Nessreen N. Bassuony, H. M. Hassan and A.A. El-Hissewy (2015). Sensitivity of panicle characters of rice (*Oryza sativa* L.) to drought stress and their association with grain yield. *J. Plant Production, Mansoura Univ. Vol.*, 6(6): 1047 – 1062, doi: 10.21608/jpp.2015.49828.
- Nessreen Nazmy Bassuony, Józef Zsembeli, Randa Samir Nofal, Wallaa Mostafa Eissa, Mahmoud Fazaa (2022). Genetic Variability of Some Physiological Traits, Yield Components and Grain Quality Characters in Rice Entries. *Agriculture (pol'nohospoda'rstvo)*, 68,2022 (4): 143-154.
- Nessreen, N. Bassuony and G.B. Anis (2016). Evaluation of drought tolerance and heterosis of some root characters in rice (*Oryza sativa* L.). *J. Agric. Res. Kafr El-Sheikh Univ., J. plant production*, 42(1):40-54.
- Niu J, Wang F, Yang C, Ye Q, Huang J, La Y, Wang Q, Dai J, Hu T, Sang L, Zhang P, Zou Y, Zhai Z, Jin J, Abdulmajid D, Guo J, Chen H, La H (2024) Identification of Increased Grain Length 1 (IGL1), a novel gene encoded by a major QTL for modulating grain length in rice, *Theoretical and Applied Genetics*, 134(24): 1. 10.1007/s00122-023-04531-7
- Omar Abdullah Alkhateeb, Mahmoud Mohamed Gaballah, Awad Mohamed El-Sayed, Mohamed Fathi El-Nady, Khaled Abdelaal, Ahmed Hassan Abdou, Metwaly Mahfouz Salem Metwaly (2024). Improving Water-Deficit Stress Tolerance in Rice (*Oryza sativa* L.) by Paclobutrazol Exogenous Application. *Pol. J. Environ. Stud.*33, 5, 1-12. DOI: 10.15244/pjoes/178399
- Omar.A.M; M.A.El-Hity; S.E.M.Sedeek and B. Abou El-Fotouh (2015). Inheritance of some agronomical traits under normal and saline soils in rice. *Agaric., Res.Kafer EL-Sheikh Univ.*, 41(1): 148-166.
- Osama A. El-Badawy, Saied A. Soltan, Eman M. Bleih, Galal .B. Anis, Ahmed. S. Taha and Raafat. A. EL –Namaky (2024). Adaptation And Selection of Early Maturing And High-Yielding Production of Some Exotic Rice Genotypes Under Egyptian Conditions.
- Osama A. El-Badawy, Saied A. Soltan, Eman M. Bleih, Galal B. Anis, Ahmed S. Taha and Raafat A. EL -Namaky (2024) Adaptation and Selection of Early Maturing and High-Yielding Production of Some Exotic Rice Genotypes Under Egyptian Conditions in *Env. Biodiv. Soil Security*, Vol. 8, pp: 1 – 13. DOI: 10.21608/JENVBS.2024.266051.1240
- Osama A. M. Ali, ·Bassiouni A. Zayed,Moamen M. M. Abou El Enin Aly F. El Sheikha, Ahmed M. S. Kheir6 ·Yasser A. El Tahlawy7 · Wael M. Nada, Ahmed Shaaban(04)Fusing Genotype and Soil Organic/Inorganic Amendment to Improve Saline sodic Properties and Rice Productivity. *Journal of Soil Science and Plant Nutrition*, <http://doi.org/0.007/s479-04-066-9>.
- promising lines. International Conference of Filed Crop Research Institute Egypt. *J. Agric. Res.*, 101, (2)685-699.
- R. El-Namaky and P.A.J. van Oort (2017). Phenology, sterility and inheritance of two environment genic male sterile (EGMS) lines for hybrid rice. *Rice* (2017) 10:31.
- Raafat El-Namaky (2018). The Genetic Variability of Floral and Agronomic Characteristics of Newly-Bred Cytoplasmic Male Sterile Rice. *Agriculture* 2018, 8, 68.
- Raafat El-Namaky, Mamadou M. Bare Coulibaly , Maji Alhassan, Karim Traore, Francis Nwilene, Ibnou Dieng, Rodomiro Ortiz, Baboucarr Manneh (2017). Putting Plant Genetic Diversity and Variability at Work for Breeding: Hybrid Rice Suitability in West Africa. In *Diversity* 2017, 9, 27.
- Raafat EL-Namaky, Saber Sedeek, Osama EL-Badawi, Emanbelih, Saied Sultan, MarvetAwadallah, AbdelazizTahoon and Ahmed Taha (2023). Shorten rice breeding cycle using and develop new promising lines. *Egypt J.Agric., Res.*,101(2):685-699.10.21608/ejar.2023.195656.1373

- RAAFAT El-Namaky, SABER Sedeek, YONNELLE Dea Moukoumbi, RODOMIRO Ortiz, BABOUCARR Manneh (2016). Microsatellite-Aided Screening for Fertility Restoration Genes (Rf) Facilitates Hybrid Improvement; in *Rice Science*, 2016, 23(3): 160–164.
- Raafat EL-Namaky, Saber sedeek, YonnelleDeaMoukoumbi, Rodomiro Ortiz and BaboucarrManneh (2016). Microsatellite-Aided Screening for fertility Restoration genes (RF) facilitates hybrid improvement. *Rice Science*, 23(3): 160-164.10.1016/j.rsci.2016.04.003
- Raafat El-Namaky, Saber Sedeek, Osama Elbadawy, Eman Belih, Saied Sultan, Mervat Awadallah, Abdelaziz Tahoon and Ahmed Taha (2023). Shorten rice breeding cycle and developing new
- Raafat El-Namaky; S.E. Sedeek; O.A. Elbadawy; Eman M. Bleih; S. Sultan; Mervat Awadallah; Abdelaziz Tahon and Ahmed Taha (2023). Shorten rice breeding cycle using and develop new promising lines. *International Conference of Field Crops Research Institute, Egypt. J. Agric. Res.*, (2023) 101, (2) 685-699.
- Raghda M. Sakran, E. A. Z. ElShamey and G. B. Anis (2021). Diallel Analysis of Different Rice Genotypes under Water Deficiency Conditions and Assessing Genetic Diversity Using SSR Markers. *J. of Plant Production, Mansura Univ.*, Vol 11 (12): 1319-1332.
- Raghda M. Sakran, Fatma A. Hussein, Samah M. Aamer and M. M. Gaballah (2019). HETEROSIS AND COMBINING ABILITY OF SOME RICE GENOTYPES UNDER NORMAL AND WATER DEFICIT CONDITIONS. *Egypt. J. Plant Breed.* 23(8):1807– 1829.
- Raghda M. Sakran; E. A. Z. El Shamey and G. B. Anis (2020). Diallel Analysis of Differnet Rice Genotypes under Water Deficiency Conditions and Assessing Genetic Diversity Using SSR Markers. *Journal of Plant Production, Mansoura Univ.*, 11(12):1319 – 1332
- Ramadan E., M. Negm and M. Abdelrahman (2020). Molecular analysis for salt tolerance QTLs emphasizing SALTOL QTL in some egyptian and international rice genotypes (*Oryza sativa* l.). *Egyptian Academic Journal of Biological Sciences. C, Physiology and Molecular Biology.* 12(2): 57-69.
- Randa S. Nofal and M. M. Gaballah (2024). Determining the gene action type for grain yield and its components using generation mean analysis in rice (*Oryza sativa* L.). *J. of Plant Production, Mansoura Univ.*, 15. (4): 139 – 144. <https://DOI: 10.21608/jpp.2024.275948.1316>
- Randa S. Nofal and M. M. Gaballah, (2024). Determining the Gene Action Type for Grain Yield and its Components using Generation Mean Analysis in Rice (*Oryza sativa* L.). *J. of Plant Production, Mansoura Univ.*, Vol15. (4): 139 - 144.
- Randa S. Nofal, A. F. Abdelkhalik, M. A. Ammar, S. S. Alghamdi, R. Sammour, and A. E. Draz (2009). Development of a New Modified Anther Culture Media for Indica Rice Hybrids. *Saudi Biological Society in Biotechnology Reality and Applications.* P. 133.
- Randa S. Nofal, Adel R. El Shanshoury, Ahmad A. El Hisseiw, (2017). Utilization of Mutations and Wide Hybridization to Fix Heterosis in Rice (Book) Lambert academic publishing, Germany.
- Randa S. Nofal; Nessreen N. Bassuony and M. M. Gaballah (2024). Genetic Analysis to Improve Rice (*Oryza sativa* L) Grain Yield Attributes and Quality Traits. *J. of Plant Production, Mansoura Univ.*, Vol. 15 (4): 197-206.
- Randa S. Nofal; Nessreen N. Bassuony and M. M. Gaballah, (2024). Genetic Analysis to Improve Rice (*Oryza sativa* L) Grain Yield Attributes and Quality Traits. *J. of Plant Production, Mansoura Univ.*, Vol. 15 (4): 197-206.
- Reda H. Sammour, Abd El-Salam E. Draz, Randa S. Mohammad Nofal, (2015). Improvement *Oryza Sativa* L. Production Using Anther Culture and Molecular Markers. *Research & Reviews in BioSciences*, 10(5): 183-194.

- Reda H. Sammour, Randa S. Mohammad Nofal, Migahed H. Ammar, Abd El-Salam E. Draz, (2014). Improved method for anther culture induction and regeneration in indica rice hybrids. *Research & Reviews in BioSciences*, 9(1): 35-39.
- Reda M. Gaafar, Adel R. El Shanshoury, Ahmad A. El Hisseiw, Mahmoud A. Abd Alhak, Aimn F. Omar, Mohammad M. Abd El Wahab, Randa S. Nofal, (2017). Induction of apomixis and fixation of heterosis in Egyptian rice Hybrid1 line using colchicine mutagenesis. *Annals of Agricultural Sciences*, 62: (1) 51-60.
- Refaie, K.M, H.M. El Sharkawi, A. A. Khalil, T.F. Metwally, S. M. Abolmaty and M. K. Hassanein. 2017. Smart Control of Water Flow and Depth Within Rice Field for Improving Irrigation Management and Mitigating Methane Emission. *Int. J. Adv. Res.* 5(1), 2904-2910.
- Rekaby SA, Ghoneim AM, Gebreel M, Ali WM, Yousef AF, et al. (2024). Impact of some organic fertilizers on nutrients uptake, yield of Zucchini (*Cucurbita pepo* L.) and soil fertility properties. *Technology in Agronomy* doi: 10.48130/tia-0024-0029. (*corresponding author).
- Rekaby, S.A., AL-Huqail, A.A., Gebreel, M, Sami S. Alotaib, Ghoneim*, AM. (2023). Compost and humic acid mitigate the salinity stress on quinoa (*chenopodium quinoa* willd L.) and improve some sandy soil properties. *J. Soil Sci Plant Nutr.* <https://doi.org/10.1007/s42729-023-01221-7>.
- Roshdy Y. El-Agoury, Essam F. El-Hashash, Moamen Mohamed Abou El-Enin, Shimaa Magdy Sakr, Walaa M. Essa, Heba Abdelhamid El Sherbiny, Mahmoud Mohamed Gaballah, Karima M. El-Absy (2023). Combining Ability, Heterosis and Multivariate Analysis for Physiological and Agronomic Traits of Rice Genotypes Under Normal and Water Stress Conditions. *Agric Res.* <https://doi.org/10.1007/s40003-023-00670-x>
- S.E.M. Sedeek, Mervat, M.A. Osman, M. Abdelrahman, M.M. Abdelhamed and G.B. Anis (2025). Exploring Salinity Tolerance in Advanced Rice Lines: Agronomic and Molecular Characterization for Breeding Advances. *Trends Agric. Sci.*, 4 (3): 250-261.
- Saber Sedeek, Raafat El-Namaky, T.F. Metwally and M.H. Ammar (2017). Characteristics of the Nerica and Local Rice Varieties under Rainfed Upland Condition in Tanzania. *Egyptian journal of plant breeding*, Vol. 21, No. 5: 49-60.
- Saber Sedeek, Raafat El-namaky, T.F. Metwally and M.H. Ammar(2017). Characteristics of the NERICA and local rice varieties under rainfed upland condition in Tanzania. *Egypt. J. Plant Breed.* 21(5):49-60.
- Sachio Maruyama, Korany Abdel-Gawad, Sayed A. Safina, Sherif M. A. Bassiouni, Mahmoud I. Abo-Youse, Yosri I. M. Atta, Haruyuki Fujimaki, Katsuyoshi Shimizu, Aki Kubota, Alaa E. H. Mohamed, and Naoto Ishikawa (2012). Crop Production with Water-Saving Irrigation in the Nile Delta. Symposium on Water Management and Agricultural Production in Egypt- The Present and the Future- 16-17 July 2012. Cairo, Egypt.
- Sachio Maruyama, Saad M. Shebl, Sherif M. A. Bassiouni, Mahmoud I. Abo-Yousef (2015). Promising methods of water-saving cultivation of major crops in the Delta. *Water Saving Agriculture in the Nile Delta-SATREPS Egypt Symposium*, 1st and 2nd of March, 2015, Safir Hotel, Giza, Egypt.
- Said M. Shehata, Megahed H. Ammar, Amr F. Abdelkalik and Basuny A. Zayed(2009) Morphological, molecular and biochemical evaluation of Egyptian jasmine rice variety and its M5 derived mutants. *African Journal of Biotechnology* Vol. 8 (22), pp. 6110-6116, 16 November, 2009.
- Sajid Fiaz, Sher Aslam Khan, Galal Bakranis, Mahmoud Mohamed Gaballah and Aamirriaz (2021). Chapter 11 - CRISPR/CAS techniques: a new method for RNA interference in cereals. *Science Direct*. [HTTPS://DOI.ORG/10.1016/B978-0-12-821910-2.00032-1](https://doi.org/10.1016/B978-0-12-821910-2.00032-1)

- Sakran, R. M., F. A. Hussein, S. M. Aamer and M. M. Gaballah (2019). Heterosis and combining ability of some rice genotypes under normal and water deficit conditions. *Egypt. J. Plant Breed.* 20(1):75 – 89.
- Saleh, A.H.; Gad, M.; Khalifa, M.M.; Elsayed, S.; Moghanm, F.S.; Ghoneim, A.M.; Danish, S.; Datta, R.; Moustapha, M.E.; Abou El-Safa, M.M. (2021). Environmental pollution indices and multivariate modeling approaches for assessing the potentially harmful elements in bottom sediments of Qaroun Lake, Egypt. *J. of Marine Science and Engineering*, 9, 1443. <https://doi.org/10.3390/jmse9121443>.
- Saleh, H. A.; A. S. Taha and AL-Shymaa Z. AL-Mokadem(2020). Combined Effect of Silica Applications and Nitrogen Fertilizers on Two Rice Cultivars and Infestation Rate by Stem Borer, *Chilo agamemnon* Bles. *J. of Plant Protection and Pathology, Mansoura Univ.*, Vol. 11 (3):169 – 174.
- Salem , A.K.M.; B.A. Zayed ,Amal G. Ahmed and A.A. Abou Kalifa(2005): Effect of nitrogen ,potash levels and transplanting regularity on rice crop productivity . *Egypt .J. of Agric. Res.*, 83(5B): 447-459.
- Samah A. Mariey Rania Khedr Bassiouni Zayed(2017) genetic Variability among Egyptian Barley Varieties for Agro-Morphological Traits under Saline Soil Condition. *Egyptian Journal of Plant Breeding* 21(3):577-593
- Sang L, Xu E, Liu Y, Abdulmajid D, et al. (2025) Transcriptomic analysis offers deep insights into the Increased Grain Length 1 (IGL1) regulation of grain length. *BMC Plant Biol* 25, 264. <https://doi.org/10.1186/s12870-025-06279-2>
- Sedeek S.E. ; M.I. Aboyoucef ; I.S. EL-Rafae ; A.A. Abdallah ; S.A. Hammoud ; M.M. El-Malky ; R.A. EL-Namaky ; A.B. EL-Abd ; M.H. Ammar ; A.F. Abdelkhalik ; A.B. Abou-khalifa ; W.M. Elkhoby ; E.S. Naeem ; T.F. Metwally ; E.E. Gewaily ; Y.Z. El-Refae ; W.F. Ghidan ; A.M. Elmoghazy ; W.H. Elgamal ; M.M. Gaballah ; M.M. Shehab ; M.R. Sherif3 ; Nessreen N. Bassuony ; M.M. Awad-Allah ; I.A. Ramadan ; G.B. Anis ; M.A. Ali ; H.Sh. Hamad ; E.A. Elshamy ; Howida B. El-Habet ; A.A. Zidan ; B.B. Mikhael ; W.H. El-Kallawy ; I.M. Hashem ; I.A. Talha ; A.S. Gharieb ; I.H. Aboueldarag ; S.S. M. Abd El-Naby ; S.M. Shebl ; A.M.A. El-Ghandor ; Marvet M. Osman ; A.G. Hefeina ; S.M.A. Bassiouni ; Eman M. Bleih ; O.A. Elbadawy ; Saied Sultan ; A.I. Elsherif ; Samah M. Abdelkhalik ; Tahany M. Mazal ; M.I. Ghazy ; S.A. Elnaem ; Samah M. Amer ; Heba A. Elsherbiny ; M.A. Abdelrahman ; Fatama A. Hussein ; M.F. Abdelmgeed ; Walaa M. Esaa ; M.A. Elshenawy ; R.Y. El-Agoury ; Raghda M. Sakran ; Dina Abdulmajid ; Amira M. Okasha ; M.A. Negm ; A.M. Nada ; T.M. Abd El-Megeed ; Hasnaa A. Ghazy ; Mariam T. Wissa ; Rabab M. ELamawi ; R.A. EL-Shafey ; M.M. Elhabashy ; A.S. Taha ; A.S. Hendawy3 ; A.M. Mousa ; A.F. Abo-Alez ; R.A. Ebeid ; I.M. EL-Rewainy ; A.M. El-Ekhtyar ; H.F. El-Mowfi ; A.A. EL-Kady ; Said Shehata ; I.R. Aidy ; A.A. EL-Hissewy ; A.E. Draz ; A.T. Badawi ; F.N. Mahrous ; M.R. Sehly ; A. E. Abelwahab ; S. A, Ghanem ; S. Hassan ; A M. Abdelrahman ; M. A. Maximos ; M. S. Elbalal ; H.M. Hassan ; Randa S. Nofal ; Shimaa M. Sakr ; A.A. Khattab ; A.A. Hadifa ; Sara A. EL-leithy ; M.A. Gomaa; M.E. Selim ; N.K. ELkholy ; A.B. Elsehely ; E.F.A. Arafat ; A.M. Reda ; R.M. Abdallah ; Dalia E. ELSharnobi ; Haytham A. Freeg ; A. Sherif ; E.M. Daher ; A.M. El Serafy ; Nehal M. Elekhtyar ; A.M. Ghoneim ; Mai A. Elsaka ; Gh. A. Elsayed ; H.A. Taha ; Eman A.H. Essa ; M.M. Abd Elhamid ; A.O. Bastawesi ; I.A. Sheta ;Omnia M. Elshayb ; S.M. El-Wahsh ; E.A. Badr ; W.E. Gabr ; Zeinab A. Kalboush ; Amr A. Hassan ; Mona M. Saleh ; A.M. Tahoon ; Elgaly K. Salman ; W.T. Abd ElRahem , T.M.A. Elhefnawy and B.A. Zayed(03)Giza 83 Egyptian rice variety: a step to confront climate change challenges. *Egyptian Journal of AgriculturalResearch*,0():59-537.DOI: 0.608/EJAR.03.94344.36

- Sedeek S.E.M. (2015). Heterosis and combining ability analysis for some vegetative, yield and its component traits in rice. *J. Agric. Res. Kafr El-Sheikh Univ.*, 41(1):118-134.
- Sedeek S.E.M. and S.M. El-Wahsh (2015). Performance of some agronomic traits of selected rice breeding lines and its reaction to blast disease. *J. Agric. Res. Kafr El-Sheikh Univ.*, 41(1):167-180.
- Sedeek S.E.M., S.A.A. Hammoud, A.B. EL-Abd and I.M.O. EL-Rewainy (2007). Inheritance of some agronomic traits, blast reaction and stem borer in two rice crosses. *Egyptian J. of Breeding* (11): 563-580.
- Sedeek S.E.M., S.A.A. Hammoud, M.H. Ammar and T.F. Metwally (2009). Genetic Variability, Heritability, Genetic advance and cluster analysis for some physiological traits and yield and its components in rice (*Oryza Sativa* L.). *J.Agric.Res.Kafer EL-Sheikh Univ.*, 35(3):858-878.
- Sedeek S.E.M., T.F. Metwally, Kazutoshi Okuno and A.F. Abdelkhalik (2010). Genotypic variation of some Egyptian and upland rice genotypes in some physio-morphological traits and microsatellite DNA under drought condition. *J. of Agric., Chemistry and Biotechnology*, Vol.1 (3): 141-155. 10.21608/jacb.2010.88796
- Sedeek S.E.M., Tahany, M. Mazal, Mervat, M.A. Osman A.G.Hefeina, W.H. EL-Kallawy and Eman, M. Bleih (2022). Genetic Diversity Among Some of Rice Genotypes Under Water Shortage. *J. of Plant production, Mansoura Univ.*, Vol.13(12):929- 936. 10.21608/jpp.2023.178703.1197
- Sedeek S.E.M.; K.A. Attieha; M.A. Elhity and A.M. Mosalam (2011). Evaluation of some rice genotypes under normal and saline soil conditions. *J.Agric.Res.Kafer EL-Sheikh Univ.*, 37(2):284-298.
- Sedeek S.E.M.; R.A. ELNamaky; S.A.A. Hammoud and Howida B. EL-Habet (2012). Genetical studies on root system and yield and its components traits under water limit condition in rice (*Oryza sativa* L.). *J. Agric. Chemical and Biotechnology, Mansoura Univ.*, Vol.3 (12):447-460. 10.21608/jacb.2012.55023
- Sedeek S.E.M.; R.A.S. ELshafey; S.A.A. Hammoud and R.A. EL-Namaky (2012). Gene action and relative importance of some agronomic and biotic stress traits affecting genetic divergence in rice. *J. Plant Production, Mansoura Univ.*, Vol.3 (12):2971-2992. 10.21608/jpp.2012.85363
- Sedeek, S. E., I. S. EL-Rafae, R.A. EL-Namaky, et al (2023) Giza 183 Egyptian rice variety: a step to confront climate change challenges, in international conference of Field Crops Research Institute (FCRI), 13-16 March, Cairo, Egypt in press.
- Sedeek, S.E.; Aboyousef, M.I.; EL-Rafae, I.S.; M.A. Negm, et al., (2023). Giza 183 Egyptian rice variety: a step to confront climate change challenges. *International Conference of Field Crops Research Institute, Egyptian Journal of Agricultural Research*. 101(2):519-537.
- Sedeek, S.E.M., M.E. EL-Denary, M.S. Abdel Megeed, T.M. Mazal and A.F. Abdelkhalik (2016). Genetic diversity and combining ability of yield and its components and resistance to stem borer in rice. Sixth Field Crops Conference, Crop Productivity under Varied Environments. Field Crops Research Institute 22-23 Nov. 2016, Giza, Egypt 35-53.
- Sedeek, S.E.M.; R.A. EL-Namaky; S.A.A. Hammoud and Howida. B. EL-Habet (2012). Genetical Studies on Root System and Yield and Its Components Traits under Water Limit Condition in Rice (*Oryza sativa* L.). In *J. Agriculture Chemistry and Biotechnology, Mansoura Univ.*, 3 (12): 447-460.
- Sedeek, S.E.M.; S.A.A. Hammoud; M.H. Ammar and T.F. Metwally. 2009. Genetic variability, heritability, genetic advance and cluster analysis for some physiological traits and grain yield and its components in rice (*Oryza sativa* L.). *J. Agric. Res. Kafer El-Sheikh Univ.*, 35 (3):858-878.
- Sedeek, S.E.M; T.F. Metwally, Kazutoshi Okuno and A.F. Abdelkhalik. 2010. Genotypic variation of some Egyptian and upland rice genotypes in some physio-morphological traits and microsatellite DNA under drought condition. *J. of Agricultural Chemistry and Biotechnology, Mansoura Univ.*, 1(3):141-155.

- Sedeek, SE, Abo Yousef, MI, EL-Rafae, IS, Abdallah, AA, Hammoud, SA, El-Malky, MM, ... & Khatab, AA. Giza 183 Egyptian rice variety: a step to confront climate change challenges. *Egyptian Journal of Agricultural Research*, 2023, 101(2):56-68.
- Sedeek, S.E., Marvat, M.A., Osman, M., Abdelrahman, M.M., Abdelhamed and G.B. Anis 2025. Exploring Salinity Tolerance in Advanced Rice Lines: Agronomic and Molecular Characterization for Breeding Advances. *Trends in Agricultural Sciences* 4(3):250-261. <https://doi.org/10.17311/tas.2025.250.261>
- Sedhom, S. A., El-Badawy, M. E. M., El-Hosary, A. A. A., Abo Yousef, M. I., Elsehely, A. B., & Baiumy, K. A. (2022). Yield potentiality and photosynthetic parameters of some local and exotic elite rice genotypes. *Benha Journal of Applied Sciences*, 7(4), 1-11.
- Selim, M. E.; A. A. Hassan; M. A. A. El Sayed and E. A. Z. El Shamey (2020). Determination of Resistant on New Highly Productivity Line for Major Rice Diseases. *J. of Plant Protection and Pathology*, Mansoura Univ., Vol 11 (8):385-394.
- Selim, M. E.; A. A. Hassan; M. A. A. El Sayed and E. A. Z. El Shamey (2020). Determination of Resistant on New Highly Productivity Line for Major Rice Diseases. *J. of Plant Protection and Pathology*, Mansoura Univ., Vol 11 (8):385-394.
- Selim, M.E., ELShamey, E.E., ELkholy, N.A Abdelrahman, M. et al., (2024) Genetic determinants of weed control in rice (*Oryza sativa* L.) using allelopathy approach. *Cereal Research Communications*, 1-10.
- Shehata S.M.; B. A. Zayed ; E. S. Naeem ; S. E. Seedex and A. A. Gohary (2009) Response Of Rice (*Oryza sativa* L.) To Different Levels Of Zinc And Sulfur Fertilizer Under Saline Soil Egypt. *J. of Appl. Sci.*, 24(12B):551-565.
- Shehata, S. M . ; A. A. Abd Allah ; B. A. Zayed and A. A. El-Gohary (2009). Development Salt Tolerant Rice Lines Through Mutation Breeding *J. Agric. Res. Kafer El-Sheikh Univ.*, 35(4):954-963.
- Shehata, S.M.; A.E. Draz; A.A. Abd Allah and B.A. Zayed (2004). Genetic studies on some morphological characters as indicators of salt and drought tolerance in rice. *Egypt. J. Agric. Res.* 82(1):101-119.
- Shehata, S.M.; B.A. Zayed; E.S. Naeem; S.E.M. Sedeek and A.A. EL-Gohary (2009). Response of rice (*Oryza sativa* L.) to different levels of zinc and sulfur fertilizer under saline soil. *Egypt. J. of Appl. Sci.*, 24(12B) 551-565.
- Shehata, S.M.; R.A. EL-Namaky; S.E.M. Sedeek and E.A.S. Badr (2009). Gene action and combining ability of quantitative traits and related criteria of disease (Blast and brown spot) resistance under saline soil conditions in rice. *Egypt. J. of Appl. Sci.*, 24(10A):186-204.
- Shehata, S.M.; A. M. El-Ekhtyar and B.A. Zayed (2007) Effect of plant spacing and number of seedlings /hill on rice production under saline soil condition. *Egypt. J. of Appl. Sci.*, 22(11):17-26
- Shehata, S.M; R.A. El-Namaky; S.E.M. Sedeek and E.A.S. Badr (2009). Gene action and combining ability of Quantitative traits and related criteria of disease (Blast and brown spot) resistance under saline soil conditions in rice. *Egypt. J. of Appl. Sci.*, 24(10A):186-204.
- Shen G, Hu W, Wang X, Zhou X, Han Z, Sherif A, Ayaad M, Xing Y. Assembly of yield heterosis of an elite rice hybrid is promising by manipulating dominant QTLs. *Journal of Integrative Plant Biology*, 2022, 64: 688-701
- Sherif A, Zhang B, Wu B, Hu Y, Li S, Zhou X, Elbadri AM, Elshenawy M, El-Badawy MEM, Hassan IO, Sedhom SA, Abo-Yousef M, Ayaad M, Xing Y (2023) A Pseudo-near isogenic F2 population strategy for rapid QTL cloning. *Molecular Breeding* 43 (8):61-73.
- Shijuan Li, Jin Zhang, Bingliang Xu, Essam A. ELShamey, Mohammed Mujitaba Dawuda (2025). Interaction of the Causal Agent of Apricot bud gall-*Acalitus phloeocoptes* (Nalepa) with Apricot: Changes in Infested Tissues. Accepted at *Plant Diseases Journal*, and release next volume.

- Shimaa A. Badawy, Bassiouni A. Zayed, Sherif M. A. Bassiouni , Ayman H. A. Mahdi , Ali Majrashi , Esmat F. Ali and Mahmoud F. Seleiman (2021). Influence of Nano Silicon and Nano Selenium on Root Characters, Growth, Ion Selectivity, Yield, and Yield Components of Rice (*Oryza sativa* L.) under Salinity Conditions. *Plants* 2021, 10, 1657. <https://doi.org/10.3390/plants10081657>.
- Shimaa M. Sakr; M. M. Gaballah; W. F. Ghidan and I. A. Talha (2024). Inheritance analysis of grain yield and contributing traits in rice through six populations under normal and water deficit conditions. *J. of Plant Production, Mansoura Univ.*, 15 (12):803 – 812
- Shuangle Li, Yong Hu, Chen An, Qingli Wen, Xiaowei Fan, Zhanyi Zhang, Ahmed Sherif, Haiyang Liu, Yongzhong Xing. The amino acid residue E96 of Ghd8 is crucial for the formation of the Ghd7-Ghd8OsHAP5C complex, which suppresses heading under long-day conditions in rice. *Journal of Integrative Plant Biology*, 2022
- Sorour, F., Metwally, T., El-Degwy, I. S., Eleisawy, E., & Zidan, A. (2020). The effects of nano phosphatic fertilizer application on the productivity of some Egyptian rice varieties (*Oryza sativa* L.). *Applied Ecology and Environmental Research*, 18(6), 7673-7684.
- Sorour, F.A., A.Y. Ragab, T.F. Metwally and A.A. Shafik. 2016. Effect of planting methods and nitrogen fertilizer rates on the productivity of rice (*Oryza sativa* L.). *J. Agric. Res. Kafr El-Sheikh Univ.*, 42(2): 207-216.
- Sultan, M. S., A. T. El - Kassaby, M. M. El - Habashy and A. S. Taha (2014). Effect of nitrogenous fertilizer rates on rice yield, yield components and insect infestation of some rice cultivars. *Journal of Plant Production, Mansoura University*, 5 (3): 457 - 467
- Sultan, M. S.; A. T. El-Kassaby; M. M. El-Habashy and A. S. Taha (2013). Yield and yield components of hybrid one rice cultivar as affected by irrigation intervals, fertilization combinations and their interaction. *Journal of Plant Production, Mansoura University*, 4 (8): 1149- 1157.
- Sultan, M. S.; M. A. Abdel-Moneam, H. M. Hassan and E. M. Daher (2013). Studies on combining ability for yield and its components in rice using line x tester mating design under saline soil conditions. *J. Plant Production, Mansoura Univ.*, 4 (10): 1515 – 1533, doi: 10.21608/jpp.2013.74197.
- Sun, S.; Yi, J.; Gu, P.; Huang, Y.; Huang, X.; Li, H.; Fan, T.; Zhao, J.; Wang, R.; Gaballah, M.M.; et al. (2025). Comprehensive Characterization and Functional Analysis of the Lateral Organ Boundary Domain Gene Family in Rice: Evolution, Expression, and Stress Response. *Int. J. Mol. Sci.*, 26, 3948. <https://doi.org/10.3390/ijms26093948>
- T.F. Metwally, M.H. Ammar S. Sedeek, and R. El-Namaky. 2017. Characteristics of the NERICA and Local Rice Varieties under Rainfed Upland Condition in Tanzania. *Egypt. J. Plant Breed*, 21(5): 49-60.
- Taha, A. S., Eman M. Bleih, A. M. Khorchid and EL-Kallawy, W. H. (2022). Influence of sowing date on yield and yield attributes of rice genotypes and infestation by rice leafminer and rice stem borer. *Menoufia J. Plant Prod.*, Vol. 7 December : 215 – 233
- Taha, A. S., H. A. Saleh and Eman M. Bleih (2021). Influence of Sowing Dates and Nitrogen Fertilization Levels on Rice Yield and Insect Infestation of Sakha Super 300 Rice Cultivar. *Egypt. Acad. J. Biolog. Sci.*, 12(1):75- 86.
- Tahany M. Mazal , M. M. ElShnawy , G. B. Anis and Fatma A. Hussein (2021). Genetic Analysis of Some Qualitative and Quantitative Traits in Rice (*Oryza sativa* L.). *J. of Plant Production, Mansoura Univ.*, Vol 12 (5):577 – 583.
- Tahany M. Mazal; M. M. ElShnawy ; G. B. Anis and Fatma A. Hussein (2021). Genetic Analysis of Some Qualitative and Quantitative Traits in Rice (*Oryza sativa* L.). *Journal of Plant Production, Mansoura Univ.*, 12 (5):577-583.

- Tamer Metwally, Mohammed Al-Daej, Mohmad El-Malky, Amira Ragab. (2022). Genetic analysis for rice seedling vigor and yield characteristics of Hassawi landrace compared with some rice varieties (*Oryza Sativa* L.). *Fresenius Environmental Bulletin*. Volume 31– No. 03A/2022 pages 3793-3804.
- Tang Y., Abdelrahman M., J. Li, F. Wang, Z. Ji, H. QI, C. Wang and K. Zhao (2020). CRISPR/Cas9 induces exon skipping that facilitates development of fragrant rice. *Plant Biotechnology Journal*. 19:640-644. IF: 13.26."
- Wafaa M. Shukry, Mohamed E. Abu-Ria, Samy A. Abo-Hamed, Galal B. Anis, Farag Ibraheem (2023). The Efficiency of Humic Acid for Improving Salinity Tolerance in Salt Sensitive Rice (*Oryza sativa*): Growth Responses and Physiological Mechanisms. *Gesunde Pflanzen*, <https://doi.org/10.1007/s10343-023-00885-6>
- Waleed A. Almasoud, Mahmoud Abdel-Sattar, Doaa A. Abdelbary, Saber Sedeek, Abdulwahed M. Aboukarima, Dalia H. Eshra, Hail Z. Rihan and Mohamed E. Yehia (2024). Comparative Analysis of Physical and Engineering Properties of New Egyptian Paddy Rice (Giza 183) Adapted to Mitigate Effects of Climate Change. *Agronomy* 2024, 14(12): 2785:1-18. <https://doi.org/10.3390/agronomy14122785>
- Waleed A. Almasoud, Mahmoud Abdel-Sattar, Saber Sedeek, Amgad A. Elgammaal, Nouran El-Refaee, Ibrahim A. Ramadan, Dina Abdulmajid and Hail Z. Rihan (2024). The Path Towards Novel Varieties: Investigating Phenotypic-Genetic Diversity in New Promising Egyptian Rice Lines. *Agronomy* 2024, 14, (12): 2775:1-16 <https://doi.org/10.3390/agronomy14122775>
- Waleed Hassan Elgamal, Mahmoud Elsayed, Essam Adel ElShamey and Galal Anis (2018). Genetic diversity for cold tolerance at seedling stage in rice (*Oryza sativa* L.) under Egyptian conditions. *Journal of Sustainable Agricultural Sciences*, 44(2): 101-113.
- Wang B, Zhang Y, Bi Z, Liu Q, Xu T, Yu N, Cao Y, Zhu A, Wu W, Zhan X, Anis GB, Yu P, Chen D, Cheng S and Cao L (2019). Impaired Function of the Calcium-Dependent Protein Kinase, OsCPK12, Leads to Early Senescence in Rice (*Oryza sativa* L.). *Frontiers in Plant Science*. 10:52. doi: 10.3389/fpls.2019.00052.
- Wang, J.; Ding, Z.; AL-Huqail, A.A.; Hui, Y.; He, Y.; Reichman, S.M.; Ghoneim, A.M.; Eissa, M.A.; Abou-Zaid, E.A.A (2022). Potassium source and biofertilizer influence K release and fruit yield of Mango (*Mangifera indica* L.): A Three-Year Field Study in Sandy Soils. *Sustainability*, 14, 9766.
- Wattoo, F. M., Rana, R. M., Fiaz, S., Zafar, S. A., Noor, M. A., Hassan, H. M., Bhatti, M. H., Rehman, S. U, Anis, G. B. and Amir, R. M. (2018). Identification of Drought Tolerant Maize Genotypes and Seedling based Morpho-Physiological Selection Indices for Crop Improvement. *Sains Malaysiana* 47(2): 295-302.
- Wei, Z., Abdelrahman, M., ...Zhao, K., (2021). Engineering Broad-Spectrum Resistance to Bacterial Blight by CRISPR/Cas9-Mediated Precise Homology Directed Repair in Rice. *Molecular plant*, pp.S1674-2052. IF: 21.49
- Wu B, Meng J, Liu H, Mao D, Yin H, Zhang Z, Zhou X, Zhang B, Sherif A, Liu H, Li X, Xiao J, Yan W, Wang L, Li X, Chen W, Xie W, Yin P, Zhang Q, Xing Y (2023) Suppressing a phosphohydrolase of cytokinin nucleotide enhances grain yield in rice. *Nature Genetics*. doi:10.1038/s41588-023-01454-3
- Xu, P.; Hao, S.; Wen, X.; Ma, G.; Yang, Q.; Liu, L.; Anis, G.B.; Zhang, Y.; Sun, L.; Shen, X.; et al. (2025). A Series of Novel Alleles of Ehd2 Modulating Heading and Salt Tolerance in Rice. *Plants*, 14, 297. <https://doi.org/10.3390/plants14020297>
- Yinglong Chen; Baohong Zhang and Galal Bakr Anis (2024). Plant biotechnology and genetics for sustainable agriculture and global food security. *Frontiers in Plant Science*, 15:1479632.

- Yingxin Zhang, Galal Bakr Anis, Ruci Wang, Weiming Wu, Ning Yu, Xihong Shen, Xiaodeng Zhan, Shihua Cheng, Liyong Cao (2017). Genetic dissection of QTL against Phosphate deficiency in the hybrid rice 'Xieyou9308'. *Plant Growth Regulation*, 84(1): 123–133.
- Yonnelle Dea Moukoubi, Raafat El- Namaky, Mouritala Sikirou, Roland Bocco, Daouda Mbodj, Esther Pegalepo, Adoté Hervé Gildas Akueson, Baboucarr Manneh. (2025) Field Evaluation of Advanced Rice Lines for Adaptability to Drought and Heat in the Senegal River Valley. <https://doi.org/10.1002/pei3.70034>
- Yonnelle Dea Moukoubi, Raafat El-Namaky, Koffi Djaman, Daouda Mbod, Baboucarr Manneh (2018). Alternate phenotype–genotype selection for developing superior high-yielding irrigated rice lines. *THE CROP JOURNAL*: 6, 191– 201.
- Yonnelle Dea Moukoubi, Raafat El-Namaky, Mouritala Sikirou, Jules Masimane, Patrick Minyangu, Roland Bocco, Gentil Murhabazi, Esther Pegalope, Daouda Mbodj and Baboucarr Manneh (2024) Rice varietal selection under irrigated conditions in the Senegal River Valley using Additive Main effects and Multiplicative Interaction (AMMI) modelling approach. *Agriculture* 2024, 14, x. <https://doi.org/10.3390>
- Yoshie Yageta, Teruo Higashi1, Zayed A. Bassiouni, Naeem EL Sayed Saad and Masayoshi Satoh (2013). Effects of Previous Rice Cropping History on Salt Accumulation of Surface Soils in the Middle Nile Delta, Egypt. *Journal of Developments in Sustainable Agriculture* 8: 119-12
- Yu Ge, Arwa Abdulkreem AL Huqail, Zhaoxi Zhou, Esmat F. Ali, Adel M. Ghoneim, Mamdouh Eissa, Mahmoud S. El Sharkawy, Zheli Ding (2022). Plant growth stimulating bacteria and filter mud cake enhance soil quality and productivity of Mango (*Mangifera indica* L.). *J. Soil Sci. Plant Nutr.* <https://doi.org/10.1007/s42729-022-00868-y>.
- Yu Tanaka, Tomoya Watanabe , Keisuke Katsura, Yasuhiro Tsujimoto, Toshiyuki Takai, Takashi Sonam Tashi Tanaka, Kensuke Kawamura, Hiroki Saito, Koki Homma, Salifou Goube Mairoua, Kokou Ahouanton, Ali Ibrahim, Kalimuthu Senthilkumar, Vimal Kumar Semwal, Eduardo Jose Graterol Matute, Edgar Corredor, Raafat El-Namaky, Norvie Manigbas, Eduardo Jimmy P. Quilang, Yu Iwahashi, Kota Nakajima, Eisuke Takeuchi, Kazuki Saito (2023). Deep learning enables instant and versatile estimation of rice yield using ground based RGB images. *Plant Phenomics* (16) 1-23, 2023. <https://spj.science.org> on July 08, 2023.
- Yu TanakaTomoya WatanabeKeisuke Katsura, Kazuki Saito, Raafat El-Namaky (2021) Deep learning-based estimation of rice yield using RGB image. <https://doi.org/10.21203/rs.3.rs-1026695/v1>
- Zaazaa, E. I. and G.B. Anis (2014). Heterosis, Combining ability and Phenotypic Correlation for Some Economic Traits in Rice (*Oryza sativa* L.). *Middle East Journal of Agriculture Research*, 3(4): 1155-1162. "
- Zayed ,B.A., A.k.M. Salem and H. M. El Sharkawy (2011) Effect of different macronutrient treatments on rice (*Oryza Sativa* L.) growth and yield under saline soil conditions. *World Journal of Agricultural sciences*,7(2):179-184.
- Zayed ,B.A., A.k.M. Salem and H. M. El Sharkawy (2011) Effect of different micronutrient treatments on rice (*Oryza Sativa* L.) growth and yield under saline soil conditions. *World Journal of Agricultural sciences*, 7(2):179-184.
- Zayed ,B.A.,A.A. Abou Kalifa and H.F. El-Mowafi(2005) :Seedling vigor of hybrid rice as related to seed rate in nursery under saline soil .Egypt. *J. of Agric. Res.*,83(5B):423-435.
- Zayed ,B.A.; S.A.Shehata and A.A. AbdAllah (2006):Effect of different levels of FYM and Mineral nitrogen on yield and its components of rice under Saline soil conditions. *First Filed Crop Conference*,22-24,Agust .Giza ,Egypt,pp.319-327.

- Zayed B. A. A.; W. H. Abou El Hassan, Y. Kitamura, S. M. Shehata, Zahor Ahmed and Farullah (2006) :Effect of reuse Drainage water management on Rice growth, yield and water use efficiency under saline soil. *Asian J. of plant Sciences* 5(2):287-295.
- Zayed B. A. Abd El-azem K. Salem and Osama A. M. Ali (2014) Physiological characterization of Egyptian salt tolerant rice varieties under different salinity levels. *Life Science Journal* 2014;11(10):1264-1272.
- Zayed B. A. (2012). Efficiency of different sulfur fertilizer sources in increasing hybrid rice productivity under saline soil conditions. *Egypt. J. of Agric. Res.*
- Zayed B. A., R. A. El Namaky, S. E. Sedeek and H. F. El mowafi (2013). Exploration of hybrid rice under Saline soils in Egypt. *J. of plant production, Mansoura Univ.*, 4(1):1-13.
- Zayed B. A.; A. M. El Ekhtyar, A. B. El Abd and M. A. Badawi (2006) :Response of hybrid and inbred rice varieties to various nitrogen levels under saline soil conditions. *J. Agric., Sci., Mansoura University*, 31(12):7497-7509.
- ZAYED B., S. BASSIOUNI, A. OKASHA, M. ABDELHAMED, S. SOLTAN, and M. NEGM (2023) PATH COEFFICIENT, EIGENVALUES, AND GENETIC PARAMETERS IN EGYPTIAN RICE (*ORYZA SATIVA* L.) UNDER AEROBIC CONDITIONS, *SABRAO Journal of Breeding and Genetics* 55 (1) 131-145. <http://doi.org/10.54910/sabrao2023.55.1.13>
- Zayed B. A., Hasnaa A. Ghazy, Mahrous E. Negm, Sherif M. Bassiouni, Adel A. Hadifa, Dalia E. El-Sharnobi, Mohamed M. Abdelhamed, Elsayed A. Abo-Marzoka, Amira M. Okasha, Salah Elsayed, Aitazaz A. Farooque * & Zaher Mundher Yaseen (2023) Response of varied rice genotypes on cell membrane stability, defense system, physio-morphological traits and yield under transplanting and aerobic cultivation. *Scientific Reports* 13:5765., PP..... <https://doi.org/10.1038/s41598-023-32191-6>.
- Zayed B. A., M. S. M. Abdel-Aal and G. A. Dewedar (2017) Response of Rice Yield and Soil to Sulfur Application under Water and Salinity Stresses. *Egypt. J. Agron.* Vol. 39, No. 3, pp. 239- 249.
- Zayed B. A., R. A. El-Namaky, M. M. A. Osman and M. E. A. Negm (2017). Combining ability for physio-morphological traits, yield and its components in rice under different salinity levels. *Egyptian J of plant breeding*, 21(5):153-169.
- Zayed B. A.; A. A. EL-Gouhary, A. M. El-Ekhtyar and S. E. M. Sedeek (2006): Response of Giza 177 and SK2034H to potassium splitting. *First Field Crop Conference*, 22-24, August. Giza, Egypt, pp. 407-414.
- Zayed, B. A. (2012). The role of phosphorous management in salinity tolerance alleviation in rice crop. *Egyptian J. of Agric. Res.*, 90(2):667-685, (2012).
- Zayed, B. A.; R. A. El-Namaky; Y. Z. El-Refaee and S. E. M. Sedeek (2012) Comparative study on hybrid and inbred rice under drought and saline stresses. *Plant Production, Mansoura Univ.*, Vol. 3 (1): 91 – 108.
- Zayed, B. A., Amira. M. Okasha, Samah M. Abdelkhalek and M. E. Negm (2018). Germination and seedling growth parameters of some rice genotypes as affected by seawater seed soaking. The 7 th conference of field crops research, 21-22 December, FCRC ARC,
- Zayed, B. A., El-Hendawy, S., Hu, Y., Okasha, A. M., Abdelhamed, M. M., Ghazy, H. A., and Elsayed, S. (2024). Enhancing the photosynthetic and yield performance of rice in saline soil by Foliar-Applied Cost-Effective compounds as sources of carbon dioxide and potassium. *Agronomy*, 14(12), 2850.
- Zayed, B. A., Ghazy, H. A., Negm, M. E., Bassiouni, S. M., Hadifa, A. A., El-Sharnobi, D. E., and Yaseen, Z. M. (2023). Response of varied rice genotypes on cell membrane stability, defense system,

physio-morphological traits and yield under transplanting and aerobic cultivation. *Scientific Reports*, 13(1), 5765.

- Zayed, B. A., S. M. Bassiouni, A.A.Zedan and G.A. Dewedar 2016 Effect of sowing date and time of nitrogen application on productivity of rice cultivar Giza179 under saline soil conditions 6 th field crops. Conference, 22-23 Nov, FCRI, ARC, Egypt
- Zayed, B.; S. Bassiouni; A. Okasha; M. Abdelhamed; S. Soltan and M. Negm (2023). Path coefficient, eigenvalues, and genetic Parameters in Egyptian rice (*Oryza sativa* L.) under aerobic conditions. *SABRAO Journal of Breeding and Genetics*, 55(1): 131-145.
- Zayed, B.A and Rania, A. Khedr 2016 response of barley to nitrogen sources and application times under saline sodic soil conditions. 6 th field crops. Conference, 22-23 Nov, FCRI, ARC, Egypt.
- Zayed, B.A, R. A. El-Namaky, Y.Z. El–Rafaee and S.E.M. Sedeek (2012) Comparative study on hybrid and inbred rice under drought and saline stresses. In *J. of Soil Sci. and Agric. Eng., Mansoura Univ.*, Vol.3, (12): 1153 - 1168.
- Zayed, B.A. ; I.S. El-Rafaee and S.E.M. Sedeek (2010). Response of different rice varieties to phosphorus fertilizer under newly reclaimed saline soils. *J. of Plant Prod. Mansoura Univ.*1 (11): 1479-1493.
- Zayed, B.A. ; I.S. El-Rafaee and S.E.M. Sedeek (2010). Response of different rice varieties to phosphorus fertilizer under newly reclaimed saline soils. *J. Plant Prod. Mansoura Univ.*1 (11): 1479-1493.
- Zayed, B.A. I.S. El- Rafaee, R.N. Gorgy and A.A. M. Abdl El- Rahman (2005). Effect of sowing dates, plant spacing and Nitrogen levels on growth and yield of rice under saline soil,. The 11th conference of Agronomy, Agron. Dept., Fac. of Agric., Assiut Univ., pp. 265-283.
- Zayed, B.A., A.A. EL-Gouhary, A.M. EL-Ekhtyar and S.E.M. Sedeek (2006). Response of Giza 177 and SK 2034H Hybrid Rice to potassium splitting. The First Field Crops Conference. The First Field Crops Conference 22-24 August 407-414.
- Zayed, B.A., Amira, M. okasha, E. Rashwan(2019). Impact of different rates of phosphoric acid foliar spraying on rice growth and yield traits under normal and saline soils conditions. *East African Scholars J Agri Life Sci*; Vol-2, Iss-2 (February, 2019):56-66.
- Zayed, B.A., E.S.Naeem, H.M.El Sharkawi and E.E.Gewaily (2010). Efficiency of sulfur fertilizer on yield and soil properties of salt stressed paddy fields. *Egypt. J. Agric. Res.*, 88 (1):1-11
- Zayed, B.A., E.S.Naeem, H.M.El Sharkawi and E.E.Gewaily)2011). Efficiency of sulfur fertilizer on yield and soil properties of salt stressed paddy fields. *Egypt. J. Agric. Res.*, 88 (1),:1-11.
- Zayed, B.A., E.S.Naeem, H.M.El Sharkawi and E.E.Gewaily 2011. Efficiency of sulfur fertilizer on yield and soil properties of salt stressed paddy fields. *Egypt. J. Agric. Res.*, 88 (1),:1-11
- Zayed, B.A., Ghazy, H.A., Negm, M.E. et al. (2023). Response of varied rice genotypes on cell membrane stability, defense system, physio-morphological traits and yield under transplanting and aerobic cultivation. *Sci Rep.*, 13:1-16.
- Zayed, B.A., R.A. EL-Namaky, M.M.A. Osman and M.E.A. Negm (2017). Combining ability for physio-morphological traits, yield and its components in rice under different salinity levels. *Egyptian journal of plant breeding*, Vol. 21, No. 5: 49-60.
- Zayed, B.A., S.M. Shehata, W.M. Elkhoby and E.E.E. Kafaga (2007) Rice and Water Productivity As Affected By Irrigation Intervals And Potassium Splitting Under Newly Reclaimed Saline Soil. *J. Agric. Res. Kafr El Sheikh Univ.*, 33(4):807-823.(2007).
- Zayed, B.A., W. M. Elkhoby, A.K. Salem, M. Ceesay, and N.T. Uphoff (2013) Effect of Integrated Nitrogen Fertilizer on Rice Productivity and Soil Fertility under Saline Soil Conditions. *Journal of Plant Biology Research* 2013, 2(1): 14-24.

- Zayed, B.A., W.M. Elkhoby, S.M. Shehata and M.H. Ammar(2007): The role of Potassium application on productivity of some inbred and hybrid rice varieties under newly reclaimed saline soils. 8th African Crop Science Society Conference, 27-31 October 2007- El-Minia, Egypt vol 1pp (55-60).
- Zayed, B.A., W.H.M. El-Kallawy and R.N Gorgy(2011). Efficiency of different schedules of potassium foliar application on yield, yield components and some physiochemical properties of hybrid rice under saline soil conditions. J. Plant Production , Mansoura Univ., 2(10):1299-1310.
- Zayed, B.A.; Rania, Khedr; A.A Hadifa and Amira M.Okasha (2017).Some anti-oxidants, Physio-morphological, and Yield of Varying Rice Varieties Affected by Salinity Levels. J of plant prod., 8 (7) :747-754.
- Zayed, B.A.; A.K. Salem; S.M.A. Bassiouni and Kh. I.M.Gad (2014). Response of wheat crop to nitrogen sources and application times under saline sodic soil conditions. J. Plant Production, Mansoura Univ., 5(8):1403-1414.
- Zayed, B.A.; A.M. Okasha, S.M. Abdelkhalek and M.E. Negm(2018). Germination and seedling growth parameters of varying rice genotypes affected by seawater seed soaking. 18-19 Dec. 2018, Giza, Egypt proceeding of the seventh field crops conference.
- Zayed, B.A.; A.T. Badawi; S.A. Ghanem; S.M. Shehata and A.E. Abdel-Wahab (2004). Effect of three salt levels on growth of three rice cultivars differing in salt tolerance. Egypt. J. of Agriculture Res. 82(1):219-231.
- Zayed, B.A.; G.A. El-Kot; M.M. Abd El-Hamed and Amira M. Okasha (2017). Comparative study between traditional zinc fertilizer sources and nano-Zn particle on productivity and brown spot disease of rice under saline sodic soil conditions. Proceeding of 7th International Conference for Sustainable Agricultural Development. 6-8 March 2017.
- Zayed, B.A.; I.A. El-Saiad; S.M. Bassiouni and A.K. Salem (2013). Effect of different planting system on soil, water and rice productivity in the northern part of delta in Egypt. J. Soil Sci. and Agric. Eng., Mansoura Univ., 4(5):453-462.
- Zayed, B.A.; M.E. Negm; S.M. Bassiouni; A.M. El Zanaty and A.A. Hadifa (2023). Genetic evaluation of some rice genotypes with their half diallel hybrids and genetic variation assessment using ISSR markers under salinity stress. Menoufia J. Agric. Biotechnology, 8(1): 19 –43.
- Zayed, B.A.; O.A.M. Ali and S.A. Hammoud (2016). Physiological and genetic performance of some rice genotypes grown in medium and high salinity soils. Menoufia J. Plant Prod., (1) October: 155-175
- Zayed, B.A.; R.A. EL-Namaky; S.E.M. Sedeek and H.F. EL-Mowafi (2013). Exploration hybrid rice under saline soil conditions in Egypt. J. Plant production, Mansoura Univ., 4(1):1-13.10.21608/jpp.2013.68603
- Zayed, B.A.; R.A. EL-Namaky; Y.Z. EL-Refaee and S.E.M. Sedeek (2012). Comparative study on hybrid and inbred rice under drought and saline stresses. J Plant Production, Mansoura Univ., 3(1): 91-108.10.21608/jpp.2012.84030
- Zayed, B.A.; S.M. Shehata ,A.A. Abd El Rahaman and A.E. Draz (2005) : Cell membrane stability ,photosynthesis rate and associated traits as an indicator of salinity tolerance in some rice cultivars (Oryza sativa L.). Egypt. J. of Agric.,Res.,82(5B):411-423
- Zayed, B.A.; S.M. Shehata and A.E. Draz (2003).Performance of some rice cultivars under salt stress adjusted by concentration of pigments, Na and potassium. Symposium of African Food Security Future, African Studies and Research Institute, Cairo University, Egypt, June 24-25.
- Zayed, B.A.; T.F. Metwally; S.M. Bassiouni and E.S. Naeem (2015). Performance of some rice cultivars under saline and sodic conditions. Egypt. J. Agric. Res., 93 (2 B):515-533.

- Zayed, B.A.; T.F.Metwally; S.M.Bassiouni and E.S. Naeem. 2015. Performance of Some Rice Varieties under Saline and Sodic Conditions. The 5th Field Crops Conf., Field Crops Res. Inst. Egypt. J. Agric. Res., 93 (2B): 515-534.
- Zayed, B.A; I.S. EL-Rafae and S.E.M. Sedeek (2010). Response of different rice varieties to phosphorous fertilizer under newly reclaimed saline soils. J.Plant Production, Mansoura Univ., Vol.1 (11):1479-1493.10.21608/jpp.2010.86594
- Zayed, B.A; S.M. Bassiouni; A.A. Zedan and G.A. Dewedar (2016). Effect of sowing date and time of N application on productivity of rice cultivar, Giza 179 under saline soil conditions. The Sixth Field Crops Conference, FCRI, ARC, Giza, 22-23 Nov. 2016. 181-188. Egypt
- Zayed,B.A., Amira, M. Okasha, M.M. Abd El-Hameed and G.A. Dewedar 2016 Effect of different phosphorous sources on Egyptian hybrid rice1 productivity under two types of salt-affected soils. 6 th field crops. Conference, 22-23 Nov, FCRI, ARC, Egypt.
- Zayed,B.A.;A.E. Abd El Wahab ,A.O. Basttawisi, A.M. Hagra and H.F.El-Mowafi(2006):Physiology response of some hybrid and inbred rice varieties to different times of nitrogen application and plant geometry . First Filed Crop Conference,22-24, August .Giza ,Egypt,pp.533-542.
- Zayed,B.A.;I.A.El-Saiad; S.M. Bassiouni and A.K.Salem(2013). Effect of different planting systems on soil water and rice productivity in the northern part of Delta in Egypt. J. of soils sci and agric. Eng., Mansoura Univ.,4(5):453-462.
- Zayed,-B-A; Metwally,-A-G; Salem,-A-K-M; Gorgy,-R-N (2005) Effects of some growth retardants on growth, physiological behavior, lodging degree and yield of rice plants.Egyptian-Journal-of-Agronomy. 2005; 27(2): 95-112
- Zayed.A, A.A.M. Abd El Rahman, and A.K.M. Salem (2005) The Effect of different farm yard manure levels and different modes of urea application on rice productivity under saline soil. Egypt J .Agric. Res., 2(2) 631-642.
- Zeinab A. Kalboush, Samah M. Abdelkhalek, Galal B. Anis, Amr A. Hassan, Wael E. Gabr (2023). Phenotypic and molecular identification of some blast resistance genes and biochemical responses of rice genotypes against rice blast pathogen. Physiological and Molecular Plant Pathology, 127(9): 102052.
- Zheli Ding, Ahmed M.S. Kheir, Osama A.M. Ali, Emad M. Hafez, Essam A. ElShamey, Zhaoxi Zhou, Bizun Wang, Xing Lin, Yu Ge, Ahmed E. Fahmy, Mahmoud F. Seleiman, (2021). A vermicompost and deep tillage system to improve saline-sodic soil quality and wheat productivity. Journal of Environmental Management 277. 111388.
- Zheli Ding, Saif Alharbi, Esmat F. Ali, Adel M. Ghoneim, Marzoq Hadi Al Fahd, Guangshuai Wang & Mamdouh A. Eissa (2022). Effect of phosphorus-loaded biochar and nitrogen- fertilization on release kinetic of toxic heavy metals and tomato growth. International J. of Phytoremediation, 24:2, 156-165, DOI: 10.1080/15226514.2021.1929825.