Loop related problems (total 20 questions)

SL		Problem statement					
1.	Write a program (WAP) that will print following series upto N th terms.						
	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14,						
	Sample input	Sample output					
	2	1, 2					
	5	1, 2, 3, 4, 5					
	11	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11					
2.		P) that will print following series upto N th terms. 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31	*				
	Sample input	Sample output					
	2	1, 3					
	5	1, 3, 5, 7, 9					
	11	1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21					
		1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1,					
	Sample input	Sample output					
	2	1, 0					
	3	1, 0					
	4	1, 0, 1, 0					
	7	1, 0, 1, 0					
	7						
	7 13	1, 0, 1, 0, 1, 0, 1 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1					
4.	13	1, 0, 1, 0, 1, 0, 1 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1 P) that will take N numbers as inputs and compute their average.	*				
4.	13 Write a program (WA	1, 0, 1, 0, 1, 0, 1 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1 P) that will take N numbers as inputs and compute their average.	*				
4.	Write a program (WA (Restriction: Without	1, 0, 1, 0, 1, 0, 1 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1 P) that will take N numbers as inputs and compute their average. using any array)	*				

Write a program (WAP) that will take two numbers X and Y as inputs. Then it will print the square of X and increment (if X<y< b="">) or decrement (if X>Y) X by 1, until X reaches Y. If and when X is equal to Y, the program prints "Reached!"</y<>			
Sample input(X,Y)		Sample output	
10 5		100, 81, 64, 49, 36, Reached!	
5 10		25, 36, 49, 64, 81, Reached!	
10 10		Reached!	
Write a program (WAP) for the described scenario: Player-1 picks a number X and Player-2 has to guess that number within N tries. For each wrong guess by Player-2, the program prints "Wrong, N-1 Choice(s) Left!" If Player-2 at any time successfully guesses the number, the program prints "Right, Player-2 wins!" and terminates right away. Otherwise after the completion of N wrong tries, the program			
(Hint: Use break/continue) Sample input			
		Sample output	
Sample input (X,N,n1, n2,,nN) 5	Wrong, 2 Choice(
(X,N,n1, n2,,nN)	Wrong, 2 Choice(Wrong, 1 Choice(s) Left!	
(X,N,n1, n2,,nN) 5 3 12 8 5	Wrong, 1 Choice(Right, Player-2 wi	s) Left! s) Left! ins!	
(X,N,n1, n2,,nN) 5 3 12 8 5 100	Wrong, 1 Choice(Right, Player-2 wi Wrong, 4 Choice(s) Left! s) Left! ins!	
(X,N,n1, n2,,nN) 5 3 12 8 5 100 5	Wrong, 1 Choice(Right, Player-2 wi	s) Left! s) Left! ins!	
(X,N,n1, n2,,nN) 5 3 12 8 5 100	Wrong, 1 Choice(Right, Player-2 wi Wrong, 4 Choice(Right, Player-2 wi	s) Left! s) Left! ins! ins!	
(X,N,n1, n2,,nN) 5 3 12 8 5 100 5 50 100	Wrong, 1 Choice(Right, Player-2 wi Wrong, 4 Choice(s) Left! s) Left! ins! s) Left!	
(X,N,n1, n2,,nN) 5 3 12 8 5 100 5 50 100 20	Wrong, 1 Choice(Right, Player-2 wi Wrong, 4 Choice(Right, Player-2 wi Wrong, 2 Choice(s) Left! ins! (s) Left! ins! (s) Left! ins!	
(X,N,n1, n2,,nN) 5 3 12 8 5 100 5 50 100 20 3 12 8 5	Wrong, 1 Choice(Right, Player-2 wi Wrong, 4 Choice(Right, Player-2 wi Wrong, 2 Choice(Wrong, 1 Choice(Wrong, 0 Choice(Player-1 wins!	s) Left! ins! (s) Left! ins! (s) Left! ins!	*
(X,N,n1, n2,,nN) 5 3 12 8 5 100 5 50 100 20 3 12 8 5 Write a program (WAR at the keyboard.	Wrong, 1 Choice(Right, Player-2 wi Wrong, 4 Choice(Right, Player-2 wi Wrong, 2 Choice(Wrong, 1 Choice(Wrong, 0 Choice(Player-1 wins!	s) Left! s) Left! s) Left! ins! s) Left! s) Left! s) Left! s) Left! s) Left!	*
(X,N,n1, n2,,nN) 5 3 12 8 5 100 5 50 100 20 3 12 8 5 Write a program (WAR at the keyboard.	Wrong, 1 Choice(Right, Player-2 wi Wrong, 4 Choice(Right, Player-2 wi Wrong, 2 Choice(Wrong, 1 Choice(Wrong, 0 Choice(Player-1 wins!	s) Left! s) Left! ins! s) Left! sins! s) Left! s) Left! s) Left! s) Left! s) Left! s) Left! Show keyboard inputs until the user types an 'A' Sample output	*
(X,N,n1, n2,,nN) 5 3 12 8 5 100 5 50 100 20 3 12 8 5 Write a program (WAR at the keyboard.	Wrong, 1 Choice(Right, Player-2 wi Wrong, 4 Choice(Right, Player-2 wi Wrong, 2 Choice(Wrong, 1 Choice(Wrong, 0 Choice(Player-1 wins!	s) Left! s) Left! s) Left! ins! s) Left! s) Left! s) Left! s) Left! s) Left!	*

Write a program (WAP) that will reverse the digits of an input integer.						**	
	Sample input				Sample outp	out	
	13579			97531			
	4321			1234			
	take the marks	of his/her att midterm (on !	endance (on 5 50 marks), ter	5 marks), assig m final (on 100	lents. For each s nment (on 10 m 0 marks). Then l	narks), class test	*
	tables shown t	perow, the prop	gram wiii out	out his grade.			
			Attendance	(A)	5%		
			Assignments	s (HW)	10%		
			Class Tests ((CT)	15%		
			Midterm (M	T)	30%		
			Final (TF)		40%		
	Marks	Letter Grade	Marks	Letter Grade	Marks	Letter Grade	
	90-100	A	70-73	C+	Less than 55	F	
	86-89	A-	66-69	С			
	82-85	B+	62-65	C-			
	78-81	В	58-61	D+			
	74-77	В-	55-57	D			
	Sample input (A,HW,CT,MT,TF)			Sample ou	ıtput		1
	2 5 10 15 44.5 92.5 0 7.5 5 20 55.5			Student 1 Student 2			
·	Write a progra	m (WAP) that	will give the s	um of first N th	terms for the fo	ollowing series.	**
	Write a program (WAP) that will give the sum of first N th terms for the following series. 1, -2, 3, -4, 5, -6, 7, -8, 9, -10, 11, -12, 13, -14,						
		Sample input			Sample outp	out	
	2			Result: -1			
	3			Result: 2			
	i i — — — — — — — — — — — — — — — — — —			Docult: 2			1

Result: -2

$1^2.2 + 2^2.3 + 3^2.4 + 4^2.5 + \dots$				
Sampl	e input	Sample output		
2		Result: 14		
3		Result: 50		
4		Result: 130		
7		Result: 924		
Write a program (WA	•	Fibonacci series upto N th terms.		
Campula innust	1, 1, 2, 3, 3, 6, 13	, 21, 34, 55, 89,	_	
Sample input	1	Sample output		
 	▲			
2	1 1			
2	1, 1			
2 4 7	1, 1, 2, 3 1, 1, 2, 3, 5, 8, 13 P) that will print the fa	octorial (N!) of a given number N . Please sec	2 **	
2 4 7 Write a program (WA	1, 1, 2, 3 1, 1, 2, 3, 5, 8, 13 P) that will print the fa	ectorial (N!) of a given number N . Please sec	2 **	
2 4 7 Write a program (WA the sample input outp	1, 1, 2, 3 1, 1, 2, 3, 5, 8, 13 P) that will print the fa	Sample output	<u> </u>	
2 4 7 Write a program (WA the sample input output) Sample input 1	1, 1, 2, 3 1, 1, 2, 3, 5, 8, 13 P) that will print the fa	Sample output 1! = 1 = 1	g **	
2 4 7 Write a program (WA the sample input output o	1, 1, 2, 3 1, 1, 2, 3, 5, 8, 13 P) that will print the fa	Sample output 1! = 1 = 1 2! = 2 X 1 = 2	2 **	
2 4 7 Write a program (WA the sample input output) Sample input 1 2 3	1, 1, 2, 3 1, 1, 2, 3, 5, 8, 13 P) that will print the fa	Sample output 1! = 1 = 1 2! = 2 X 1 = 2 3! = 3 X 2 X 1 = 6	**	
2 4 7 Write a program (WA the sample input output o	1, 1, 2, 3 1, 1, 2, 3, 5, 8, 13 P) that will print the fa	Sample output 1! = 1 = 1 2! = 2 X 1 = 2	2 **	
2 4 7 Write a program (WA the sample input output o	1, 1, 2, 3 1, 1, 2, 3, 5, 8, 13 P) that will print the facut.	Sample output 1! = 1 = 1 2! = 2 X 1 = 2 3! = 3 X 2 X 1 = 6	**	
2 4 7 Write a program (WA the sample input output) Sample input 1 2 3 4 Write a program (WA Sample input)	1, 1, 2, 3 1, 1, 2, 3, 5, 8, 13 P) that will print the facut. P) that will find C _r wh	Sample output 1! = 1 = 1 2! = 2 X 1 = 2 3! = 3 X 2 X 1 = 6 4! = 4 X 3 X 2 X 1 = 24		
2 4 7 Write a program (WA the sample input output o	1, 1, 2, 3 1, 1, 2, 3, 5, 8, 13 P) that will print the facut. P) that will find C _r wh	Sample output 1! = 1 = 1 2! = 2 X 1 = 2 3! = 3 X 2 X 1 = 6 4! = 4 X 3 X 2 X 1 = 24 ere n >= r; n and r are integers.		
2 4 7 Write a program (WA the sample input output) Sample input 1 2 3 4 Write a program (WA Sample input) 5 2 10 3	1, 1, 2, 3 1, 1, 2, 3, 5, 8, 13 P) that will print the facut. P) that will find "C _r wh 10 120	Sample output 1! = 1 = 1 2! = 2 X 1 = 2 3! = 3 X 2 X 1 = 6 4! = 4 X 3 X 2 X 1 = 24 ere n >= r; n and r are integers.		
2 4 7 Write a program (WA the sample input output o	1, 1, 2, 3 1, 1, 2, 3, 5, 8, 13 P) that will print the facut. P) that will find C _r wh	Sample output 1! = 1 = 1 2! = 2 X 1 = 2 3! = 3 X 2 X 1 = 6 4! = 4 X 3 X 2 X 1 = 24 ere n >= r; n and r are integers.		

Sample input(x,y)	Sample output	
5 2	25	
2 0	1	
6 1	6	
0 5	0	
WAP that will find the of two positive intege	e GCD (greatest common divisor) and LCM (least common multiple) ers.	**
Sample input	Sample output	
5 7	GCD: 1	
	LCM: 35	
12 12	GCD: 12	
	LCM: 12	
	LCIVI. 12	
12 32	GCD: 4	
		**
WAP that will determ	GCD: 4 LCM: 96 ine whether a number is prime or not.	**
	GCD: 4 LCM: 96 ine whether a number is prime or not. Sample output	**
NAP that will determi	GCD: 4 LCM: 96 ine whether a number is prime or not.	**
WAP that will determi Sample input 1	ine whether a number is prime or not. Sample output Not prime	**
WAP that will determine Sample input 1	ine whether a number is prime or not. Sample output Not prime Prime Prime Prime	**
WAP that will determine Sample input 1 2 11	ine whether a number is prime or not. Sample output Not prime Prime	**
NAP that will determine Sample input 1 2 11 39 101	GCD: 4 LCM: 96 ine whether a number is prime or not. Sample output Not prime Prime Prime Not prime Not prime	**
NAP that will determine Sample input 1 2 11 39 101 WAP that will determine	ine whether a number is prime or not. Sample output Not prime Prime Prime Not prime Prime Prime Not prime Prime Prime Not prime	
NAP that will determine Sample input 1 2 11 39 101	ine whether a number is prime or not. Sample output Not prime Prime Prime Not prime Prime Not prime In the prime of the prime o	
NAP that will determine Sample input 1 2 11 39 101 NAP that will determine Sample input	ine whether a number is prime or not. Sample output Not prime Prime Prime Not prime Prime Not prime Sample output Not prime Sample output	
WAP that will determine Sample input 1 2 11 39 101 WAP that will determine Sample input 9	ine whether a number is prime or not. Sample output Not prime Prime Prime Not prime Prime Not prime Sample output Not prime Somple output Not prime	
NAP that will determine Sample input 1 2 11 39 101 NAP that will determine Sample input 9 91	ine whether a number is prime or not. Sample output Not prime Prime Prime Not prime Prime Not prime Sample output Not prime Ves No	

19.	WAP that will calculate the following mathematical function for the input of x. Use only
	the series to solve the problem.

 $Sinx = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \frac{x^7}{7!} + \dots \dots \infty$

Sample input	Sample output
1	0.841
2	0.909
3	0.141

Write a program that takes an integer number n as input and find out the sum of the following series up to n terms.

1 + 12 + 123 + 1234 +

Sample input	Sample output
1	1
2	13
3	136
4	1370
