Rajalakshmi Engineering College

Name: Adhithya varun
Email: 240801008@rajalakshmi.edu.in
Roll no: 240801008
Phone: null
Branch: REC
Department: I ECE FA
Batch: 2028
Degree: B.E - ECE

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 4

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

Input Format

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

Output Format

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 5
10 20 30 40 50
Output: 10 20 30 40 50

Answer

```
#include<stdio.h>
#include<stdlib.h>

typedef struct Node{
   int id;
   struct Node* next;
   struct Node* prev;

}node;
node* head = NULL;
node*temp = NULL;
void newNode(int a)
{
   node* newnode = (node*)malloc(sizeof(node));
   newnode->id = a;
   newnode->next=NULL;
   newnode->prev=NULL;
   if(head==NULL)
{

    head=temp=newnode;

}
```

```
    head->next=newnode;
    head=head->next;
}
void traverse(){
    while(temp!=NULL)
{
        printf("%d ",temp->id);
        temp=temp->next;
}
}

int main()
{
    int n,id;
    scanf("%d",&n);
    for(int i=0;i<n;i++)
{
        scanf("%d",&id);
        newNode(id);
}
    traverse();

}
```

Status : Correct **Marks : 10/10**