

BankerPortal Regression Tests TESTING RESULTS

Tue Jun 12 15:52:25 IST 2018

FAILED TESTS			
Class	Method	Time (ms)	Exception
[TestClass name=class com.yantra.test.selenium.BaseTest]	testLoadPage	6217	java.lang.ArrayIndexOutOfBoundsException: 1[<u>SCREEN SHOT</u>]

[TestClass name=class com.yantra.test.selenium.BaseTest]	testLogin	2076	org.openqa.selenium. NoSuchElementException: no such element: Unable to locate element: { "method": "id", "selector": "j_username" } (Session info: chrome=66.0.3359.139) (Driver info: chromedriver=2.35.528139 (47ead77cb35ad2a9a83248b292151462a66cd881), platform=Linux 4.13.0-43-generic x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.8.1', revision: '6e95a6684b', time: '2017-12-01T18:33:54.468Z' System info: host: 'FT-DESKTOP-019', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.13.0-43-generic', java.version: '1.8.0_151' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled: false, browserConnectionEnabled: false, browserName: chrome, chrome: {chromedriverVersion: 2.35.528139 (47ead77cb35ad2..., userDataDir: /tmp/.org.chromium.Chromium...}, cssSelectorsEnabled: true, databaseEnabled: false, handlesAlerts:
--	-----------	------	---

		<p>false, handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, rotatable: false, setWindowRect: true, takesHeapSnapshot: true, takesScreenshot: true, unexpectedAlertBehaviour: , unhandledPromptBehavior: , version: 66.0.3359.139, webStorageEnabled: true} Session ID: 9aa11e5b212e93a1f4 72c88e6f70be0c *** Element info: {Using=id, value=j_username}[SCREEN SHOT]</p>
--	--	---

[TestClass name=class com.yantra.test.selenium.AddDataTest]	testAddInstitution	3670	<pre> org.openqa.selenium. NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/app-root/html/body/div[2]/div/div/app-institution-list/div[2]/div[1]/a"} (Session info: chrome=66.0.3359.139) (Driver info: chromedriver=2.35.528139 (47ead77cb35ad2a9a83248b292151462a66cd881),platform=Linux 4.13.0-43-generic x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds For documentation on this error, please visit: http://seleniumhq.org/ exceptions/no_such_e lement.html Build info: version: '3.8.1', revision: '6e95a6684b', time: '2017-12- 01T18:33:54.468Z' System info: host: 'FT- DESKTOP-019', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.13.0-43-generic', java.version: '1.8.0_151' Driver info: org.openqa.selenium.c hrome.ChromeDriver Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnab led: false, browserConnectionEn abled: false, browserName: chrome, chrome: {chromedriverVersion: 2.35.528139 (47ead77cb35ad2..., userDataDir: /tmp/.org.chromium.C hromium...}, cssSelectorsEnabled: </pre>
---	--------------------	------	---

		<p>cssSelectorsEnabled: true, databaseEnabled: false, handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, rotatable: false, setWindowRect: true, takesHeapSnapshot: true, takesScreenshot: true, unexpectedAlertBehaviour: , unhandledPromptBehavior: , version: 66.0.3359.139, webStorageEnabled: true}</p> <p>Session ID: 9aa11e5b212e93a1f472c88e6f70be0c</p> <p>*** Element info: {Using=xpath, value=/html/body/app-root/html/body/div[2]/div/div/app-institution-list/div[2]/div[1]/a}[SCREEN SHOT]</p>
--	--	--

[TestClass name=class com.yantra.test.selenium.TestDataProvider]	loginwithData	4843	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"id","selector":"j_username"} (Session info: chrome=66.0.3359.139) (Driver info: chromedriver=2.35.528139 (47ead77cb35ad2a9a83248b292151462a66cd881),platform=Linux 4.13.0-43-generic x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.8.1', revision: '6e95a6684b', time: '2017-12-01T18:33:54.468Z' System info: host: 'FT-DESKTOP-019', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.13.0-43-generic', java.version: '1.8.0_151' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled: false, browserConnectionEnabled: false, browserName: chrome, chrome: {chromedriverVersion: 2.35.528139 (47ead77cb35ad2..., userDataDir: /tmp/.org.chromium.Chromium...}, cssSelectorsEnabled: true, databaseEnabled: false, handlesAlerts:
--	---------------	------	--

		<p>false, handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, rotatable: false, setWindowRect: true, takesHeapSnapshot: true, takesScreenshot: true, unexpectedAlertBehaviour: , unhandledPromptBehavior: , version: 66.0.3359.139, webStorageEnabled: true} Session ID: 9aa11e5b212e93a1f4 72c88e6f70be0c *** Element info: {Using=id, value=j_username}[SCREEN SHOT]</p>
--	--	---

[TestClass name=class com.yantra.test.selenium.TestDataProvider]	loginwithData	3005	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"id","selector":"j_username"} (Session info: chrome=66.0.3359.139) (Driver info: chromedriver=2.35.528139 (47ead77cb35ad2a9a83248b292151462a66cd881),platform=Linux 4.13.0-43-generic x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.8.1', revision: '6e95a6684b', time: '2017-12-01T18:33:54.468Z' System info: host: 'FT-DESKTOP-019', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '4.13.0-43-generic', java.version: '1.8.0_151' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled: false, browserConnectionEnabled: false, browserName: chrome, chrome: {chromedriverVersion: 2.35.528139 (47ead77cb35ad2..., userDataDir: /tmp/.org.chromium.Chromium...}, cssSelectorsEnabled: true, databaseEnabled: false, handlesAlerts:
--	---------------	------	--

		false, handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, rotatable: false, setWindowRect: true, takesHeapSnapshot: true, takesScreenshot: true, unexpectedAlertBehaviour: , unhandledPromptBehavior: , version: 66.0.3359.139, webStorageEnabled: true} Session ID: 9aa11e5b212e93a1f472c88e6f70be0c *** Element info: {Using=id, value=j_username}[SCREEN SHOT]
--	--	--

PASSED TESTS			
Class	Method	Time (ms)	Exception
[TestClass name=class com.yantra.test.selenium.BaseTest]	testNavigateToInstitutionPage	2040	

EXCEPTIONS SUMMARY

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"id","selector":"j_username"}

(Session info: chrome=66.0.3359.139)

(Driver info: chromedriver=2.35.528139

(47ead77cb35ad2a9a83248b292151462a66cd881),platform=Linux 4.13.0-43-generic x86_64)

(WARNING: The server did not provide any stacktrace information)

Command duration or timeout: 0 milliseconds

For documentation on this error, please visit:

http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.8.1', revision: '6e95a6684b', time: '2017-12-01T18:33:54.468Z'

System info: host: 'FT-DESKTOP-019', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64',

os.version: '4.13.0-43-generic', java.version: '1.8.0_151'

Driver info: org.openqa.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled: false, browserConnectionEnabled: false, browserName: chrome, chrome: {chromedriverVersion: 2.35.528139 (47ead77cb35ad2..., userDataDir: /tmp/.org.chromium.Chromium...}, cssSelectorsEnabled: true, databaseEnabled: false, handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, rotatable: false, setWindowRect: true, takesHeapSnapshot: true, takesScreenshot: true, unexpectedAlertBehaviour: , unhandledPromptBehavior: , version: 66.0.3359.139, webStorageEnabled: true}

Session ID: 9aa11e5b212e93a1f472c88e6f70be0c

***** Element info: {Using=id, value=j_username}**

sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

java.lang.reflect.Constructor.newInstance(Constructor.java:423)

org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214)

org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166)

org.openqa.selenium.remote.http.JsonHttpResponseBodyCodec.reconstructValue(JsonHttpResponseBodyCodec.java:40)

org.openqa.selenium.remote.http.AbstractHttpResponseBodyCodec.decode(AbstractHttpResponseBodyCodec.java:80)

org.openqa.selenium.remote.http.AbstractHttpResponseBodyCodec.decode(AbstractHttpResponseBodyCodec.java:44)

org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164)

org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)

org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:601)

org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:371)

org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)

org.openqa.selenium.By\$ById.findElement(By.java:218)

org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:363)

com.yantra.test.selenium.driver.CommonFunctions.sendKeys(CommonFunctions.java:18)

com.yantra.test.selenium.BaseTest.testLogin(BaseTest.java:38)

sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

java.lang.reflect.Method.invoke(Method.java:498)

org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:80)
org.testng.internal.Invoker.invokeMethod(Invoker.java:714)
org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901)
org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231)
org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127)
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111)
org.testng.TestRunner.privateRun(TestRunner.java:767)
org.testng.TestRunner.run(TestRunner.java:617)
org.testng.SuiteRunner.runTest(SuiteRunner.java:334)
org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329)
org.testng.SuiteRunner.privateRun(SuiteRunner.java:291)
org.testng.SuiteRunner.run(SuiteRunner.java:240)
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
org.testng.TestNG.runSuitesSequentially(TestNG.java:1198)
org.testng.TestNG.runSuitesLocally(TestNG.java:1123)
org.testng.TestNG.run(TestNG.java:1031)
org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:114)
org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)
org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)

java.lang.ArrayIndexOutOfBoundsException: 1

com.yantra.test.selenium.BaseTest.testLoadPage(BaseTest.java:31)
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
java.lang.reflect.Method.invoke(Method.java:498)
org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:80)
org.testng.internal.Invoker.invokeMethod(Invoker.java:714)
org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901)
org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231)
org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127)
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111)
org.testng.TestRunner.privateRun(TestRunner.java:767)
org.testng.TestRunner.run(TestRunner.java:617)
org.testng.SuiteRunner.runTest(SuiteRunner.java:334)
org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329)
org.testng.SuiteRunner.privateRun(SuiteRunner.java:291)
org.testng.SuiteRunner.run(SuiteRunner.java:240)
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
org.testng.TestNG.runSuitesSequentially(TestNG.java:1198)

org.testng.TestNG.runSuitesLocally(TestNG.java:1123)
org.testng.TestNG.run(TestNG.java:1031)
org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:114)
org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)
org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)
**org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"id","selector":"j_username"}
(Session info: chrome=66.0.3359.139)
(Driver info: chromedriver=2.35.528139
(47ead77cb35ad2a9a83248b292151462a66cd881),platform=Linux 4.13.0-43-generic x86_64)
(WARNING: The server did not provide any stacktrace information)
Command duration or timeout: 0 milliseconds
For documentation on this error, please visit:
http://seleniumhq.org/exceptions/no_such_element.html
Build info: version: '3.8.1', revision: '6e95a6684b', time: '2017-12-01T18:33:54.468Z'
System info: host: 'FT-DESKTOP-019', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64',
os.version: '4.13.0-43-generic', java.version: '1.8.0_151'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled:
false, browserConnectionEnabled: false, browserName: chrome, chrome:
{chromedriverVersion: 2.35.528139 (47ead77cb35ad2..., userDataDir:
/tmp/.org.chromium.Chromium...}, cssSelectorsEnabled: true, databaseEnabled: false,
handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true,
locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,
platformName: LINUX, rotatable: false, setWindowRect: true, takesHeapSnapshot: true,
takesScreenshot: true, unexpectedAlertBehaviour: , unhandledPromptBehavior: , version:
66.0.3359.139, webStorageEnabled: true}
Session ID: 9aa11e5b212e93a1f472c88e6f70be0c
*** Element info: {Using=id, value=j_username}**
sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.j
ava:45)
java.lang.reflect.Constructor.newInstance(Constructor.java:423)
org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214)
org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166)
org.openqa.selenium.remote.http.JsonHttpStatusCode.reconstructValue(JsonHttpStatusCodeC
odec.java:40)
org.openqa.selenium.remote.http.AbstractHttpStatusCode.decode(AbstractHttpStatusCodeCod
ec.java:80)

org.openqa.selenium.remote.http.AbstractHttpStatusCode.decode(AbstractHttpStatusCode.java:44)
org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164)
org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:601)
org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:371)
org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)
org.openqa.selenium.By\$ById.findElement(By.java:218)
org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:363)
com.yantra.test.selenium.driver.CommonFunctions.sendKeys(CommonFunctions.java:18)
com.yantra.test.selenium.TestDataProvider.loginWithData(TestDataProvider.java:26)
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
java.lang.reflect.Method.invoke(Method.java:498)
org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:80)
org.testng.internal.Invoker.invokeMethod(Invoker.java:714)
org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901)
org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231)
org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127)
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111)
org.testng.TestRunner.privateRun(TestRunner.java:767)
org.testng.TestRunner.run(TestRunner.java:617)
org.testng.SuiteRunner.runTest(SuiteRunner.java:334)
org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329)
org.testng.SuiteRunner.privateRun(SuiteRunner.java:291)
org.testng.SuiteRunner.run(SuiteRunner.java:240)
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
org.testng.TestNG.runSuitesSequentially(TestNG.java:1198)
org.testng.TestNG.runSuitesLocally(TestNG.java:1123)
org.testng.TestNG.run(TestNG.java:1031)
org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:114)
org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)
org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"id","selector":"j_username"}

(Session info: chrome=66.0.3359.139)

(Driver info: chromedriver=2.35.528139

(47ead77cb35ad2a9a83248b292151462a66cd881),platform=Linux 4.13.0-43-generic x86_64)

(WARNING: The server did not provide any stacktrace information)

Command duration or timeout: 0 milliseconds

For documentation on this error, please visit:

http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.8.1', revision: '6e95a6684b', time: '2017-12-01T18:33:54.468Z'

**System info: host: 'FT-DESKTOP-019', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64',
os.version: '4.13.0-43-generic', java.version: '1.8.0_151'**

Driver info: org.openqa.selenium.chrome.ChromeDriver

**Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled:
false, browserConnectionEnabled: false, browserName: chrome, chrome:**

{chromedriverVersion: 2.35.528139 (47ead77cb35ad2..., userDataDir:

/tmp/.org.chromium.Chromium...}, cssSelectorsEnabled: true, databaseEnabled: false,

handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true,

locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true,

networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX,

platformName: LINUX, rotatable: false, setWindowRect: true, takesHeapSnapshot: true,

takesScreenshot: true, unexpectedAlertBehaviour: , unhandledPromptBehavior: , version:

66.0.3359.139, webStorageEnabled: true}

Session ID: 9aa11e5b212e93a1f472c88e6f70be0c

***** Element info: {Using=id, value=j_username}**

sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.j
ava:45)

java.lang.reflect.Constructor.newInstance(Constructor.java:423)

org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214)

org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166)

org.openqa.selenium.remote.http.JsonHttpResponseCodec.reconstructValue(JsonHttpResponseC
odec.java:40)

org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode(AbstractHttpResponseCod
ec.java:80)

org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode(AbstractHttpResponseCod
ec.java:44)

org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164)

org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.j
ava:83)

org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:601)

org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:371)

org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:417)

org.openqa.selenium.By\$ById.findElement(By.java:218)

org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:363)

com.yantra.test.selenium.driver.CommonFunctions.sendKeys(CommonFunctions.java:18)

com.yantra.test.selenium.TestDataProvider.loginWithData(TestDataProvider.java:26)
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
java.lang.reflect.Method.invoke(Method.java:498)
org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:80)
org.testng.internal.Invoker.invokeMethod(Invoker.java:714)
org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901)
org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231)
org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127)
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111)
org.testng.TestRunner.privateRun(TestRunner.java:767)
org.testng.TestRunner.run(TestRunner.java:617)
org.testng.SuiteRunner.runTest(SuiteRunner.java:334)
org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329)
org.testng.SuiteRunner.privateRun(SuiteRunner.java:291)
org.testng.SuiteRunner.run(SuiteRunner.java:240)
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
org.testng.TestNG.runSuitesSequentially(TestNG.java:1198)
org.testng.TestNG.runSuitesLocally(TestNG.java:1123)
org.testng.TestNG.run(TestNG.java:1031)
org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:114)
org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)
org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/app-root/html/body/div[2]/div/div/app-institution-list/div[2]/div[1]/a"}

(Session info: chrome=66.0.3359.139)

(Driver info: chromedriver=2.35.528139

(47ead77cb35ad2a9a83248b292151462a66cd881),platform=Linux 4.13.0-43-generic x86_64)

(WARNING: The server did not provide any stacktrace information)

Command duration or timeout: 0 milliseconds

For documentation on this error, please visit:

http://seleniumhq.org/exceptions/no_such_element.html

Build info: version: '3.8.1', revision: '6e95a6684b', time: '2017-12-01T18:33:54.468Z'

**System info: host: 'FT-DESKTOP-019', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64',
os.version: '4.13.0-43-generic', java.version: '1.8.0_151'**

Driver info: org.openqa.selenium.chrome.ChromeDriver

**Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled:
false, browserConnectionEnabled: false, browserName: chrome, chrome:
{chromedriverVersion: 2.35.528139 (47ead77cb35ad2..., userDataDir:**

/tmp/.org.chromium.Chromium...}, cssSelectorsEnabled: true, databaseEnabled: false, handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, rotatable: false, setWindowRect: true, takesHeapSnapshot: true, takesScreenshot: true, unexpectedAlertBehaviour: , unhandledPromptBehavior: , version: 66.0.3359.139, webStorageEnabled: true}

Session ID: 9aa11e5b212e93a1f472c88e6f70be0c

***** Element info: {Using=xpath, value=/html/body/app-root/html/body/div[2]/div/div/app-institution-list/div[2]/div[1]/a}**

sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)

sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

java.lang.reflect.Constructor.newInstance(Constructor.java:423)

org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:214)

org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:166)

org.openqa.selenium.remote.http.JsonHttpStatusCode.reconstructValue(JsonHttpStatusCode.java:40)

org.openqa.selenium.remote.http.AbstractHttpStatusCode.decode(AbstractHttpStatusCode.java:80)

org.openqa.selenium.remote.http.AbstractHttpStatusCode.decode(AbstractHttpStatusCode.java:44)

org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:164)

org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)

org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:601)

org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:371)

org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:473)

org.openqa.selenium.By\$ByXPath.findElement(By.java:361)

org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:363)

com.yantra.test.selenium.AddDataTest.testAddInstitution(AddDataTest.java:29)

sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

java.lang.reflect.Method.invoke(Method.java:498)

org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:80)

org.testng.internal.Invoker.invokeMethod(Invoker.java:714)

org.testng.internal.Invoker.invokeTestMethod(Invoker.java:901)

org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1231)

org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:127)
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:111)
org.testng.TestRunner.privateRun(TestRunner.java:767)
org.testng.TestRunner.run(TestRunner.java:617)
org.testng.SuiteRunner.runTest(SuiteRunner.java:334)
org.testng.SuiteRunner.runSequentially(SuiteRunner.java:329)
org.testng.SuiteRunner.privateRun(SuiteRunner.java:291)
org.testng.SuiteRunner.run(SuiteRunner.java:240)
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
org.testng.TestNG.runSuitesSequentially(TestNG.java:1198)
org.testng.TestNG.runSuitesLocally(TestNG.java:1123)
org.testng.TestNG.run(TestNG.java:1031)
org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:114)
org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)
org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)