OneCompiler | Upgrade | AI | MySQL | Run | Save | Login

EXPLORER

queries.sql

```sql
-- DML COMMANDS IN SQL
-- Create a table
CREATE TABLE Employee (
    ID INT,
    Name VARCHAR(20),
    Age INT,
    Department VARCHAR(15)
);
-- 1. INSERT COMMAND
INSERT INTO Employee VALUES
(101, 'Arjun', 24, 'IT'),
(102, 'Meera', 23, 'HR'),
(103, 'Kiran', 25, 'Finance');
-- Display records after INSERT
SELECT * FROM Employee;
-- 2. UPDATE COMMAND
UPDATE Employee
SET Age = 26
WHERE ID = 103;
-- Display records after UPDATE
SELECT * FROM Employee;
-- 3. DELETE COMMAND
DELETE FROM Employee
WHERE ID = 102;
-- Display records after DELETE
SELECT * FROM Employee;
```

I/O | AI Agent | 76 ms

STDIN

Input for the program (Optional)

Output:

```
+------+-------+------+------------+
| ID   | Name  | Age  | Department |
+------+-------+------+------------+
|  101 | Arjun |   24 | IT         |
|  102 | Meera |   23 | HR         |
|  103 | Kiran |   25 | Finance    |
+------+-------+------+------------+
+------+-------+------+------------+
| ID   | Name  | Age  | Department |
+------+-------+------+------------+
|  101 | Arjun |   24 | IT         |
|  102 | Meera |   23 | HR         |
|  103 | Kiran |   26 | Finance    |
+------+-------+------+------------+
+------+-------+------+------------+
| ID   | Name  | Age  | Department |
+------+-------+------+------------+
```

Ready | Light | Wiki | MySQL

Output:

```
|   102 | Meera |    23 | HR          |
|   103 | Kiran |    25 | Finance     |
+------+-------+------+-------------+

+------+-------+------+-------------+
| ID   | Name  | Age  | Department  |
+------+-------+------+-------------+
|   101 | Arjun |    24 | IT          |
|   102 | Meera |    23 | HR          |
|   103 | Kiran |    26 | Finance     |
+------+-------+------+-------------+

+------+-------+------+-------------+
| ID   | Name  | Age  | Department  |
+------+-------+------+-------------+
|   101 | Arjun |    24 | IT          |
|   103 | Kiran |    26 | Finance     |
+------+-------+------+-------------+
```