

Deep Learning Approaches To Automated Stroke Lesion Localization and Segmentation in 3D FLAIR MRI Images - Project Proposal

Adrienne Dula, Aditya Panda

SUMMARY

Localization and segmentation of lesions in stroke patients plays a vital role in the diagnosis and treatment of stroke. In this project, we propose to use various deep learning architectures to localize and segment lesions in 3D MRI Images using the FLAIR modality. We propose six different deep learning architectures to perform this task.

Model	Year	Reference
U-Net	2015	[9]
SegResNet	2022	[10]
Factorizer	2023	[2]
nnU-Net	2021	[4]
V-Net	2016	[7]
Mask-RCNN	2018	[3]

BACKGROUND

Stroke is currently the second leading cause of death worldwide. Early localization of lesion plays a vital role in prediction of the final infarct volume and the clinical outcome of the stroke patient. As demonstrated in [11], growth of the lesion volume during the initial MRI screenings, demonstrates a strong correlation with the final infarct volume. However, prediction of the final infarct volume can be challenging due to numerous factors including timing and the extent of reperfusion. Additionally, determining volume in FLAIR images can be particularly challenging due to the significantly lower sensitivity to ischemic lesions in comparison with DWI images [5][8]. Nonetheless, the ability to accurately predict the final infarct volume can result in life saving decisions for the patient.

Current techniques involving thresholding and Voxel-Based Morphometry [1] for segmentation of stroke lesions can prove to be time consuming, requiring manual input from a trained professional. Deep learning techniques were first applied to stroke lesion segmentation in 2016 using a dual CNN model architecture with results comparable to manual techniques. Since then, there have been a number of attempts to improve upon the original model architecture, and with the release of the nnU-net[4] architecture, there has been a significant improvement in the accuracy of these models.

PLAN

Our plan is to gather data from our locally sourced dataset, containing close to 60 labeled FLAIR MRI images as well as data from the ISLES 2022 stroke segmentation challenge. We will then preprocess the images, by ingesting the Nifti files, and extracting regions which could potentially contain stroke lesions, as well as potentially normalizing the image intensities. The preprocessed data will then be used for training with the proposed models. We will be using the frontera system from the Texas Advanced Computing Center, equipped with 4 NVIDIA RTX Quadro 5000s. We will then evaluate the performance of our models using the five-fold cross validation, and evaluate metrics such as the DICE coefficient, lesion count, and F1 score.

CONCLUSION

Early prediction of final infarct volume can be vital in life-saving clinical decisions. Our project can help clinicians make these decisions, as well as aid researchers to better understand the progression of stroke lesions in reference to additional factors such as gender, age, and time[6].

REFERENCES

- [1] Voxel-based morphometry - an overview | ScienceDirect topics.
- [2] ASHTARI, P., SIMA, D. M., DE LATHAUWER, L., SAPPEY-MARINIER, D., MAES, F., AND VAN HUFFEL, S. Factorizer: A scalable interpretable approach to context modeling for medical image segmentation. 102706.
- [3] HE, K., GKIOXARI, G., DOLLÁR, P., AND GIRSHICK, R. Mask r-CNN.
- [4] ISENSEE, F., JAEGER, P. F., KOHL, S. A. A., PETERSEN, J., AND MAIER-HEIN, K. H. nnU-net: a self-configuring method for deep learning-based biomedical image segmentation. 203–211. Number: 2 Publisher: Nature Publishing Group.
- [5] KAMALIAN, S., AND LEV, M. H. Stroke imaging. 717–732.
- [6] LIEW, S.-L., SCHWEIGHOFER, N., COLE, J., ZAVALIANGOS-PETROPULU, A., LO, B., HAN, L., SCHMAAL, L., RENNIE DONNELLY, M., JEONG, J., WANG, Z., ABDULLAH, A., KIM, J., HUTTON, A., BARISANO, G., BORICH, M., BOYD, L., BRODTMANN, A., BUETEFISCH, C., AND THOMPSON, P. Association of brain age, lesion volume, and functional outcome in patients with stroke.
- [7] MILLETARI, F., NAVAB, N., AND AHMADI, S.-A. V-net: Fully convolutional neural networks for volumetric medical image segmentation.
- [8] NOGUCHI, K., OGAWA, T., INUGAMI, A., FUJITA, H., HATAZAWA, J., SHIMOSEGAWA, E., OKUDERA, T., UEMURA, K., AND SETO, H. MRI of acute cerebral infarction: a comparison of FLAIR and t2-weighted fast spin-echo imaging. 406–410.
- [9] RONNEBERGER, O., FISCHER, P., AND BROX, T. U-net: Convolutional networks for biomedical image segmentation.
- [10] SIDDIQUE, M., YANG, D., HE, Y., XU, D., AND MYRONENKO, A. *Automated ischemic stroke lesion segmentation from 3D MRI*.
- [11] WHEELER, H. M., MLYNASH, M., INOUE, M., TIPIRNENI, A., LIGGINS, J., ZAHARCHUK, G., STRAKA, M., KEMP, S., BAMMER, R., LANSBERG, M. G., AND ALBERS, G. W. Early diffusion-weighted imaging and perfusion-weighted imaging lesion volumes forecast final infarct size in DEFUSE 2. 681–685.