

Slip24.html

```
<html>

<head>

<meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">

<title></title>

</head>

<body>

<form action="slip24.php" method="post">

<table>

<tr>

<td>Username :-</td>

<td><input type="text" name="user"/></td>

</tr>

<tr>

<td>Password :-</td>

<td><input type="password" name="pass"/></td>

</tr>

<tr>

<td><input type="submit" value="Show"/></td>
```

```
</tr>
</table>
</form>
</body>
</html>
```

Error.php

```
<?php
session_start();
echo "<h1>You Entered correct Username & Password three
times</h1>";
session_unset();
session_destroy();
?>
```

Second.php

```
<?php
echo "Welcome!!!!!!!!!!!!!!";
?>
```

Slip25.php

```
<html>

<head>

<meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">

<title></title>

</head>

<body>

<?php
include 'db.php';
if($con)
{
$queryInsert="insert into tblemp
(emp_name,address,phone,salary)
values('Mahesh','Pune','9675432189','10000')";
if(mysql_query($con,$queryInsert))
{
$querySelect="select emo_no from tblemp order by emo_no
desc";
$res=mysql_query($con,$querySelect);
if($result=mysql_fetch_array($res))
```

```
{  
$emp_no=$result['emo_no'];  
$q1Dept="insert into tbldept (emp_no,dept_name,location)  
values  
('$emp_no','BCS','BMT')";  
if(mysql_query($con,$q1Dept))  
{  
$q1Sal="insert into tblsalary (emp_no,basic,hra,da,ta) values  
('$emp_no',1000,200,100,15)";  
if(mysql_query($con,$q1Sal))  
{  
echo "All Records Inserted Successfully";  
}  
else  
{  
echo "Error while Inserting Department Values";  
}  
}  
else  
{
```

```
echo "Error while Inserting Department Values";  
}  
}  
else  
{  
echo "Not Found";  
}  
}  
else  
{  
echo "Error in Employee";  
}  
}  
else  
{  
echo "Connection Failed";  
}  
?>  
</body>  
</html>
```

db.php

```
<?php
$con=mysqli_connect("localhost","root","","dbslip25");
?>
```

Slip26.php

```
<?php
include 'db.php';
?>

<html>

<head>

<meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">

<title></title>

</head>

<body>

<form action="showDoctors.php" method="post">
```

```
<table>

<tr>

<td>Select Hospital Name</td>

<td>

<select name="hname">

<?php
$querySelect="select hosp_no,hosp_name from
tblhospital";
$res=mysqli_query($con,$querySelect);
while($row=mysqli_fetch_array($res))
{
?>

<option value="<?php echo $row['hosp_no'];
?>"><?php echo
$row['hosp_name']; ?></option>

<?php
}
?>

</select>
```

```
</td>
</tr>
<tr>
<td colspan="2" align="center">
<input type="submit" value="Show Doctors Details"/>
</td>
</tr>
</table>
</form>

</body>
</html>
```

Showdoctors.php

```
<?php
include 'db.php';
$hno=$_POST['hname'];
$queryDoctor="select doc_name,address,city,area
from tblhospital as h,tbldoctor as d,tblidh as
```



```
dh where h.hosp_no=dh.hosp_no and  
d.doc_no=dh.doc_no and h.hosp_no='$hno';  
$res=mysqli_query($con,$queryDoctor);  
?>
```

```
<table border=1 width="100%">
```

```
<tr>
```

```
<th>Doctor Name</th>
```

```
<th>Address</th>
```

```
<th>City</th>
```

```
<th>Area</th>
```

```
</tr>
```

```
<?php
```

```
while($row=mysqli_fetch_array($res))
```

```
{
```

```
?>
```

```
<tr>
```

```
<td><?php echo $row['doc_name']; ?></td>
```

```
<td><?php echo $row['address']; ?></td>
```

```
<td><?php echo $row['city']; ?></td>
<td><?php echo $row['area']; ?></td>
</tr>
<?php
}
?>
</table>
```

db.php

```
<?php
$con=mysqli_connect("localhost","root","","d
bslip26");
?>
```