```
Slip11.html
<HTML>
<BODY bgcolor=pink>
<FORM ACTION="slip11.php" METHOD="post">
<h1>Circle:</h1>
    Radius: <input type=text name=a><BR>
<h1>
square:</h1>
    side: <input type=text name=b><BR>
<h1>
Rectangle:
</h1>
    length: <input type=text name=c><BR><br>
    Breadth: <input type=text name=d><BR>
<input type=submit value=submit> <input type="reset"</pre>
value=cancel>
</form>
```

```
</BODY>
```

## Slip11.php

```
<HTML>
<BODY>
<?PHP
$a=$_POST['a'];
$b=$_POST['b'];
$c=$_POST['c'];
$d=$_POST['d'];
$B=$_POST['b'];
interface one
{
    function area($c,$d);
class rect implements one
{
    function area($c,$d)
    {
```

```
$area=$c*$d;
        echo"Area of rectangle is:".$area;
        echo"<br><BR>";
    }
class square extends rect
    function area($b,$B)
    {
        $area=$b*$B;
        echo"Area of Square is: ".$area;
        echo"<BR><br>";
    }
class circle
    function area($a)
        $area=0.5*$a*$a;
        echo"Area of circle is: ".$area;
        echo"<br><BR>";
    }
$o=new rect();
```

```
$o->area($c,$d);
$s=new square();
$s->area($b,$b);
$c=new circle();
$c->area($a);
echo "<br>";
?>
<a href="slip11.html">come back</a><br>
</BODY>
</html>
Slip12.html
<!DOCTYPE html>
<html>
 <body>
  <form action="slip12.php" method="GET">
```

```
Please select your Account<br />
   <input type="checkbox" name="check_b[]"
value="saving" />Saving Account<br />
   <input type="checkbox" name="check_b[]"</pre>
value="current" />Current Account<br />
<select id="saving">
 <option value="create">Create</option>
 <option value="deposite">Deposit
 <option value="withderw">Withderw</option>
</select>
  <input type="submit" value="sumbit" />
  </form>
 </body>
```

```
</html>
Slip12.php
<!DOCTYPE html>
<html>
<body>
<?php
class Account {
 public $acc_no;
 public $acc_name;
 public function __construct($acc_name, $acc_no) {
  $this->acc_name = $acc_name;
 $this->acc_no = $acc_no;
```

```
public function intro() {
  echo "The Account name {$this->acc_name} and Account
No is {$this->acc_no}.";
class saveing_acc extends Account {
 public $blance;
 public $min_amount;
 public function __construct($acc_name, $acc_no,
$blance,$min amount) {
  $this->acc_name = $acc_name;
```

```
$this->acc_no = $acc_no;
 $this->blance = $blance;
    $this->min_amount = $min_amount;
}
public function intro() {
    echo"";
    echo"Account NameAccount
notd>/td>";
 echo "{$this->acc name}";
    echo "{$this->acc_no}";
    echo"{$this->blance}";
```

```
echo"{$this->min_amount}";
class current_acc extends Account {
public $blan;
public $min_amt;
public function __construct($acc_name, $acc_no,
$blan,$min_amount) {
 $this->acc_name = $acc_name;
 $this->acc_no = $acc_no;
```

```
$this->blan = $blan;
     $this->min_amount = $min_amount;
}
public function intro() {
echo " {$this->acc_name}";
    echo "{$this->acc_no}";
    echo "{$this->blan}";
    echo "{$this->min_amount}";
```

```
echo"";
$saveing_acc= new saveing_acc("Ravindra", 1111,
5000,1000);
$saveing_acc->intro();
$current_acc=new current_acc("Kiran",2222,100000,1000);
$current_acc->intro();
?>
</body>
</html>
Slip13.html
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01</pre>
Transitional//EN">
<html>
<head>
```

```
<title></title>
<meta http-equiv="Content-Type" content="text/html;</pre>
charset=UTF-8">
</head>
<body>
<form action="slip13.php" method="post">
Distance:-<input type="text" name="dist">
<select name="unit">
<option value="km">KM</option>
<option value="miles">Miles</option>
</select><br><br>
<input type="radio" name="type" value="km" checked>KM
<input type="radio" name="type"
value="miles">Miles<br><br>
<input type="submit" value="Submit">&nbsp;&nbsp;
<input type="reset" value="Cancel">
</form>
</body>
</html>
Slip13.php
<?php
extract($ POST);
```

```
if($unit=="km" && $type=="miles")
{
  $distance=$dist/1.609;
  echo $distance;
}
else
{
  $distance=$dist*1.609;
  echo $distance;
}
```