Slip17.html

```html
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
 <head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title></title>
</head>
<body>
<form action="slip17.php" method="post">
Name:-<input type="text" name="name"><br><br>
Select Course:-
<select name="course">
<option value="BBA-CA">BBA-CA
<option value="BCA(Science)">BCA(Science)
</select><br><br>
Mobile No.:-<input type="text" name="number"/><br><br>
<input type="submit" value="Submit"/>
</form>
 </body>
</html>
```

Slip17.php

```php
<?php
extract($_POST);
 if(preg_match("/[0-9]/", $name))
 {
 echo "Name is not valid<br>";
 }
 else
 {
 $len=strlen($number);
 if(!(preg_match("/[a-z][A-Z]/", $number)) && $len==10)
 {
 $regNum=rand(1,7000);
 echo "Your Register Successfully and Your Registerd Details <br>";
?>
<table border="1">
 <tr>
 <th>Name</th>
 <th>Course</th>
 <th>Mobile</th>
 </tr>
 <tr>
 <td><?php echo $name; ?></td>
 <td><?php echo $course; ?></td>
 <td><?php echo $number; ?></td>
```

```
</tr>

<tr>

<td colspan="3" align="center">

<h1>Registration Number :- <?php echo $regNum; ?></h1>

</td>

</tr>

</table>

<?php

}

else

{

echo "this is not valid Number<br>";

}

}

?>
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<title></title>

</head>

<body>
```

```html
<form method="POST" action="login.php" >
<p>User Name: <input type="text" name="user"><br>
<p>Password :<input type="password"><br><br>
<input type="submit" value="Login"><br>
</form>
</body>
</html>
```

Login.php

Login.php

```php
<?php
$auth_yes=0;
session_start();
?>
<form method="GET" action="final.php">
<fieldset>
<legend>Enter username and password</legend>
<p>Roll_No:&nbsp&nbsp&nbsp<input type="text" name="rno"><br>
<p>Name:&nbsp&nbsp&nbsp<input type="text" name="nm"><br>
<p>City:&nbsp&nbsp&nbsp:&nbsp&nbsp&nbsp<input type="text"name="ct"><br><br>
<input type="submit" value=Submit>
</form>
```

final.php

```php
<?php
$a=$_GET['rno'];
$b=$_GET['nm'];
$c=$_GET['ct'];
session_start();
echo time()."<br>";
$newt = time()+60;
if($newt < time())
echo"time out";
else
{
echo"Roll_No=$a"."<br>";
echo"Name=$b"."<br>";
echo"City=$c"."<br>";
}
session_destroy();
?>
```

Slip19.php

```html
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
 <head>
 <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
```

```php
<title></title>
</head>
<body>
<?php
session_start();
if(isset ($_SESSION['cnt']))
$_SESSION['cnt']=$_SESSION['cnt']+1;
else
$_SESSION['cnt']=1;
echo "Visit Count :-".$_SESSION['cnt'];
?>
</body>
</html>
```

Slip20.html

```html
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<title></title>
</head>
<body>
<form action="setting.php" method="post">
```

```html
<table>
<tr>
<td>Font Style :</td>
<td>
<select name="font_style">
<option value="normal">normal
<option value="italic">italic
<option value="oblique">oblique
</select>
</td>
</tr>
<tr>
<td>Font Size :</td>
<td>
<select name="font_size">
<option value="10">10
<option value="20">20
<option value="30">30
</select>
</td>
</tr>
<tr>
<td>Font Color :</td>
<td>
```

```html
<select name="font_color">
<option value="red">red
<option value="green">green
<option value="blue">blue
</select>
</td>
</tr>
<tr>
<td>Background Color :</td>
<td>
<select name="bg_color">
<option value="yellow">yellow
<option value="violet">violet
<option value="grey">grey
</select>
</td>
</tr>
<tr>
<td colspan="2" align="center">
<input type="submit" value="Show Settings">
</td>
</tr>
</table>
</form>
```

```
    </body>
</html>
```

Setting.php

```php
<?php
extract($_POST);
setcookie("fstyle",$font_style);
setcookie("fsize",$font_size);
setcookie("fcolor",$font_color);
setcookie("bcolor",$bg_color);
echo "All Settings<br>";
echo "Font Style :- ".$font_style."<br>";
echo "Font Size :- ".$font_size."<br>";
echo "Font color :- ".$font_color."<br>";
echo "BG Color :- ".$bg_color."<br>";
?>
<form action="show.php" method="post">
 <input type="submit" value="Apply All Settings"/>
</form>
```

Show.php

```html
<html>
 <head>
 <title></title>
 </head>
```

```php
<body bgcolor="<?php echo $_COOKIE['bcolor']; ?>">
<label style="font-style :<?php echo $_COOKIE['fstyle']; ?>; font-size:<?php echo
$_COOKIE['fsize']; ?>;color :<?php echo $_COOKIE['fcolor']; ?>;">VPASC</label>
</body>
</html>
```