

GROZ
TOOL STORAGE
SOLUTIONS
GROZ
SEP 2026

MANUFACTURING EXCELLENCE





AUTOMATED LASER CUTTING
For intricate and high precision cuts with speed and reliability



SPOT WELDING
Precision welding with minimal distortion



AUTOMATED BENDING
Molds sheet metal into precise shapes for consistent fabrication



POWDER COATING
Electronically charged powder coating

ROLLING TOOL CABINETS

4 SERIES
5 WIDTHS
ENDLESS POSSIBILITIES

AVAILABLE WIDTHS

27 INCH | 29 INCH | 35 INCH | 42 INCH | 50 INCH

Built for every workshop.
Designed for every need

- Heavy duty steel construction
- Full Extension Hettich® Ball Bearing Slides
- 400-Key Central Locking S ystem
- Heavy-duty castors with brakes
- Powder-coated corrosion-resistant finish
- Multiple worktop options









	S-10D SERIES	S-10 SERIES	S-20 SERIES	S-30 SERIES
DESCRIPTION	Smart Storage built for DIY use! Perfect for casual users and DIYers looking for reliable functionality in compact spaces	Tougher builds for daily use Designed for professionals who need dependable tool storage with increased resilience	Engineered for workshop Pros Tailored for professionals demanding strength and safety	Built to endure the toughest environments made for rugged industrial applications, offers max.
CONSTRUCTION STRENGTH	0.6 MM (24 GAUGE)	0.8 MM (20 GAUGE)	1.2 MM (18 GAUGE)	1.2 MM (18 GAUGE)
TROLLEY LOAD CAPACITY	UPTO 300 KG (660 LBS)	UPTO 400 KG (880 LBS)	UPTO 500 KG (1102 LBS)	UPTO 500 KG (1102 LBS)
DRAWER LOAD CAPACITY	25 KG (55 LBS)	25 KG (55 LBS)	45 KG (99 LBS)	45 KG (99 LBS)

CHOOSE YOUR CABINET

TROLLEY SERIES
- S-10D
- S-10
- S-20
- S-30

TROLLEY WIDTH
- 27 INCH
- 29 INCH
- 35 INCH
- 42 INCH
- 50 INCH

NO. OF DRAWERS
- 5 DRAWER
- 6 DRAWER
- 7 DRAWER
- 11 DRAWER

DRAWER SLIDE
- SLIDE TYPE: HARD CLOSE, SOFT CLOSE
- ANTI-TILT: YES, NO

DRAWER HANDLE
- REGULAR
- LATCH OPENING
- PREMIUM LATCH OPENING

CART BUMPERS
- CORNER BUMPERS
- FULL SIDE BUMPERS

01 27" Rolling Tool Cabinets S10D Series

RTC10D-27

S-10D SERIES




RUBBERIZED MAT

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations

ERGONOMIC HANDLE
For ease of movement

BUILT TO ENDURE
0.6 mm (24 Gauge) Steel construction

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval

RUGGED MOBILITY
4 Heavy-duty castors 5" × 1.5" (125 x 37.5 mm). Rear castors with brakes


ORDERING INFORMATION

CAT NR.	ORD NR.	NO. OF DRAWERS	BOX QTY.
RTC/27-10D/1/GRZ	75000	7	1
RTC/27-10D/2/GRZ	75001	5	1

RTC/27-10D/1/GRZ

27 INCH | 7 DRAWER





25 KG (55 LBS) DRAWER LOAD CAPACITY

300 KG (660 LBS) OVERALL LOAD CAPACITY

48 KG (105 LBS) NET WEIGHT


DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	22-11/16	576	16-1/8	410	3	77	5
B	22-11/16	576	16-1/8	410	6	157	2

RTC/27-10D/2/GRZ

27 INCH | 5 DRAWER





25 KG (55 LBS) DRAWER LOAD CAPACITY

300 KG (660 LBS) OVERALL LOAD CAPACITY


43 KG (95 LBS) NET WEIGHT

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	22-11/16	576	16-1/8	410	3	77	2
B	22-11/16	576	16-1/8	410	6	157	2
C	22-11/16	576	16-1/8	410	9-29/64	240	1

S-10 SERIES

TOP OPTIONS



Stainless Steel | Thermofoam | Rubberized Mat | Wooden



CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations

BUILT TO ENDURE
0.8 mm (20 Gauge) Steel construction



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

ERGONOMIC HANDLE
For ease of movement

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion


FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval

RUGGED MOBILITY
4 Heavy-duty castors 5" × 1.5" (125 x 37.5mm). Rear castors with brakes

RTC/27-10/3/GRZ

27 INCH | 7 DRAWER





25 KG (55 LBS) DRAWER LOAD CAPACITY

325 KG (716 LBS) OVERALL LOAD CAPACITY

50 KG (110 LBS) NET WEIGHT

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	22-11/16	576	16-1/8	410	3	77	5
B	22-11/16	576	16-1/8	410	6	157	2

ORDERING INFORMATION

CAT NR.	ORD NR.	TOP OPTIONS	BOX QTY.
RTC/27-10/3/GRZ	75002	Rubberized Mat	1
RTC/27-10/3A/GRZ	75047	Thermofoam	1
RTC/27-10/3B/GRZ	75048	Wooden	1
RTC/27-10/3C/GRZ	75049	Stainless Steel	1

RTC/27-10/4/GRZ

27 INCH | 7 DRAWER + LATCH OPENING

25 KG (55 LBS) DRAWER LOAD CAPACITY

350 KG (771 LBS) OVERALL LOAD CAPACITY

53 KG (117 LBS) NET WEIGHT



Drawers with latch opening

ORDERING INFORMATION

CAT NR.	ORD NR.	TOP OPTIONS	BOX QTY.
RTC/27-10/4/GRZ	75035	Rubberized Mat	1
RTC/27-10/4A/GRZ	75036	Thermofoam	1
RTC/27-10/4B/GRZ	75037	Wooden	1
RTC/27-10/4C/GRZ	75038	Stainless Steel	1

NEW!




Laptop tray



Perforated side wall


DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	22-11/16	576	16-1/8	410	3	77	5
B	22-11/16	576	16-1/8	410	6	157	2



S-20 SERIES

TOP OPTIONS




Stainless Steel | Thermofoam | Rubberized Mat | Wooden



CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations

BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

ERGONOMIC HANDLE
For ease of movement

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval

RUGGED MOBILITY
4 Heavy-duty castors 5" × 1.5" (125 x 37.5mm). Rear castors with brakes


ORDERING INFORMATION

CAT NR.	ORD NR.	TOP OPTIONS	BOX QTY.
7 DRAWER			
RTC/27-20/1/GRZ	75003	Rubberized Mat	1
RTC/27-20/1A/GRZ	75011	Thermofoam	1
RTC/27-20/1B/GRZ	75012	Wooden	1
RTC/27-20/1C/GRZ	75013	Stainless Steel	1
5 DRAWER			
RTC/27-20/2/GRZ	75004	Rubberized Mat	1
RTC/27-20/2A/GRZ	75014	Thermofoam	1
RTC/27-20/2B/GRZ	75015	Wooden	1
RTC/27-20/2C/GRZ	75016	Stainless Steel	1

RTC/27-20/1/GRZ

27 INCH | 7 DRAWER





45 KG (100 LBS) DRAWER LOAD CAPACITY

425 KG (937 LBS) OVERALL LOAD CAPACITY

71 KG (157 LBS) NET WEIGHT


DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	21-27/32	555	15-3/4	400	2-3/4	70	5
B	21-27/32	555	15-3/4	400	6	150	2

RTC/27-20/2/GRZ

27 INCH | 5 DRAWER





45 KG (100 LBS) DRAWER LOAD CAPACITY

425 KG (937 LBS) OVERALL LOAD CAPACITY

64 KG (141 LBS) NET WEIGHT


DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	21-27/32	555	15-3/4	400	2-3/4	70	2
B	21-27/32	555	15-3/4	400	6	150	2
C	21-27/32	555	15-3/4	400	9-1/16	230	1

RTC20-29

S-20 SERIES






RUBBERIZED MAT

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations

ERGONOMIC HANDLE
For ease of movement

BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval

RUGGED MOBILITY
4 Heavy-duty castors 5" × 1.5" (125 x 37.5mm). Rear castors with brakes

ORDERING INFORMATION

CAT NR.	ORD NR.	TOP OPTIONS	BOX QTY.
RTC/29-20/1/GRZ	75006	Rubberized Mat	1
RTC/29-20/2/GRZ	75007	Rubberized Mat	1


RTC/29-20/1/GRZ


29 INCH | 7 DRAWER





Perforated side wall with document holder





45 KG (100 LBS) DRAWER LOAD CAPACITY

475 KG (1047 LBS) OVERALL LOAD CAPACITY

80 KG (176 LBS) NET WEIGHT

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	24	612	17-3/4	450	3	77	5
B	24	612	17-3/4	450	6	157	2


RTC/29-20/2/GRZ


29 INCH | 7 DRAWER





Lockable side cabinet





45 KG (100 LBS) DRAWER LOAD CAPACITY

475 KG (1047 LBS) OVERALL LOAD CAPACITY

81 KG (178 LBS) NET WEIGHT

DRAWER DETAILS


DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	22-11/64	563	17-3/4	450	3	77	5
B	22-11/64	563	17-3/4	450	6	157	2

05 29" Rolling Tool Cabinet with Anti Tilt S20 Series

RTC20-29

S-20 SERIES





RUBBERIZED MAT

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations

BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

ERGONOMIC HANDLE
For ease of movement

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion


FULL EXTENSION HETTICH® BALL BEARING SLIDES WITH SOFT CLOSE
Provide complete tool visibility & easy retrieval

RUGGED MOBILITY
4 Heavy-duty castors 5" × 2" (125 x 50mm). Rear castors with brakes

ANTI-TILT SAFETY INTERLOCK

Only One Drawer Opens at a Time. Built for Safety. Designed for Stability

The built-in anti-tilt safety interlock system prevents more than one drawer from opening at the same time. When one drawer is opened, all others are automatically locked to keep the cabinet stable and prevent tipping even with heavy loads.




RTC/29-20/3/GRZ

29 INCH | 7 DRAWER + ANTI TILT



NEW!



45 KG (100 LBS) DRAWER LOAD CAPACITY

450 KG (990 LBS) OVERALL LOAD CAPACITY

80 KG (176 LBS) NET WEIGHT

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	24	610	17-3/4	450	5	125	5
B	24	610	17-3/4	450	6	150	1



Perforated side wall



Laptop tray



Corner bumpers

ORDERING INFORMATION


CAT NR.	ORD NR.	BOX QTY.
RTC/29-20/3/GRZ	75039	1



S-20 SERIES

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations


BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact



TOP OPTIONS


Rubberized Mat


Wooden

ERGONOMIC HANDLE
For ease of movement

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval


RUGGED MOBILITY
4 Heavy-duty castors 5" × 2" (125 x 50mm). Rear castors with brakes


RTC/42-20/1/GRZ

42 INCH | 7 DRAWER




Perforated side wall with document holder





45 KG (100 LBS) DRAWER LOAD CAPACITY

550 KG (1212 LBS) OVERALL LOAD CAPACITY

105 KG (230 LBS) NET WEIGHT

ORDERING INFORMATION

CAT NR.	ORD NR.	TOP OPTIONS	BOX QTY.
RTC/42-20/1/GRZ	75008	Rubberized Mat	1
RTC/42-20/1B/GRZ	75027	Wooden	1

DRAWER DETAILS

DRAWER	WIDTH (INCH)	WIDTH (MM)	DEPTH (INCH)	DEPTH (MM)	HEIGHT (INCH)	HEIGHT (MM)	NO. OF DRAWERS
A	37-13/64	945	17-33/64	445	2-3/4	70	5
B	37-13/64	945	17-33/64	445	5-45/64	145	1
C	37-13/64	945	17-33/64	445	7-7/8	200	1

RTC/42-20/2/GRZ

42 INCH | 11 DRAWER

45 KG (100 LBS) DRAWER LOAD CAPACITY

550 KG (1212 LBS) OVERALL LOAD CAPACITY

100 KG (220 LBS) NET WEIGHT





ORDERING INFORMATION

CAT NR.	ORD NR.	TOP OPTIONS	BOX QTY.
RTC/42-20/2/GRZ	75009	Rubberized Mat	1
RTC/42-20/2B/GRZ	75030	Wooden	1

DRAWER DETAILS

DRAWER	WIDTH (INCH)	WIDTH (MM)	DEPTH (INCH)	DEPTH (MM)	HEIGHT (INCH)	HEIGHT (MM)	NO. OF DRAWERS
A	37-1/64	940	17-23/32	450	4-17/32	115	1
B	22-13/64	564	17-23/32	450	2-9/16	65	3
C	22-13/64	564	17-23/32	450	3-47/64	95	1
D	22-13/64	564	17-23/32	450	7-7/8	200	1
E	12-13/64	310	17-23/32	450	2-9/16	65	3
F	12-13/64	310	17-23/32	450	3-47/64	95	1
G	12-13/64	310	17-23/32	450	7-7/8	200	1





42" Rolling Tool Cabinets
S20 Series (continued)

RTC/42-20/3/GRZ


42 INCH | 11 DRAWER + SIDE CABINET

45 KG (100 LBS) DRAWER LOAD CAPACITY

580 KG (1278 LBS) OVERALL LOAD CAPACITY

105 KG (230 LBS) NET WEIGHT







Lockable side cabinet

DRAWER DETAILS

DRAWER/ CABINET	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	29-1/8	740	17-23/32	450	4-17/32	115	1
B	16-15/16	430	17-23/32	450	2-9/16	65	3
C	16-15/16	430	17-23/32	450	3-47/64	95	1
D	16-15/16	430	17-23/32	450	7-7/8	200	1
E	9-41/64	245	17-23/32	450	2-9/16	65	3
F	9-41/64	245	17-23/32	450	3-47/64	95	1
G	9-41/64	245	17-23/32	450	7-7/8	200	1
H	9-27/32	250	20-5/64	510	30-1/8	765	1

ORDERING INFORMATION

CAT NR.	ORD NR.	TOP OPTIONS	BOX QTY.
RTC/42-20/3/GRZ	75010	Rubberized Mat	1
RTC/42-20/3B/GRZ	75033	Wooden	1

RTC/42-20/4/GRZ


42 INCH | 11 DRAWER + LAPTOP TRAY

45 KG (100 LBS) DRAWER LOAD CAPACITY

475 KG (1267 LBS) OVERALL LOAD CAPACITY

100 KG (220 LBS) NET WEIGHT







Perforated side wall with Can holder



Laptop tray



Corner bumpers

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	37-1/64	940	17-23/32	450	4-17/32	115	1
B	22-13/64	564	17-23/32	450	2-9/16	65	3
C	22-13/64	564	17-23/32	450	3-47/64	95	1
D	22-13/64	564	17-23/32	450	7-7/8	200	1
E	12-13/64	310	17-23/32	450	2-9/16	65	3
F	12-13/64	310	17-23/32	450	3-47/64	95	1
G	12-13/64	310	17-23/32	450	7-7/8	200	1

ORDERING INFORMATION

CAT NR.	ORD NR.	TOP OPTIONS	BOX QTY.
RTC/42-20/4/GRZ	75043	Rubberized Mat	1
RTC/42-20/4B/GRZ	75045	Wooden	1

35" Rolling Tool Cabinets with Lid
S20 Series

RTCL20-35

S-20 SERIES




UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations

ERGONOMIC HANDLE
For ease of movement

BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction

PULL TO OPEN SAFETY LATCH
Secure drawers. Zero accidental opening



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval

RUGGED MOBILITY
4 Heavy-duty castors 5" × 2" (125 x 50mm). Rear castors with brakes


ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
RTCL/35-20/1/GRZ	75200	1
RTCL/35-20/2/GRZ	75202	1

RTCL/35-20/1/GRZ

35 INCH | 6 DRAWER





45 KG (100 LBS) DRAWER LOAD CAPACITY

500 KG (1100 LBS) OVERALL LOAD CAPACITY

100 KG (220 LBS) NET WEIGHT


DRAWER DETAILS

DRAWER/ SHELF	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	34-59/64	887	21-37/64	548	6-57/64	175	1
B	29-59/64	760	18-45/64	475	4-9/64	105	5
C	29-59/64	760	18-45/64	475	6-57/64	175	1

RTCL/35-20/2/GRZ

35 INCH | 5 DRAWER + FRONT TOOL CABINET





45 KG (100 LBS) DRAWER LOAD CAPACITY

550 KG (1212 LBS) OVERALL LOAD CAPACITY

105 KG (230 LBS) NET WEIGHT

DRAWER DETAILS

DRAWER/ SHELF	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	37-1/64	940	19-57/64	505	7-7/8	200	1
B	21-11/16	551	17-21/64	440	2-61/64	75	2
C	21-11/16	551	17-21/64	440	4-59/64	125	2
D	21-11/16	551	17-21/64	440	6-57/64	175	1
E	8-55/64	225	18-45/64	475	23-15/64	590	1

50" Rolling Tool Cabinets with Lid
S20 Series

S-20 SERIES



BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction

ERGONOMIC HANDLE
For ease of movement

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion

FULL EXTENSION HETTICH® BALL BEARING SLIDES WITH SOFT CLOSE
Provide complete tool visibility & easy retrieval

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact



POWER TOOL CABINET
Cabinet with multiple holders & hidden drawer

ORDERING INFORMATION


CAT NR.	ORD NR.	BOX QTY.
RTCL/50-20/1/GRZ	75205	1

RTCL/50-20/1/GRZ

NEW!

50 INCH | 6 DRAWER + POWER TOOL CABINET





35 KG (77 LBS) DRAWER LOAD CAPACITY

700 KG (1543 LBS) OVERALL LOAD CAPACITY

150 KG (330 LBS) NET WEIGHT



2 Electric sockets

DRAWER DETAILS

DRAWER	DESCRIPTION	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
		(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	Top Lid	49-51/64	1265	22 - 3/64	560	7 - 9/32	185	1
B	Working Table	30-33/64	775	15 - 3/4	400		-	1
C	Drawer	30-33/65	775	21 - 21/32	550	2 - 61/64	75	3
D	Drawer	30-33/66	775	22 - 21/32	550	3 - 15/16	100	1
E	Drawer	30-33/67	775	23 - 21/32	550	6	150	2
F	PT Cabinet	11 - 1/32	280	24 - 21/32	550	32 - 3/32	815	1
G	Hidden Drawer	9 - 1/16	230	15 - 3/4	400	3 - 15/16	100	1



3 Bottle/ Spray Can Holders




Working table

27" Rolling Tool Cabinet
S30 Series

RTC30-27

S-30 SERIES

TOP OPTIONS




Stainless Steel | Thermofoam | Rubberized Mat | Wood

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations

REINFORCED SIDE BUMPERS
For corner protection

BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact



ERGONOMIC HANDLE
For ease of movement

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion

PULL TO OPEN SAFETY LATCH
Secure drawers. Zero accidental opening


FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval

RUGGED MOBILITY
4 Heavy-duty castors 5" × 2" (125 x 50mm). Rear castors with brakes

RTC/27-30/1/GRZ

27 INCH | 7 DRAWER





45 KG (100 LBS) DRAWER LOAD CAPACITY

425 KG (936 LBS) OVERALL LOAD CAPACITY

76 KG (167 LBS) NET WEIGHT

DRAWER DETAILS

DRAWER/ SHELF	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	21-11/16	550	15-3/4	400	3	75	5
B	21-11/16	550	15-3/4	400	6	150	2



ORDERING INFORMATION

CAT NR.	ORD NR.	TOP OPTIONS	BOX QTY.
RTC/27-30/1/GRZ	75005	Rubberized Mat	1
RTC/27-30/1A/GRZ	75017	Thermofoam	1
RTC/27-30/1B/GRZ	75018	Wooden	1
RTC/27-30/1C/GRZ	75019	Stainless Steel	1

35" Rolling Tool Cabinets with Lid
S30 Series


RTCL30-35

S-30 SERIES



CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations

BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

ERGONOMIC HANDLE
For ease of movement

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion

PULL TO OPEN SAFETY LATCH
Secure drawers. Zero accidental opening

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval

RUGGED MOBILITY
4 Heavy-duty castors 5" × 2" (125 x 50mm). Rear castors with brakes

RTCL/35-30/2/GRZ


35 INCH | 6 DRAWER + TOP LID




45 KG (100 LBS) DRAWER LOAD CAPACITY

500 KG (1100 LBS) OVERALL LOAD CAPACITY

105 KG (230 LBS) NET WEIGHT







Document holder

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
RTCL/35-30/2/GRZ	75203	1

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	29-59/64	760	21-11/16	550	6-11/16	170	1
B	29-59/64	760	18-4/64	473	4	90	5
C	29-59/64	760	18-4/64	473	7	175	1

RTCL/35-30/1/GRZ

35 INCH | 5 DRAWER + TOP SLIDE

45 KG (100 LBS) DRAWER LOAD CAPACITY

500 KG (1100 LBS) OVERALL LOAD CAPACITY

100 KG (220 LBS) NET WEIGHT






Top slide compartment & electric socket

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
RTCL/35-30/1/GRZ	75201	1

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	34-1/2	880	21-1/2	547	9-1/4	235	1
B	29-59/64	760	18-5/8	475	3	75	2
C	29-59/64	760	18-5/8	475	5	125	2
D	29-59/64	760	18-5/8	475	7	175	1




35" Rolling Tool Cabinets with Lid
S30 Series (continued)

RTCL/35-30/3/GRZ

35 INCH | 3 DRAWER + OPEN SHELF





45 KG (100 LBS)
DRAWER LOAD CAPACITY

400 KG (880 LBS)
OVERALL LOAD CAPACITY

70 KG (154 LBS)
NET WEIGHT

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	29-59/64	760	21-11/16	550	3	170	1
B	30	770	18-4/64	473	4	90	3

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
RTCL/35-30/3/GRZ	75204	1



11 27" Tool Chest
S10 Series

TCH27-10

25 KG (55 LBS)
DRAWER LOAD CAPACITY

125 KG (275 LBS)
OVERALL LOAD CAPACITY

22 KG (49 LBS)
NET WEIGHT

S-10 SERIES


27 INCH | 3 DRAWER


UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations


FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval


BUILT TO ENDURE
0.8 mm (20 gauge) heavy steel sheet construction





DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact





ORDERING INFORMATION

CAT NR.	ORD. NR.	BOX QTY.
TCH/27-10/1/GRZ	75300	1

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	21-21/32	550	15-3/4	400	2	50	2
B	21-21/32	550	15-3/4	400	3	75	1

GROZ

12 27" Tool Chest with Lid S20 Series

TCHL27-20

45 KG (100 LBS)
DRAWER LOAD CAPACITY

300 KG (660 LBS)
OVERALL LOAD CAPACITY

46 KG (101 LBS)
NET WEIGHT

S-20
SERIES


27 INCH | 5 DRAWER




BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion




SPLIT DRAWER
To store small tools the top drawer is split into 3 compartments (W- 180 mm)



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval





ORDERING INFORMATION

CAT NR.	ORD. NR.	BOX QTY.
TCHL/27-20/1/GRZ	75351	1

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	26-3/16	665	15-3/4	400	3	75	1
B	21-21/32	550	15-3/4	400	3	75	5

GROZ

13 27" Tool Chest with Hutch S20 Series

TCHH27-20

45 KG (100 LBS)
DRAWER LOAD CAPACITY

275 KG (600 LBS)
OVERALL LOAD CAPACITY

38 KG (84 LBS)
NET WEIGHT

S-20
SERIES


27 INCH | 4 DRAWER



UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations


BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval





ORDERING INFORMATION

CAT NR.	ORD. NR.	BOX QTY.
TCHH/27-20/1/GRZ	75450	1

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	22-3/4	577	17-56/64	454	5	127	1
B	22-1/2	574	16-1/2	420	3-1/4	85	2
C	22-1/2	574	16-1/2	420	4-21/64	110	2

14 42" Tool Chest with Hutch S20 Series

TCHH42-20

45 KG (100 LBS) DRAWER LOAD CAPACITY

400 KG (880 LBS) OVERALL LOAD CAPACITY

60 KG (132 LBS) NET WEIGHT

S-20 SERIES

42 INCH | 5 DRAWER




UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion

BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction


FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact





DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	37-3/4	957	19-44/64	500	9-1/2	240	1
B	37-51/64	960	19-1/4	492	4-1/4	110	1
C	22	584	19-1/4	492	3-1/4	85	2
D	14-1/2	370	19-1/4	492	3-1/4	85	2

ORDERING INFORMATION

CAT NR.	ORD. NR.	BOX QTY.
TCHH/42-20/1/GRZ	75452	1

15 27" Tool Chest S30 Series

TCH27-30

45 KG (100 LBS) DRAWER LOAD CAPACITY

250 KG (550 LBS) OVERALL LOAD CAPACITY

30 KG (66 LBS) NET WEIGHT

S-30 SERIES

27 INCH | 3 DRAWER

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion


CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations

BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction




PULL TO OPEN SAFETY LATCH
Secure drawers. Zero accidental opening

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact





DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	21-27/32	555	16-1/2	420	3	75	1

ORDERING INFORMATION

CAT NR.	ORD. NR.	BOX QTY.
TCH/27-30/1/GRZ	75301	1

GROZ

16 27" Tool Chest with Lid S30 Series

TCHL27-30

45 KG (100 LBS) DRAWER LOAD CAPACITY

300 KG (660 LBS) OVERALL LOAD CAPACITY

48 KG (105 LBS) NET WEIGHT


S-30 SERIES

27 INCH | 5 DRAWER




UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction




SPLIT DRAWER
To store small tools the top drawer is split into 3 compartments (W- 180 mm)

PULL TO OPEN SAFETY LATCH
Secure drawers. Zero accidental opening

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval





ORDERING INFORMATION

CAT NR.	ORD. NR.	BOX QTY.
TCHL/27-30/1/GRZ	75352	1

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	26-3/16	665	17-58/64	455	2	50	1
B	22-36/64	573	17-13/64	437	3-10/64	80	5

GROZ

17 27" Tool Chest with Hutch S30 Series

TCHH27-30

45 KG (100 LBS) DRAWER LOAD CAPACITY

275 KG (600 LBS) OVERALL LOAD CAPACITY

40 KG (88 LBS) NET WEIGHT


S-30 SERIES

27 INCH | 4 DRAWER

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations






DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction

PULL TO OPEN SAFETY LATCH
Secure drawers. Zero accidental opening

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval





ORDERING INFORMATION

CAT NR.	ORD. NR.	BOX QTY.
TCHH/27-30/1/GRZ	75451	1

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	22-3/4	577	17-56/64	454	5	120	1
B	22-3/4	577	15	380	3-1/4	85	2
C	22-3/4	577	15	380	4-21/64	110	2

18 42" Tool Chest with Hutch S30 Series

TCHH42-30

S-30 SERIES

45 KG (100 LBS) DRAWER LOAD CAPACITY


400 KG (880 LBS) OVERALL LOAD CAPACITY

63 KG (138 LBS) NET WEIGHT

42 INCH | 5 DRAWER

BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion



DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact




CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations

PULL TO OPEN SAFETY LATCH
Secure drawers. Zero accidental opening

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval





DRAWER DETAILS

DRAWER	WIDTH (INCH)	WIDTH (MM)	DEPTH (INCH)	DEPTH (MM)	HEIGHT (INCH)	HEIGHT (MM)	NO. OF DRAWERS
A	37-3/4	957	19-11/16	500	9-1/2	240	1
B	37-51/64	960	19	480	4	100	1
C	22-48/64	578	19	480	3-1/4	85	2
D	21-62/64	558	19	480	3-1/4	85	2

ORDERING INFORMATION

CAT NR.	ORD. NR.	BOX QTY.
TCHH/42-30/1/GRZ	75453	1

19 20" Tool Box Japanese Style

TCHL20-10

S-10 SERIES

10 KG (22 LBS) DRAWER LOAD CAPACITY


50 KG (110 LBS) OVERALL LOAD CAPACITY

12 KG (26 LBS) NET WEIGHT

20 INCH | 3 DRAWER + TOP COMPARTMENT

CENTRAL LOCKING SYSTEM
High-security lock with 400 key combinations

BUILT TO ENDURE
0.8 mm (20 gauge) heavy steel sheet construction





DRAWERS WITH ANTI-SLIP LINERS
Minimize tool movement & vibrational impact



UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval





DRAWER DETAILS

DRAWER	WIDTH (INCH)	WIDTH (MM)	DEPTH (INCH)	DEPTH (MM)	HEIGHT (INCH)	HEIGHT (MM)	NO. OF DRAWERS
A	22-46/64	510	9	230	2	50	1
B	18-1/4	465	8-57/64	226	2-9/32	58	3

ORDERING INFORMATION

CAT NR.	ORD. NR.	BOX QTY.
TCHL/20-10/1/GRZ	75353	1


20 Cantilever Tool Box

MTB-5



35 KG (77 LBS)
OVERALL LOAD CAPACITY

18 INCH | 5 TRAY



Trays open automatically when handle is depressed & close when lifted



FULL SPREAD CANTILEVER
Quick & easy access to all stored parts



SECURE YOUR TOOLS
Built in padlock provision on the lid

CORROSION RESISTANT FINISH
Industrial-grade powder coating


BUILT TO ENDURE
Heavy gauge steel sheet construction


VARIANTS

MTB/5	MTB/5T
	
Tool box only	Tool box with 4 wheel trolley for convenient movement in the workshop

ORDERING INFORMATION


CAT NR.	ORD NR.	DESCRIPTION	BOX QTY.
MTB/5	40002	Tool Box	1
MTB/5T	40003	Tool Box with Trolley	1





21 Cantilever Tool Boxes Heavy Duty

MTB-L



Trays open automatically when handle is depressed & close when lifted

BUILT TO ENDURE
0.6 mm (24 Gauge)
Steel construction

CORROSION RESISTANT FINISH
Industrial-grade powder coating






FULL SPREAD CANTILEVER
Quick & easy access to all stored parts

SECURE YOUR TOOLS
Built in padlock provision on the lid

MTB/3L

21 INCH | 3 TRAY





18 KG (39.5 LBS)
OVERALL LOAD CAPACITY



4.5 KG (10 LBS)
NET WEIGHT







MTB/5L

21 INCH | 5 TRAY





30 KG (65 LBS)
OVERALL LOAD CAPACITY



5.8 KG (12.5 LBS)
NET WEIGHT







ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
MTB/3L	40012	1
MTB/5L	40013	1

GROZ

22 11" Mini Tool Box with Lid

TCHL

2.5 KG (5.5 LBS)
DRAWER LOAD CAPACITY

10 KG (22 LBS)
OVERALL LOAD CAPACITY

2.6 KG (5.7 LBS)
NET WEIGHT

11 INCH | 2 DRAWER + TOP LID

EASY STORAGE
Top compartment with lid that opens at 90°

BUILT TO ENDURE
Manufactured from 0.60 mm (24 gauge) steel with powder coated gloss finish



ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval



MAGNETIC DRAWER ENDS
No accidental slips

AVAILABLE IN 7 COLOURS


Classic Black


Cool Grey


Bossy Blue



Fiery Red


Royal Purple


Aqua Lux


Vibrant Orange





ORDERING INFORMATION

CAT NR.	ORD NR.	COLOUR	BOX QTY.
TCHL/11-10D/1/BL/GRZ	75401	Classic Black	4
TCHL/11-10D/1/W1/GRZ	75404	Cool Grey	4
TCHL/11-10D/1/BU19/GRZ	75406	Bossy Blue	4
TCHL/11-10D/1/RD/GRZ	75405	Fiery Red	4
TCHL/11-10D/1/OR12/GRZ	75402	Royal Purple	4
TCHL/11-10D/1/GN16/GRZ	75403	Aqua Lux	4
TCHL/11-10D/1/OR/GRZ	75400	Vibrant Orange	4

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	10-19/32	269	5-55/64	149	19/32	15	1
B	9-29/64	240	5-45/64	145	1-3/8	35	1
C	9-29/64	240	5-45/64	145	2-9/32	58	1

23 11" Mini Tool Box with Lid & Hanging Bracket

TCHL-11H


2.5 KG (5.5 LBS) DRAWER LOAD CAPACITY

10 KG (22 LBS) OVERALL LOAD CAPACITY

2.6 KG (5.7 LBS) NET WEIGHT

11 INCH | 2 DRAWER + TOP LID & HANGING BRACKET

EASY STORAGE
Top compartment with lid that opens at 90°



BUILT TO ENDURE
Manufactured from 0.60 mm (24 gauge) steel with powder coated gloss finish

ANTI-SLIP LINERS
Minimize tool movement & vibrational impact


MAGNETIC DRAWER ENDS
No accidental slips

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval



U-Shaped full length Hanging Bracket: Designed to attach to the side wall of rolling tool cabinets to store small tools





ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
TCHL/11-10D/3/BL/GRZ	75420	4
TCHL/11-10D/3/OR/GRZ	75419	4

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	10-19/32	269	5-55/64	149	19/32	15	1
B	9-29/64	240	5-45/64	145	1-3/8	35	1
C	9-29/64	240	5-45/64	145	2-9/32	58	1

24 11" Mini Tool Box Set Stackable

TCHS10-11

2.5 KG (5.5 LBS) DRAWER LOAD CAPACITY

15 KG (33 LBS) OVERALL LOAD CAPACITY

5 KG (11 LBS) NET WEIGHT

11 INCH | SET OF 2

EASY STORAGE
Top compartment with lid that opens at 90°



BUILT TO ENDURE
Manufactured from 0.60 mm (24 gauge) steel with powder coated gloss finish


ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

STACKABLE DESIGN

MAGNETIC DRAWER ENDS
No accidental slips

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval





ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
TCHS/11-10D/1/OR/GRZ/ST2	75415	1
TCHS/11-10D/1/BL/GRZ/ST2	75416	1

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	10-19/32	269	5-1/2	140	19/32	15	1
B	8-15/32	215	5-3/16	135	1-3/8	35	1
C	8-15/32	215	5-3/16	135	2-9/32	58	1
D	8-15/16	227	5-3/16	135	1-3/8	35	1
E	8-15/16	227	5-3/16	135	2-9/32	58	1

25 11" Mini Tool Box Lockable

TCHL10-11L

2.5 KG (5.5 LBS) DRAWER LOAD CAPACITY

10 KG (22 LBS) OVERALL LOAD CAPACITY

3 KG (6.6 LBS) NET WEIGHT

11 INCH | 2 DRAWER



EASY STORAGE
Top compartment with lid that opens at 90°


ANTI-SLIP LINERS
Minimize tool movement & vibrational impact



SAFETY LOCK
Securely store tools with the lockable lid


BUILT TO ENDURE
Manufactured from 0.60 mm (24 gauge) steel with powder coated gloss finish

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval



MAGNETIC DRAWER ENDS
No accidental slips





ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
TCHL/11-10D/2/OR/GRZ	75413	4
TCHL/11-10D/2/BL/GRZ	75414	4

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	10	250	6-3/4	172	5-3/4	136	1
B	9-29/64	240	5-45/64	145	1-3/8	35	1
C	9-29/64	240	5-45/64	145	2-9/32	58	1

26 14" Mini Tool Box with Lid

TCHL-14C

2.5 KG (5.5 LBS) DRAWER LOAD CAPACITY

10 KG (22 LBS) OVERALL LOAD CAPACITY

4 KG (21 LBS) NET WEIGHT

14 INCH | 2 DRAWER + TOP LID


EASY STORAGE
Top compartment with lid that opens at 90°

ANTI-SLIP LINERS
Minimize tool movement & vibrational impact





BUILT TO ENDURE
Manufactured from 0.60 mm (24 gauge) steel with powder coated gloss finish

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval



MAGNETIC DRAWER ENDS
No accidental slips





ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
TCHL/14-10D/2/BL/GRZ	75422	4
TCHL/14-10D/2/OR/GRZ	75421	4

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	13-15/16	354	5-1/2	150	19/32	15	1
B	12-1/64	305	5-3/16	135	1-3/8	35	1
C	12-1/64	305	5-3/16	135	2-9/32	58	1

27 14" Mini Tool Box Extra Deep

TCH14-10

10 KG (22 LBS) DRAWER LOAD CAPACITY

60 KG (130 LBS) OVERALL LOAD CAPACITY

9 KG (20 LBS) NET WEIGHT

14 INCH | 4 DRAWER



EASY STORAGE
Top compartment with lid that opens at 90°


ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

BUILT TO ENDURE
Manufactured from 0.60 mm (24 gauge) steel with powder coated gloss finish

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval

MAGNETIC DRAWER ENDS
No accidental slips





ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
TCH/14-10/1/GRZ	75417	2

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	12-13/64	310	9-1/2	243	1-3/4	46	4

28 14" Mini Tool Box with Lid Extra Deep

TCHL14-10

10 KG (22 LBS) DRAWER LOAD CAPACITY

60 KG (130 LBS) OVERALL LOAD CAPACITY

9.5 KG (21 LBS) NET WEIGHT

14 INCH | 4 DRAWER WITH LID



EASY STORAGE
Top compartment with lid that opens at 90°


ANTI-SLIP LINERS
Minimize tool movement & vibrational impact

BUILT TO ENDURE
Manufactured from 0.60 mm (24 gauge) steel with powder coated gloss finish

FULL EXTENSION HETTICH® BALL BEARING SLIDES
Provide complete tool visibility & easy retrieval

MAGNETIC DRAWER ENDS
No accidental slips





ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
TCHL/14-10/1/GRZ	75418	2

DRAWER DETAILS

DRAWER	WIDTH		DEPTH		HEIGHT		NO. OF DRAWERS
	(INCH)	(MM)	(INCH)	(MM)	(INCH)	(MM)	
A	12-13/64	310	9-1/2	243	1-3/4	46	1
B	12-13/64	310	9-1/2	243	1-3/4	46	4

RTCL30-35

S-20 SERIES



BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction

ERGONOMIC HANDLE
For ease of movement

****FULL EXTENSION HETTICH® BALL BEARING SLIDES**
Provide complete tool visibility & easy retrieval
**only for SRC/30-20/1/GRZ

UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion


STORAGE SHELF WITH PROTECTIVE MAT
Minimize tool movement & vibrational impact on shelves

RUGGED MOBILITY
4 Heavy-duty castors 4" × 1.25" (100 x 30mm). Rear castors with brakes

SRC/30-20/2/GRZ

30 INCH | 2 OPEN SHELVES





ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
SRC/30-20/2/GRZ	75501	1


150 KG (330 LBS) OVERALL LOAD CAPACITY

18 KG (40 LBS) NET WEIGHT

SRC/30-20/1/GRZ

30 INCH | 1 DRAWER + 1 OPEN SHELF





ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
SRC/30-20/1/GRZ	75500	1

45 KG (100 LBS) DRAWER LOAD CAPACITY


200 KG (440 LBS) OVERALL LOAD CAPACITY

29 KG (63 LBS) NET WEIGHT

SRC/30-20/3/GRZ

30 INCH | 3 OPEN SHELVES





ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
SRC/30-20/3/GRZ	75502	1

225 KG (500 LBS) OVERALL LOAD CAPACITY

23 KG (50 LBS) NET WEIGHT

S-20
SERIES



BUILT TO ENDURE
1.2 mm (18 gauge) heavy steel sheet construction


UV-RESISTANT FINISH
Industrial-grade coating resists fading and corrosion

ADJUSTABLE FOOT PADS
Stable on uneven surfaces

WELDED WORKTOP WITH END STOPS
1/16" (1.5mm) thick top with integrated back & side stops prevent parts from rolling off

LOWER STORAGE SHELF
Keeps tools & parts within easy reach


EASY TO ASSEMBLE
Knocked down delivery with manual & hardware included



WBN/60-20/1/GRZ

60 INCH





ORDERING INFORMATION


CAT NR.	ORD NR.	BOX QTY.
WBN/60-20/1/GRZ	75530	1



WBN/79-20/2/GRZ

79 INCH | 3 DRAWER






ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
WBN/79-20/2/GRZ	75532	1




ORGANISE YOUR WORKSHOPS

COMPLETE TOOL SETS BUILT INTO THE CART







READY-TO-USE SETS
Curated tool combinations for different workshop needs

PRECISION-CUT EVA FOAM
Dedicated slots for every tool

QUICK IDENTIFICATION
Tools are easy to locate, access and return

ORGANISED DRAWERS
Maximum utility from every drawer

AVAILABLE IN MULTIPLE CONFIGURATIONS
Choose from different tool combinations & piece counts

GROZ

31 **Automotive Tool Kit 65 Piece** **RTC-65**

Automotive Tool Kit comes in a 7 Drawer Portable Workstation (RTC/27-10D/1/GRZ)

A versatile set with an organized layout, makes it convenient to find tools

Ideal for maintenance and service work on automobiles

65 Pieces



Tools supplied with trolley

	QTY.	CONTENT OF TOOL TROLLEY	SIZE
TRAY 1	20 pcs	1/2" Hex Sockets	8, 9, 10, 11, 12 , 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	1 pc	1/2" Ratchet Handle	
	2 pcs	1/2" Extension Bars	125 & 250 mm (5" & 10")
	1 pc	1/2" Universal Joint	
	Set of 7 pcs	Hex Key Set with Ball End - Long - Metric	2.5, 3 , 4, 5, 6, 8, 10 mm
	1 pc	1/2" Sliding T Bar	
	2 pcs	1/2" Spark Plug Socket	16 & 21 mm
	1 pc	Heavy Duty Pin Punch	6 mm
	1 pc	Locking Plier	250 mm (10")
	1 pc	Ball Pein Hammer - Hickory Wood	456 gms
TRAY 2	18 pcs	Deep Offset Combination Spanners	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm
	4 pcs	Philips Screwdriver	Ph 2×38 mm, Ph 1×75 mm, Ph 2×100 mm, Ph 3×150 mm
	6 pcs	Slotted Screwdriver	6.5×38 mm, 3×75 mm, 4×100 mm, 6.5×100 mm, 6.5×150 mm, 8×150 mm

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
RTC/27-10D/65/GRZ	77002	1

32 Automotive Tool Kit 90 Piece

RTC-90

Automotive Tool Kit comes in a 7 Drawer Rolling Tool Cabinet (RTC/27-10D/1/GRZ)

A versatile set with an organized layout, makes it convenient to find tools

Ideal for maintenance and service work on automobiles



Tools supplied with trolley

90
Pieces

	QTY.	CONTENT OF TOOL TROLLEY	SIZE
TRAY 1	17 pcs	1/2" Hex Sockets	8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm
	5 pcs	1/2" Hex Sockets Deep	10, 14, 17, 19, 22 mm
	1 pc	Ratchet handle	1/2"
	1 pc	Sliding T Bar	1/2"
	1 pc	L Handle	1/2"
	1 pc	Universal Joint	1/2"
	2 pcs	1/2" Extension Bar	5", 10"
	2 pcs	1/2" Spark Plug Socket	16, 21 mm
	2 pcs	Adaptors	1/2 F x 3/4 M, 1/2 F x 3/8 M
	1 pc	Combination Plier	200 mm
	1 pc	Diagonal Cutting Plier	175 mm
	1 pc	Long Nose Plier	175 mm
	1 pc	Circlip Plier - Internal Straight	150 mm
	1 pc	Circlip Plier - Internal Bent	150 mm
	1 pc	Circlip Plier - External Straight	150 mm
	1 pc	Circlip Plier - External Bent	150 mm
	Set of 9 pcs	Hex Key Set with Ball End - Extra Long - Metric	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0 mm
	1 pc	20 leaf - Feeler Gauge	Blade Length: 150 mm

	QTY.	CONTENT OF TOOL TROLLEY	SIZE
TRAY 2	4 pcs	Pin Punch Set	1/16", 1/8", 3/16" & 5/32"
	1 pc	Ball Pein Hammer	Head Weight: 24oz., Handle Length: 14"
	1 pc	Plastic Mallet	Head Dia: 25mm
	1 pc	Chisels	Blade Width: 1" (25 mm), Overall Length: 10" (250 mm)
	1 pc	Cat Bar	16" (400 mm)
	1 pc	Hacksaw Frame	12", with Bi-Metal Blade
	1 pc	Adjustable Wrench	10" (250 mm)
	1 pc	Water Pump Plier	10" (250 mm)
	1 pc	Locking Plier	10" (250 mm)
TRAY 3	12 pcs	Double Open End Spanner Set	6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 21×23, 24×27, 25×28, 30×32 mm
	12 pcs	Ring Spanner Set	6×7, 8×9, 10×11, 12×13, 14×15, 16 x17, 18×19, 20×22, 21×23, 24×27, 25×28, 30×32 mm
	1 pc	Retra Knife	KNV/R/7
	2 pc	Flat Screwdriver	6.5 x 100, 8 x 150 mm
	2 pc	Phillips Screwdriver	PH 1x75, PH 2x100

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
RTC/27-10D/1/90/AU	77001	1

GROZ

33 Automotive Tool Kit 148 Piece

RTC-148

Automotive Tool Kit comes in a 7 Drawer Portable Workstation (RTC/27-10D/1/GRZ)

A versatile set with an organized layout, makes it convenient to find tools

Ideal for maintenance and service work on automobiles



Tools supplied with trolley

148
Pieces

	QTY.	CONTENT OF TOOL TROLLEY	SIZE
TRAY 2	1 pc	Combination Plier	200 mm
	1 pc	Diagonal Cutting Plier	200 mm
	1 pc	Long Nose Plier	200 mm
	1 pc	Water Pump Plier	250 mm
	1 pc	Circlip Plier - Internal Straight	175 mm
	1 pc	Circlip Plier - Internal Bent	175 mm
	1 pc	Circlip Plier - External Straight	175 mm
	1 pc	Circlip Plier - External Bent	175 mm
	1 pc	Adjustable Wrench	375 mm
	1 pc	Locking Plier	250 mm
TRAY 3	25 pcs	Offset Combination Spanners	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30 mm
TRAY 4	7 pcs	Flat Screwdriver	3×75, 4×100, 4×100, 6.5×38, 6.5×100, 6.5×150, 8.0×150 mm
	4 pcs	Philips Screwdriver	PH1×75, PH2×100, PH2×38, PH3×150
	Set of 8 pcs	Tamper Torx Star Keys	T9, T10, T15, T20, T25, T27, T30, T40
	1 pc	LED Flashlight	Extends from 17-55 cm, with Telescopic Magnetic Pick-Up
	Set of 9 pcs	Hex Key Set with Ball End - Extra Long - Metric	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

	QTY.	CONTENT OF TOOL TROLLEY	SIZE
TRAY 1	7 pcs	1/4" Hex Bit Sockets	3, 4, 5, 6, 7, 8, 10 mm
	13 pcs	1/4" Hex Sockets	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
	3 pcs	1/4" Slotted Bit Sockets	4, 5.5, 7 mm
	3 pcs	1/4" Philips Bit Sockets	PH1, PH2, PH3
	8 pcs	1/4" Torx Bit Sockets	T8, T10, T15, T20, T25, T27, T30, T40
	9 pcs	1/4" Hex Sockets Deep	5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	1 pc	1/4" Ratchet Handle	
	3 pcs	1/4" Pozi Bit Sockets	PZ1, PZ2, PZ3
	3 pcs	1/4" Extension Bar	50, 100, 150 mm
	1 pc	1/4" Universal Joint	
	1 pc	Spinner Handle	1/4"
	1 pc	Sliding T Bar	1/4"
	22 pcs	1/2" Hex Sockets	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32 mm
	1 pc	Sliding T Bar	1/2"
	2 pcs	1/2" Spark Plug Socket	16, 21 mm
	1 pc	1/2" Ratchet handle	
	1 pc	1/2" Power Bar	375 mm
	2 pcs	1/2" Extension Bar	125, 250 mm
	1 pc	Ratcheting Torque Wrench	40-200 Nm
	1 pc	1/2" Universal Joint	

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
RTC/27-10D/1/148/AU	77000	1

34 Automotive Tool Kit 170 Pieces

RTC-170

Automotive Tool Kit comes in a 7 Drawer Rolling Tool Cabinet (RTC/27-10/1/GRZ)

A versatile set with an organized layout, makes it convenient to find tools

Ideal for maintenance and service work on automobiles



Tools supplied with trolley

170
Pieces

	QTY.	CONTENT OF TOOL TROLLEY	SIZE
TRAY 2	17	Combination Spanners	6, 7, 8, 9, 10, 11,12, 13,14, 15, 16, 17, 18, 19, 20, 21, 24 mm
	8	Ring Spanners	6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22 mm
TRAY 3	6	Flat Screwdriver	FL3×100, FL5.5×100, FL6.5×38, FL6.5×100, FL8×150, FL8×200
	6	Philips Screwdriver	PH0×75, PH1×100, PH2×38, PH2×100, PH2×150, PH3×150
	9	Tamper Torx Star Key Set	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
	9	Hex-Ball Key Set	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
TRAY 4	1	Ball pein fibreglass hammer	Head Weight: 24 oz., Handle Length: 14"
	1	Plastic Mallet	Head Dia: 25 mm
	1	Water Pump Plier	250 mm
	1	Circlip Plier - Internal Straight	175 mm
	1	Circlip Plier- External Straight	175 mm
	1	Locking pliers	250 mm
	1	Diagonal Cutting Plier	175 mm
	1	Long Nose Plier	200 mm
TRAY 1	1	1/2" Ratchet Handle	
	17	1/2" Hex Sockets	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30 and 32 mm
	5	1/2" Hex Sockets Deep	14, 15, 17, 19 and 22 mm
	8	1/2" Torx Sockets	E10, E11, E12, E14, E16, E18, E20 and E24
	2	1/2" Spark Plug Socket	16 and 21 mm
	2	1/2" Extension Bar	5", 10"
	1	Universal Joint	1/2"
	1	Adapter	3/8' female-1/2' male
	1	1/4" Ratchet Handle	
	13	1/4" Hex Sockets	4, 4.5, 5, 5.5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
	8	1/4" Hex Sockets Deep	6, 7, 8, 9, 10, 11, 12, 13 mm
	5	1/4" Torx Sockets	E4, E5, E6, E7 and E8
	1	Sliding T Bar	1/4"
	2	1/4" Extension Bar	2",4"
	1	Universal Joint	1/4"
	1	Spinner Handle	1/4"
	2	1/4" Pozi Bits	PZ1, PZ2
	2	1/4" Phillips Bits	PH1,PH2
	4	1/4" Hex Bits	3, 4, 5, 6 mm
	3	1/4" Slot Bits	4, 5.5, 6.5 mm
	7	1/4" Torx Bits	8, 10, 15, 20, 25, 27, and 30 mm
	5	1/2" Hex Bit Socket	7, 8, 10, 12, 14 mm
	3	1/2" Slot Bit Socket	8, 10, 12 mm
	2	1/2" Pozi Bit Socket	PZ3,PZ4
	2	1/2" Phillips Bit Socket	PH3,PH4
	5	1/2" Torx Bit Socket	40, 45, 50, 55, 60 mm
	3	Hex Allen Keys	1.5, 2, 2.5 mm

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
RTC/27-10/3/170/AU	77003	1

Automotive Tool Kit
211 Pieces

RTC-211

Automotive Tool Kit comes in a 7 Drawer Rolling Tool Cabinet (RTC/27-10/1/GRZ)

A versatile set with an organized layout, makes it convenient to find tools

Ideal for maintenance and service work on automobiles



Tools supplied with trolley

211
Pieces

	QTY.	CONTENT OF TOOL TROLLEY	SIZE
TRAY 1	9	Hex Keys With Ball End	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
	9	Torx Star Keys	T10, T15, T20, T25, T27, T30, T40, T45, T50
	4	1/4" Hex Bit Sockets Long	3, 4, 5, 6 mm
	2	1/4" Philips Bit	PH1, PH2
	2	1/4" Pozi Bits	PZ1, PZ2
	3	1/4" Slot Bit Socket	4, 5.5, 6.5 mm
	7	1/4" Torx Bit	T8, T10, T15, T20, T25, T27, T30
	1	1/4" Spinner Handle	
	2	1/2" Extension Bar	250 mm, 125 mm
	2	1/4" Extension Bar	50 mm, 100 mm
	2	3/8" Extension Bar	75 mm, 150 mm
	1	1/4" Ratchet Handle	
	1	3/8" Ratchet Handle	
	1	1/2" Ratchet Handle	
	4	Adapters	1/2" (F) to 3/4" (M), 1/2" (F) to 3/8" (M), 3/8" (F) to 1/4" (M), 1/4" (F) to 3/8" (M)
	8	1/2" Torx Sockets	E10, E11, E12, E13, E16, E18, E20, E24
	5	1/2" Hex Bit Sockets	7, 8, 10, 12, 14 mm
	2	1/4" Philips Bit	PH3, PH4
	2	1/4" Pozi Bits	PZ3, PZ4
	3	1/4" Slot Bit Socket	8, 10, 12 mm
	2	1/2" Spark Plug Sockets	16, 21 mm
	5	1/2" Torx Bit	T40, T45, T50, T55, T60
	7	1/4" Hex Bit Sockets	3, 4, 5, 6, 7, 8, 10 mm
	3	1/4" Philips Bit Sockets	PH1, PH2, PH3
	3	1/4" Pozi Bit Sockets	PZ1, PZ2, PZ3
	3	1/4" Sloted Bit Sockets	4, 5.5, 7 mm
	8	1/4" Torx Bit Sockets	T8, T10, T15, T20, T25, T27, T30, T40
	22	1/2" Hex Sockets	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32 mm
	13	1/4" Hex Sockets	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
	7	1/4" Hex Deep Sockets	6, 7, 8, 9, 10, 11, 12 mm
	17	3/8" Hex Deep Sockets	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
	3	Sliding T Bars	1/4", 3/8", 1/2"
	3	Universal Joint	1/4", 3/8", 1/2"

	QTY.	CONTENT OF TOOL TROLLEY	SIZE
TRAY 2	1	Ball Pein Hammer - Fibreglass Handle	Head Weight: 24 oz., Handle Length: 14"
	1	Plastic Mallet	Head Dia: 25 mm
	1	Water Pump Plier	250 mm
	1	Circlip Plier – Internal Straight	175 mm
	1	Circlip Plier – External Straight	175 mm
	1	Locking Pliers	250 mm
	1	Diagonal Cutting Plier	175 mm
	1	Long Nose Plier	200 mm
TRAY 3	9	Double Open End Spanner	6-7, 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-22, 21-23 mm
	18	Combination Spanner	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 27 mm
	10	Ring Spanner	6-7, 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-22, 21-23, 24-27 mm

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
RTC/27-10/3/211/AU	77005	1

Automotive Tool Kit
235 Pieces

RTC-235

Automotive Tool Kit comes in a 7 Drawer Rolling Tool Cabinet (RTC/27-10/1/GRZ)

A versatile set with an organized layout, makes it convenient to find tools

Ideal for maintenance and service work on automobiles



Tools supplied with trolley

235
Pieces

	QTY.	CONTENT OF TOOL TROLLEY	SIZE
TRAY 1	9 pcs	Double Open End Spanner	6-7, 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-22, 21-23 mm
	18 pcs	Combination Spanner	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 27 mm
	10 pcs	Ring Spanner	6-7, 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-22, 21-23, 24-27 mm
TRAY 2	1 pc	Ball Pein Hammer - Fibreglass Handle	Head Weight: 24 oz., Handle Length: 14"
	1 pc	Plastic Mallet	Head Dia: 25 mm
	1 pc	Water Pump Pliers	250 mm
	1 pc	Circlip Plier – Internal Straight	175 mm
	1 pc	Circlip Plier – External Straight	175 mm
	1 pc	Locking Pliers	250 mm
	1 pc	Diagonal Cutting Pliers	175 mm
	1 pc	Long Nose Pliers	200 mm
TRAY 3	4 pcs	Philips Screw Driver	PH0×75, PH1×75, PH2×100, PH3×150
	6 pcs	Slotted Screw Driver	3×75, 3×100, 4×100, 5.5×150, 6.5×100, 8×200 mm
	12 pcs	Torx Screw Driver	T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40
	2 pcs	Pry Bar	15×185, 11×115
TRAY 4	9 pcs	Hex Keys With Ball End	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
	9 pcs	Torx Star Keys	T10, T15, T20, T25, T27, T30, T40, T45, T50
	4 pcs	1/4" Hex Bit Sockets Long	3, 4, 5, 6 mm
	2 pcs	1/4" Philips Bit	PH1, PH2
	2 pcs	1/4" Pozi Bits	PZ1, PZ2
	3 pcs	1/4" Slot Bit Socket	4, 5.5, 6.5 mm
	7 pcs	1/4" Torx Bit	T8, T10, T15, T20, T25, T27, T30
	1 pc	1/4" Spinner Handle	
	2 pcs	1/2" Extension Bar	250 mm, 125 mm
	2 pcs		50 mm, 100 mm
	2 pcs	3/8" Extension Bar	75 mm, 150 mm
	1 pc	1/4" Ratchet Handle	
	1 pc	3/8" Ratchet Handle	
	1 pc	1/2" Ratchet Handle	
	4 pcs	Adapters	1/2" (F) to 3/4" (M), 1/2" (F) to 3/8" (M), 3/8" (F) to 1/4" (M), 1/4" (F) to 3/8" (M)
	8 pcs	1/2" Torx Sockets	E10, E11, E12, E13, E16, E18, E20, E24
	5 pcs	1/2" Hex Bit Sockets	7, 8, 10, 12, 14 mm
	2 pcs	1/4" Philips Bit	PH3, PH4
	2 pcs	1/4" Pozi Bits	PZ3, PZ4
	3 pcs	1/4" Slot Bit Socket	8, 10, 12 mm
	2 pcs	1/2" Spark Plug Sockets	16, 21 mm
	5 pcs	1/2" Torx Bit	T40, T45, T50, T55, T60
	7 pcs	1/4" Hex Bit Sockets	3, 4, 5, 6, 7, 8, 10 mm
	3 pcs	1/4" Philips Bit Sockets	PH1, PH2, PH3
	3 pcs	1/4" Pozi Bit Sockets	PZ1, PZ2, PZ3
	3 pcs	1/4" Sloted Bit Sockets	4, 5.5, 7 mm
	8 pcs	1/4" Torx Bit Sockets	T8, T10, T15, T20, T25, T27, T30, T40
	22 pcs	1/2" Hex Sockets	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32 mm
	13 pcs	1/4" Hex Sockets	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
	7 pcs	1/4" Hex Deep Sockets	6, 7, 8, 9, 10, 11, 12 mm
	17 pcs	3/8" Hex Deep Sockets	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
	3 pcs	Sliding T Bars	1/4", 3/8", 1/2"
	3 pcs	Universal Joint	1/4", 3/8", 1/2"

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
RTC/27-10/3/235/AU	77004	1

37 Automotive Tool Kit 243 Pieces

RTC-243

Automotive Tool Kit comes in a 7 Drawer Rolling Tool Cabinet (RTC/27-10/1/GRZ)

A versatile set with an organized layout, makes it convenient to find tools

Ideal for maintenance and service work on automobiles



Tools supplied with trolley

243
Pieces

	QTY.	CONTENT OF TOOL TROLLEY	SIZE
TRAY 1	9	Hex Keys With Ball End	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
	9	Torx Star Keys	T10, T15, T20, T25, T27, T30, T40, T45, T50
	4	1/4'' Hex Bit Sockets Long	3,4,5,6,mm
	2	1/4'' Philips Bit	PH1, PH2
	2	1/4'' Pozi Bits	PZ1, PZ2
	3	1/4'' Slot Bit Socket	4, 5.5, 6.5 mm
	7	1/4'' Torx Bit	T8, T10, T15, T20, T25, T27, T30
	1	1/4'' Spinner Handle	
	2	1/2'' Extension Bar	250 mm, 125 mm
	2	1/4'' Extension Bar	50 mm, 100 mm
	2	3/8'' Extension Bar	75 mm, 150 mm
	1	1/4'' Ratchet Handle	
	1	3/8'' Ratchet Handle	
	1	1/2'' Ratchet Handle	
	4	Adapters	1/2" (F) to 3/4" (M), 1/2" (F) to 3/8" (M), 3/8" (F) to 1/4" (M), 1/4" (F) to 3/8" (M)
	8	1/2'' Torx Sockets	E10, E11, E12, E13, E16, E18, E20, E24
	5	1/2'' Hex Bit Sockets	7, 8, 10, 12, 14 mm
	2	1/4'' Philips Bit	PH3, PH4
	2	1/4'' Pozi Bits	PZ3, PZ4
	3	1/4'' Slot Bit Socket	8, 10, 12 mm
	2	1/2'' Spark Plug Sockets	16, 21 mm
	5	1/2'' Torx Bit	T40, T45, T50, T55, T60
	7	1/4'' Hex Bit Sockets	3, 4, 5, 6, 7, 8, 10 mm
	3	1/4'' Philips Bit Sockets	PH1, PH2, PH3
	3	1/4'' Pozi Bit Sockets	PZ1, PZ2, PZ3
	3	1/4'' Sloted Bit Sockets	4, 5.5, 7 mm
	8	1/4'' Torx Bit Sockets	T8, T10, T15, T20, T25, T27, T30, T40
	22	1/2'' Hex Sockets	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32 mm
	13	1/4'' Hex Sockets	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
	7	1/4'' Hex Deep Sockets	6, 7, 8, 9, 10, 11, 12 mm
	17	3/8'' Hex Deep Sockets	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
	3	Sliding T Bars	1/4'', 3/8'', 1/2''
	3	Universal Joint	1/4'', 3/8'', 1/2''

	QTY.	CONTENT OF TOOL TROLLEY	SIZE
TRAY 2	9	Double Open End Spanner	6-7, 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-22, 21-23 mm
	18	Combination Spanner	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 27 mm
	10	Ring Spanner	6-7, 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-22, 21-23, 24-27 mm
TRAY 3	6	Internal Hexagon T Handle	2, 2.5, 3, 4, 5, 6 mm
	10	Internal Torx T Handle	T6, T7, T8, T9, T10, T15, T20, T25, T27, T30
	4	Internal Hexagon Ball Head T Handle	4, 5, 6, 8 mm
TRAY 4	1	Side Cutting Plier	7" (175 mm)
	1	Long Nose Plier	7" (175 mm)
	1	Combination Plier	8" (200 mm)
	1	Water Pump Plier	10" (250 mm)
	6	Flat Screwdrivers - Hex Shank	3×75, 4×100, 6.5×100, 6.5×150, 6.5×38, 8×150 mm
	4	Phillips Screwdrivers - Hex Shank	PH1×75, PH2×100, PH2×38, PH3×150
	5	Centre Punches	2, 3, 4, 6, 10 mm
	1	Machinist Hammer	500 gms

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
RTC/27-10/3/243/AU	77006	1

Automotive Tool Kit
255 Pieces

RTC-255

Automotive Tool Kit comes in a 7 Drawer Rolling Tool Cabinet (RTC/27-10/1/GRZ)

A versatile set with an organized layout, makes it convenient to find tools

Ideal for maintenance and service work on automobiles

255
Pieces



Tools supplied with trolley

	QTY.	CONTENT OF TOOL TROLLEY	SIZE
TRAY 1	9	Double open Spanner	6-7, 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-22, 21-23 mm
	18	Combination spanner	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 27 mm
	10	Ring Spanner	6-7, 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-22, 21-23, 24-27 mm
TRAY 2	1	Ball Pein Hammer - Fibreglass Handle	Head Weight: 24 oz., Handle Length: 14"
	1	Plastic Mallet	Head Dia: 25 mm
	1	Water Pump Plier	250 mm
	1	Circlip Plier – Internal Straight	175 mm
	1	Circlip Plier – External Straight	175 mm
	1	Locking Pliers	250 mm
	1	Diagonal Cutting Plier	175 mm
	1	Long Nose Plier	200 mm
TRAY 3	4	Philips Screw Driver	PH0×75, PH1×75, PH2×100, PH3×150
	6	Slotted Screw Driver	3×75, 3×100, 4×100, 5.5×150, 6.5×100, 8×200 mm
	12	Torx Screw Driver	T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40
	2	Pry Bar	15×185, 11×115
TRAY 4	9	Hex Keys With Ball End	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
	9	Torx Star Keys	T10, T15, T20, T25, T27, T30, T40, T45, T50
	4	1/4" Hex Bit Sockets Long	3,4,5,6,mm
	2	1/4" Philips Bit	PH1, PH2
	2	1/4" Pozi Bits	PZ1, PZ2
	3	1/4" Slot Bit Socket	4, 5.5, 6.5 mm
	7	1/4" Torx Bit	T8, T10, T15, T20, T25, T27, T30
	1	1/4" Spinner Handle	
	2	1/2" Extension Bar	250 mm, 125 mm
	2	1/4" Extension Bar	50 mm, 100 mm
	2	3/8" Extension Bar	75 mm, 150 mm
	1	1/4" Ratchet Handles	
	1	3/8" Ratchet Handles	
	1	1/2" Ratchet Handles	
	4	Adapters	1/2" (F) to 3/4" (M), 1/2" (F) to 3/8" (M), 3/8" (F) to 1/4" (M), 1/4" (F) to 3/8" (M)
	8	1/2" Torx Sockets	E10, E11, E12, E13, E16, E18, E20, E24
	5	1/2" Hex Bit Sockets	7, 8, 10, 12, 14 mm
	2	1/4" Philips Bit	PH3, PH4
	2	1/4" Pozi Bits	PZ3, PZ4
	3	1/4" Slot Bit Socket	8, 10, 12 mm
	2	1/2" Spark Plug Sockets	16, 21 mm
	5	1/2" Torx Bit	T40, T45, T50, T55, T60
	7	1/4" Hex Bit Sockets	3, 4, 5, 6, 7, 8, 10 mm
	3	1/4" Philips Bit Sockets	PH1, PH2, PH3
	3	1/4" Pozi Bit Sockets	PZ1, PZ2, PZ3
	3	1/4" Sloted Bit Sockets	4, 5.5, 7 mm
	8	1/4" Torx Bit Sockets	T8, T10, T15, T20, T25, T27, T30, T40
	22	1/2" Hex Sockets	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30,32 mm
	13	1/4" Hex Sockets	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14
	7	1/4" Hex Deep Sockets	6, 7, 8, 9, 10, 11, 12 mm
	17	3/8" Hex Deep Sockets	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
	3	Sliding T Bars	1/4", 3/8", 1/2"
	3	Universal Joint	1/4", 3/8", 1/2"
TRAY 5	6	Internal Hexagon T Handle	2, 2.5, 3, 4, 5, 6 mm
	10	Internal Torx T Handle	T6, T7, T8, T9, T10, T15, T20, T25, T27, T30
	4	Internal Hexagon Ball Head T Handle	4, 5, 6, 8 mm

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
RTC/27-10/3/255/AU	77007	1

Groz Engineering Tools Pvt. Ltd.
Groz Net Industries

Village Kherki Daula, National Highway-8
Gurugram -122004, Haryana, INDIA
TEL +91.124.282.7700
E-MAIL info@groz-tools.com
URL www.groz-tools.com

CONNECT WITH US!

The GROZ name, GROZ logo and the mark are trademarks of Groz Engineering Tools Pvt. Ltd., India