

Brinks VisionX Solution

Supervisor

Handbook

Version 1.0

Date: 13-MAR-2026

Revision History

Version No	Date	Prepared by / Modified by	Significant Changes
1.0	13-MAR-2026	HCL	Initial Version

Table of Contents

1. Introduction	4
1.1 About This Handbook	4
1.2 About the Platform	4
1.3 Technology Stack	4
1.4 Roles Overview	5
2. Getting Started	5
2.1 System Requirements	5
2.2 Logging In	5
2.3 Navigating the Interface	6
3. Supervisor	7
3.1 Role Overview	7
3.2 Sidebar	8
3.3 Dashboard	8
3.4 Camera Management	9
3.4.1 Viewing All Cameras	9
3.4.2 Adding new Camera	10
3.4.3 Action Buttons	11
3.4.3.1 Select Use case	11
3.4.3.4 Delete Camera	15
3.5 Event Management	15
3.5.1 Switch to table view	15
3.5.2 Filtering Events	16
3.5.3 Reset Filters	17
3.5.4 Event Detail	17
3.6 Utilization Report	19
3.6.1 Access Utilization Report	19

3.6.2 View Utilization Report	19
3.6.3 Apply Filter	20
3.6.4 View Summary Metrics	20
3.7 Opti view.....	20
3.7.1 Workstation Opti view	21
3.7.2 Child Table — Workstation Events	21
3.7.3 Filter on Workstation.....	22
3.7.4 Teller station	22
3.7.5 Child Table — Teller Events	23
3.7.6 Filter on Teller station.....	24
3.7.7 Bag ID	24
3.7.8 Child Table — Bag-level Events	24
3.7.9 Filter on Bag ID	25
3.8 User Management	25
3.8.1 Adding user	26
3.8.2 Editing user	26
3.8.3 Delete user	27
4 Logging Out	28

1. Introduction

1.1 About This Handbook

This handbook provides comprehensive guidance for all users of the Brinks AI Security Monitoring Platform. It is structured by role so that each user can quickly find the information most relevant to their responsibilities. Whether you are a Super Administrator managing the entire system, an Analyst reviewing utilization reports, or an Operator monitoring live events, this guide covers every feature available to you.

1.2 About the Platform

The Brinks AI Security Monitoring Platform is a role-based web application built on React with Azure Active Directory authentication. It provides real-time visibility into branch operations, teller workstations, camera feeds, and AI-detected security events across all Brinks locations.

Core capabilities of the platform include:

- Live camera feed monitoring with Region of Interest (ROI) configuration
- AI-powered event detection and alert management
- Teller and workstation utilization analytics
- Multi-level location hierarchy: Country → State → City → Branch → Workstation
- Role-based access control with Microsoft Azure SSO
- Power BI-embedded reporting dashboards
- User and role lifecycle management

1.3 Technology Stack

Component	Details
Frontend	React 19, TypeScript, Vite
UI Library	PrimeReact 10
Authentication	Microsoft Azure AD (MSAL)
HTTP Client	Axios
Routing	React Router v7
Reporting	Power BI Embedded

1.4 Roles Overview

The platform supports three distinct user roles, each with a carefully scoped set of permissions:

Role	Permission
Supervisor	Full system access — Manages Users, Event Dashboard, Camera Management, Opti view, Utilization Report.
Branch Manager	Manage users, Event Dashboard, Opti view, Utilization Report.
Claim Associate	Event Dashboard, Opti view, Utilization Report.

2. Getting Started

2.1 System Requirements

The Brinks platform is a browser-based application. No software installation is required on your workstation. The following browsers are supported:


- Google Chrome (recommended) — version 110 or later
- Microsoft Edge — version 110 or later
- Mozilla Firefox — version 110 or later

2.2 Logging In

Authentication is handled via Microsoft Azure Active Directory (Azure AD). You must have a valid Brinks corporate Microsoft account to access the platform.

Steps to log in:

1. Open your browser and navigate to the Brinks platform URL provided by your administrator.
2. Click the Sign in with the Microsoft button on the login page.
3. Enter your Brinks corporate email address and password in the Microsoft login dialog.
4. If prompted, complete Multi-Factor Authentication (MFA) using your registered method.
5. Upon successful authentication, the system verifies your role and permissions, and then redirects you to your role-specific home dashboard.



Welcome to
Branch Automation

Please sign in to access your workspace

 Sign in

or


Need access? Contact your administrator

Copyright © 2025 BRINKS and its related entities. All Rights Reserved.

2.3 Navigating the Interface

The platform uses a consistent layout across all roles:

UI Element	Description
Top Navigation Bar	Contains the Brinks logo, current username, role badge, and logout button
Left Sidebar Menu	Role-aware navigation links — only items available to your role are shown
Main Content Area	Displays the active page; data tables, forms, dashboard, and camera feeds appear here
Footer	Displays the current version.




3. Supervisor

3.1 Role Overview

Supervisors are operational managers typically assigned at a regional or branch level. They are responsible for ensuring cameras are correctly configured, workstations are properly set up, and users under their scope are maintained. Supervisor has access to most platform modules but is restricted from modifying system-level role configurations.

3.2 Sidebar


Supervisor has access of camera, Events, Utilization Report and Optiview in sidebar.



3.3 Dashboard

Upon login, the Supervisor is presented with a global dashboard showing system-wide KPIs:

- Total active branches, workstations, and cameras across all locations
- Total AI-detected events
- Camera health summary (online / offline / degraded)
- Recent user login activity
- Quick-access tiles for each major module




3.4 Camera Management

Supervisors have full camera management capabilities across every branch. Navigate to Configuration > Cameras.

3.4.1 Viewing All Cameras

The camera list shows all cameras in the system with: Camera Name, Type, Status (Online/Offline), RTSP URL, Resolution, Workstation, Branch, City and Action. Filter by branch using the dropdown at the top.



3.4.2 Adding new Camera

Click + Add Camera and complete the form:

- Camera Name — Enter the camera Name.
- Installed date — Enter the date of installation.
- Codec — Select the Codec from the dropdown.
- Resolution — Select the Resolution from the dropdown.
- Country, State and City — first select the country from dropdown. Then only You can select the State and after selecting the State you can select the city.
- Branch — select the branch from the location hierarchy
- Workstation — Select the workstation.
- Frame Rate — enter the frame rate.
- Type — Select the type from Rtsp or USB. The next input will show based on your choice of Type.
- RTSP Stream URL — the camera's network stream address.

BRINKS | BRANCH AUTOMATION

ADD CAMERA
Complete all required fields and submit for review

← Back

Name *
Enter camera name

Installed Date *
22/01/2024

CODEC *
Select CODEC

Resolution *
Select Resolution

Country *
Select country

State *
Select state

City *
Select city

Branch *
Select branch

Workstation Type *
Select type

Workstation *
Select workstation

Frame Rate *
Enter frame rate


Type *
Select type

Cancel Submit Form

Copyright © 2026 BRINKS and its related entities. All Rights Reserved. v0.11

- After filling out all the details, you can submit the form.

3.4.3 Action Buttons



3.4.3.1 Select Use case

- Click on Select Use case Icon from the Actions columns.
- Select the Use case from the Modal pop-up.
- After selecting the Use case, save the changes.

RTSP URL	RESOLUTION	WORKSTATION	BF
rtsp://admin:admin@192.168.1.68/h264/stream1	1080p	WS-DAL-PACK-04	BF
rtsp://admin:admin@192.168.1.68/h264/stream1	1080p	WS-DAL-PACK-03	BF
rtsp://admin:admin@192.168.1.68/h264/stream1	1080p	WS-DAL-PACK-02	BF
rtsp://admin:admin@192.168.1.68/h264/stream1	1080p	WS-DAL-PACK-01	BF
rtsp://admin:admin@192.168.1.68/h264/stream1	1080p	WS-DAL-TELLER-20	BF
rtsp://admin:admin@192.168.1.68/h264/stream1	1080p	WS-DAL-TELLER-19	BF
rtsp://admin:admin@192.168.1.68/h264/stream1	1080p	WS-DAL-TELLER-18	BF
rtsp://admin:admin@192.168.1.68/h264/stream1	1080p	WS-DAL-TELLER-17	BF
rtsp://admin:admin@192.168.1.85/h264/stream1	1080p	WS-DAL-TELLER-16	BF
rtsp://admin:admin@192.168.1.103/h264/stream1	1080p	WS-DAL-TELLER-15	BF

Select Usecases for CAM-DAL-CVS-24

- ☐ BagIn Teller
- ☐ BagIn Sorting Area
- ☒ BagIn Packout
- ☒ Teller Machine Utilization
- ☒ Workstation Utilization


Cancel

Save


3.4.3.2 Configuring ROI (Region of Interest)

After adding a camera, you must define the Region of Interest (ROI) in Action Column in the table, so the AI model knows which area of the frame to analyze.

- Open the camera details and click Configure ROI.
- A live (or most recent) frame from the camera will be displayed.
- Click and drag the frame to draw the ROI polygon around the target area.
- Click Refresh Frame to fetch the latest frame if needed.
- Click Save ROI to commit to the configuration.



- In the Right panel, you can see the details of Roi's.
- Lock – Lock the Roi.
- Eye – Hide/Show the Roi.
- Add use case – add or Remove the Use case from that particular Roi.
- Delete – Delete the Roi.



3.4.3.3 Edit Camera

Use the Edit icon to modify camera details including Camera Name, Installed date, Codec, Resolution, Country, State, City, Branch, Workstation, Frame Rate, type.

After editing the details, you can save the data by clicking on the updated camera button.

BRINKS | BRANCH AUTOMATION

EDIT CAMERA
Update camera details

← Back

Name * CAM-DAL-CVS-24

Installed Date * 22/01/2024

Codec * H.264

Resolution * 1080p (1920x1080)

Country * USA

State * Texas

City * Dallas

Branch * BR-DAL-01

Workstation Type * Packout Area

Workstation * WS-DAL-PACK-04

Frame Rate * 30

Type * USB

Cancel Update Camera


Copyright © 2025 **BRINKS** and its related entities. All Rights Reserved.

3.4.3.4 Delete Camera

Use the Delete icon to permanently remove a camera from the system. Deleting a camera also removes all associated ROI configurations.

3.5 Event Management

Navigate to Events by Sidebar or from Event dashboard tile from landing page. Supervisor can view all AI-detected events across the entire system with full filtering and export capabilities.



3.5.1 Switch to table view

Click on the switch to the table view button from header to see the event details in table view. This show: Event Type, Bag Id, Branch, Workstation, Start time, End time, Evidence Video in Detail Column.

EVENTS						
Monitor and manage all system events						
EVENT TYPE	BAG ID	WORKSTATION	BRANCH	START TIME	END TIME	DETAILS
Bagin Teller	FOF57088881	WS-DAL-TELLER-03	BR-DAL-01	03/04/2026, 10:04:59 AM	03/04/2026, 10:05:25 AM	
Bagin Teller	BDD40437842	WS-DAL-TELLER-16	BR-DAL-01	03/04/2026, 10:04:58 AM	03/04/2026, 10:05:24 AM	
Bagin Teller	BGW37236568	WS-DAL-TELLER-08	BR-DAL-01	03/04/2026, 10:03:17 AM	03/04/2026, 10:03:44 AM	
Bagin Teller	PUO33938756	WS-DAL-TELLER-07	BR-DAL-01	03/04/2026, 10:03:00 AM	03/04/2026, 10:03:25 AM	
Bagin Teller	DSK48736174	WS-DAL-TELLER-05	BR-DAL-01	03/04/2026, 10:01:25 AM	03/04/2026, 10:01:54 AM	
Bagin Teller	BQP76235584	WS-DAL-TELLER-16	BR-DAL-01	03/04/2026, 10:01:23 AM	03/04/2026, 10:01:52 AM	
Bagin Teller	CEI29624795	WS-DAL-TELLER-13	BR-DAL-01	03/04/2026, 09:59:18 AM	03/04/2026, 09:59:44 AM	
Bagin Teller	BVO78096994	WS-DAL-TELLER-19	BR-DAL-01	03/04/2026, 09:58:58 AM	03/04/2026, 09:59:24 AM	
Bagin Teller	QSM67518401	WS-DAL-TELLER-08	BR-DAL-01	03/04/2026, 09:57:53 AM	03/04/2026, 09:58:18 AM	
Bagin Teller	BMI59518319	WS-DAL-TELLER-19	BR-DAL-01	03/04/2026, 09:56:51 AM	03/04/2026, 09:57:21 AM	

3.5.2 Filtering Events

Available filters include Date Range, Branch, Workstation, Event Type, and Bag ID. Apply multiple filters simultaneously to narrow results.

BRINKS | BRANCH AUTOMATION

EVENTS

Monitor and manage all system events

EVENT TYPE	BAG ID	WORKSTATION	BRANCH	START TIME	END TIME
Bagin Teller	FCF57088881	WS-DAL-TELLER-03	BR-DAL-01	03/04/2026, 10:04:59 AM	03/04/2026, 10:05:25
Bagin Teller	BDD40437842	WS-DAL-TELLER-16	BR-DAL-01	03/04/2026, 10:04:58 AM	03/04/2026, 10:05:24
Bagin Teller	BCW37236568	WS-DAL-TELLER-08	BR-DAL-01	03/04/2026, 10:03:17 AM	03/04/2026, 10:03:44
Bagin Teller	PUC33938756	WS-DAL-TELLER-07	BR-DAL-01	03/04/2026, 10:03:00 AM	03/04/2026, 10:03:25
Bagin Teller	DSK48736374	WS-DAL-TELLER-05	BR-DAL-01	03/04/2026, 10:01:25 AM	03/04/2026, 10:01:54
Bagin Teller	BQP76235584	WS-DAL-TELLER-16	BR-DAL-01	03/04/2026, 10:01:23 AM	03/04/2026, 10:01:52
Bagin Teller	CEQ9624795	WS-DAL-TELLER-13	BR-DAL-01	03/04/2026, 09:59:38 AM	03/04/2026, 09:59:46
Bagin Teller	BVO78096994	WS-DAL-TELLER-19	BR-DAL-01	03/04/2026, 09:58:58 AM	03/04/2026, 09:59:26
Bagin Teller	QSM67518601	WS-DAL-TELLER-08	BR-DAL-01	03/04/2026, 09:57:53 AM	03/04/2026, 09:58:18
Bagin Teller	BM59518319	WS-DAL-TELLER-19	BR-DAL-01	03/04/2026, 09:56:51 AM	03/04/2026, 09:57:21

Filter by

Branch

Select Branch

Workstation

Select branch first

Event Type

Select Event Type

Bag ID

Enter Bag ID

From Date

Select from date & time

To Date

Select to date & time

Apply Filters

Clear Filters


Copyright © 2026 BRINKS and its related entities. All Rights Reserved.

3.5.3 Reset Filters


Click on the reset filters button from header to reset all filters.

3.5.4 Event Detail

Click on the eye icon from the detail column to see the evidence video with the details of the event.




3.6 Utilization Report




3.6.1 Access Utilization Report

Navigate to the Utilization Report module from the left sidebar to open the Branch Automation utilization dashboard. Click on the “Sign in” button to authenticate and access the report.




3.6.2 View Utilization Report

After successful login, the dashboard is displayed showing a consolidated view of utilization and performance metrics.



3.6.3 Apply Filter

Users can filter the report data using Date range, Country, State/Region, Branch, and Bag ID to refine the displayed information.



3.6.4 View Summary Metrics

The dashboard presents key metrics such as Sorted Bags, Processed Bags, Active Workstations, Active Cameras, Bag Processing Efficiency, and Hardware Efficiency.

3.7 Opti view

Navigate to the Opti view module from the left sidebar to open the Opti view dashboard.

3.7.1 Workstation Opti view

Click on the toggle of Workstation from header to view the workstation details.

The screenshot shows the BRINKS OptiView interface with the 'Workstation' tab selected. The table displays utilization data for various workstations across different branches and dates.

WORKSTATION	BRANCH	DATE	TOTAL BAGS	ACTIVE TIME	IDLE TIME	SHIFT TIME
WS-DAL-TELLER-06	BR-DAL-01	03/04/2026	12	1h 21m 56s	6h 38m 4s	9:00 - 17:00
WS-DAL-TELLER-08	BR-DAL-01	03/04/2026	25	1h 21m 56s	6h 38m 4s	9:00 - 17:00
WS-DAL-TELLER-05	BR-DAL-01	03/04/2026	16	1h 21m 56s	6h 38m 4s	9:00 - 17:00
WS-DAL-TELLER-02	BR-DAL-01	03/04/2026	13	1h 21m 56s	6h 38m 4s	9:00 - 17:00
WS-DAL-TELLER-10	BR-DAL-01	03/04/2026	14	1h 21m 56s	6h 38m 4s	9:00 - 17:00
WS-DAL-TELLER-07	BR-DAL-01	03/04/2026	15	1h 21m 56s	6h 38m 4s	9:00 - 17:00
WS-DAL-TELLER-03	BR-DAL-01	03/04/2026	17	1h 21m 56s	6h 38m 4s	9:00 - 17:00
WS-DAL-TELLER-04	BR-DAL-01	03/04/2026	12	1h 21m 56s	6h 38m 4s	9:00 - 17:00
WS-DAL-TELLER-01	BR-DAL-01	03/04/2026	13	1h 21m 56s	6h 38m 4s	9:00 - 17:00
WS-DAL-TELLER-09	BR-DAL-01	03/04/2026	15	1h 21m 56s	6h 38m 4s	9:00 - 17:00

Showing page 1 of 20

3.7.2 Child Table — Workstation Events

Expand any row to view individual bag processing events. Each entry shows: Start Time, End Time, Duration, and Evidence Video link.

The screenshot shows the same BRINKS OptiView interface, but the first row (WS-DAL-TELLER-06) is expanded to show a detailed table of bag processing events.

START TIME	END TIME	DURATION	VIEW
03/04/2026, 03:00:00 AM	03/04/2026, 04:23:39 AM	1h 23m 39s	View
03/04/2026, 04:36:15 AM	03/04/2026, 05:17:57 AM	41m 42s	View
03/04/2026, 05:41:43 AM	03/04/2026, 06:38:26 AM	56m 43s	View
03/04/2026, 06:58:40 AM	03/04/2026, 07:48:11 AM	49m 31s	View
03/04/2026, 08:00:10 AM	03/04/2026, 09:26:21 AM	1h 26m 11s	View
03/04/2026, 09:37:17 AM	03/04/2026, 10:57:35 AM	1h 20m 18s	View

Showing page 1 of 20

3.7.3 Filter on Workstation

The screenshot displays the BRINKS OptiView interface. The main header shows 'BRINKS | BRANCH AUTOMATION' and 'OptiView' with the subtitle 'Detailed utilization data and insights'. A toggle switch at the top right allows switching between 'Teller' and 'Workstation' views. The 'Workstation' view is currently selected. The main content area is a table with the following columns: WORKSTATION, BRANCH, DATE, TOTAL BAGS, ACTIVE TIME, and IDLE TIME. The table lists 10 workstations, all associated with BR-DAL-01 and dated 03/04/2026. The filter sidebar on the right, titled 'Filter by', includes dropdowns for Branch (set to 'Select branch'), Workstation (set to 'Select branch first'), From Date (set to 'Select from date'), and To Date (set to 'Select to date'). At the bottom of the sidebar are 'Apply Filters' and 'Clear Filters' buttons.

WORKSTATION	BRANCH	DATE	TOTAL BAGS	ACTIVE TIME	IDLE TIME
> WS-DAL-TELLER-06	BR-DAL-01	03/04/2026	12	1h 21m 56s	6h 38m 4s
> WS-DAL-TELLER-08	BR-DAL-01	03/04/2026	25	1h 21m 56s	6h 38m 4s
> WS-DAL-TELLER-05	BR-DAL-01	03/04/2026	16	1h 21m 56s	6h 38m 4s
> WS-DAL-TELLER-02	BR-DAL-01	03/04/2026	13	1h 21m 56s	6h 38m 4s
> WS-DAL-TELLER-10	BR-DAL-01	03/04/2026	14	1h 21m 56s	6h 38m 4s
> WS-DAL-TELLER-07	BR-DAL-01	03/04/2026	15	1h 21m 56s	6h 38m 4s
> WS-DAL-TELLER-03	BR-DAL-01	03/04/2026	17	1h 21m 56s	6h 38m 4s
> WS-DAL-TELLER-04	BR-DAL-01	03/04/2026	12	1h 21m 56s	6h 38m 4s
> WS-DAL-TELLER-01	BR-DAL-01	03/04/2026	13	1h 21m 56s	6h 38m 4s
> WS-DAL-TELLER-09	BR-DAL-01	03/04/2026	15	1h 21m 56s	6h 38m 4s

Copyright © 2026 BRINKS and its related entities. All Rights Reserved.

3.7.4 Teller station

Click on the toggle of Teller from header to view the workstation details.

BRINKS BRANCH AUTOMATION							
OptiView							
Detailed utilization data and insights							
Teller Workstation Bag ID							
TELLER IN WORKSTATION	BRANCH	DATE	CURRENT STATUS	ACTIVE TIME	IDLE TIME	SHIFT TIME	
> WS-DAL-TELLER-02	BR-DAL-01	03/22/2026	In use	7h 59m 58s	1h 0m 2s	8:00 - 17:00	
> WS-DAL-TELLER-02	BR-DAL-01	03/21/2026	In use	8h 59m 30s	30s	8:00 - 17:00	
> WS-DAL-TELLER-02	BR-DAL-01	03/20/2026	In use	4h 36m 23s	4h 23m 37s	8:00 - 17:00	
> WS-DAL-TELLER-09	BR-DAL-01	03/17/2026	In use	1h 14m 58s	7h 45m 2s	8:00 - 17:00	
> WS-DAL-TELLER-10	BR-DAL-01	03/17/2026	In use	1h 14m 4s	7h 45m 56s	8:00 - 17:00	

Copyright © 2026 BRINKS and its related entities. All Rights Reserved. v0.11

3.7.5 Child Table — Teller Events

Expand any row to view individual bag processing events. Each entry shows: Start Time, End Time, Duration and Evidence Video link.

BRINKS BRANCH AUTOMATION							
OptiView							
Detailed utilization data and insights							
Teller Workstation Bag ID							
TELLER IN WORKSTATION	BRANCH	DATE	CURRENT STATUS	ACTIVE TIME	IDLE TIME	SHIFT TIME	
> WS-DAL-TELLER-02	BR-DAL-01	03/22/2026	In use	7h 59m 58s	1h 0m 2s	8:00 - 17:00	
START TIME		END TIME		DURATION		VIEW	
03/22/2026, 08:00:27 AM		03/22/2026, 09:00:27 AM		1h 0m 0s		View	
03/22/2026, 09:00:28 AM		03/22/2026, 10:00:27 AM		1h 0m 0s		View	
03/22/2026, 10:00:28 AM		03/22/2026, 11:00:28 AM		1h 0m 0s		View	
03/22/2026, 11:00:29 AM		03/22/2026, 12:00:29 PM		1h 0m 0s		View	
03/22/2026, 12:00:30 PM		03/22/2026, 01:00:29 PM		1h 0m 0s		View	
03/22/2026, 01:00:30 PM		03/22/2026, 02:00:30 PM		1h 0m 0s		View	
03/22/2026, 02:00:31 PM		03/22/2026, 03:00:30 PM		1h 0m 0s		View	
03/22/2026, 03:00:31 PM		03/22/2026, 04:00:31 PM		1h 0m 0s		View	

Copyright © 2026 BRINKS and its related entities. All Rights Reserved. v0.11

3.7.6 Filter on Teller station

The screenshot shows the OptiView interface with a table of teller utilization data. The table has columns: TELLER IN WORKSTATION, BRANCH, DATE, CURRENT STATUS, ACTIVE TIME, and IDLE TIME. The data shows teller W5-DAL-TELLER-02 at branch BR-DAL-01 on 03/22/2026, with a current status of 'In use' and active time of 7h 59m 58s. A filter sidebar on the right allows filtering by Branch, Workstation, From Date, and To Date. The sidebar includes 'Apply Filters' and 'Clear Filters' buttons.

TELLER IN WORKSTATION	BRANCH	DATE	CURRENT STATUS	ACTIVE TIME	IDLE TIME
W5-DAL-TELLER-02	BR-DAL-01	03/22/2026	In use	7h 59m 58s	7h 0m 2s

3.7.7 Bag ID

Click on the toggle of Bag ID from header to view the workstation details.

The screenshot shows the OptiView interface with a table of bag-level events. The table has columns: BAG ID, EVENT COUNT, EVENT DURATION, and EVENT SEQUENCE. The data shows various bag IDs and their corresponding event counts and durations. A filter sidebar on the right allows filtering by Branch, Workstation, From Date, and To Date. The sidebar includes 'Apply Filters' and 'Clear Filters' buttons.

BAG ID	EVENT COUNT	EVENT DURATION	EVENT SEQUENCE
FOF57088881	2	5h 4m 23s	Bagin Sorting Area → Bagin Teller
BOD40437842	2	2h 2m 44s	Bagin Sorting Area → Bagin Teller
BOW37234568	2	2h 1m 51s	Bagin Sorting Area → Bagin Teller
PUO33938756	2	5h 5m 6s	Bagin Sorting Area → Bagin Teller
DSK48736174	2	5h 4m 30s	Bagin Sorting Area → Bagin Teller
BQP76235584	2	2h 0m 48s	Bagin Sorting Area → Bagin Teller
CEI29624795	2	5h 3m 19s	Bagin Sorting Area → Bagin Teller
BVO78096994	2	1h 59m 15s	Bagin Sorting Area → Bagin Teller
QSM67518601	2	5h 2m 44s	Bagin Sorting Area → Bagin Teller
BMI59518319	2	1h 57m 53s	Bagin Sorting Area → Bagin Teller

3.7.8 Child Table — Bag-level Events

Expand any row to view individual bag processing events. Each entry shows: Event, Workstation, Camera, and Start Time, End Time, and Evidence Video link.

The screenshot shows the Brinks OptiView interface. The top header includes the Brinks logo and 'BRANCH AUTOMATION'. The user 'Jaishmin' is logged in. The 'OptiView' section is active, showing 'Detailed utilization data and insights'. The 'Bag ID' tab is selected. The main table displays event data for Bag ID FOF57088881.

BAG ID	EVENT COUNT	EVENT DURATION	EVENT SEQUENCE
FOF57088881	2	5h 6m 23s	Bagin Sorting Area → Bagin Teller

EVENT	WORKSTATION	CAMERA	START TIME	END TIME	ACTION
Bagin Teller	WS-DAL-TELLER-03	CAM-DAL-CVS-03	03/04/2026, 10:04:59 AM	03/04/2026, 10:05:25 AM	🕒
Bagin Sorting Area	WS-DAL-SORT-01		03/04/2026, 04:59:02 AM	03/04/2026, 04:59:29 AM	🕒

3.7.9 Filter on Bag ID

The screenshot shows the Brinks OptiView interface with a filter applied to Bag ID. The 'Filter by' sidebar is open, showing a search for 'Enter Bag ID'. The main table displays a list of events filtered by the specified Bag ID.

BAG ID	EVENT COUNT	EVENT DURATION	EVENT SEQUENCE
> FOF57088881	2	5h 6m 23s	Bagin Sorting Area → Bagin Teller
> BOD40437842	2	2h 2m 44s	Bagin Sorting Area → Bagin Teller
> BOW37236568	2	2h 1m 51s	Bagin Sorting Area → Bagin Teller
> PU033938756	2	5h 5m 0s	Bagin Sorting Area → Bagin Teller
> DSK48738174	2	5h 4m 30s	Bagin Sorting Area → Bagin Teller
> BOP76235584	2	2h 0m 48s	Bagin Sorting Area → Bagin Teller
> CE29424795	2	5h 2m 19s	Bagin Sorting Area → Bagin Teller
> BVG78096994	2	1h 59m 15s	Bagin Sorting Area → Bagin Teller
> QSM67518601	2	5h 2m 44s	Bagin Sorting Area → Bagin Teller
> BMS9518319	2	1h 57m 53s	Bagin Sorting Area → Bagin Teller

3.8 User Management

Supervisor can manage users assigned to branches within their scope. Navigate to Users from the sidebar to view the list of users.

BRINKS BRANCH AUTOMATION								
USER DETAILS								
Detailed user information is displayed below								
FIRST NAME	LAST NAME	EMAIL	STATUS	ROLE	WORK STATION	BRANCH	CREATED AT	ACTIONS
branch	user	jashmin.j@hitech.com	☒	Superuser	NA	NA	02/13/2026, 02:17:53 AM	Edit
Giovanni	Ortiz	giovanni.ortiz@brinks.com	☒	Supervisor	WS-DAL-PACK-01	NA	02/13/2026, 02:17:12 AM	Edit Delete
Piyush	Sangale	piyush@4718kittugmail432.onmicrosoft.com	☒	Supervisor	NA	NA	03/12/2026, 12:43:36 AM	Edit Delete
Abhishek	Ganguly	abhishek.ganguly@brinks.com	☒	Superuser	WS-DAL-SORT-01	NA	02/03/2026, 05:20:00 AM	Edit Delete

Copyright © 2026 BRINKS and its related entities. All Rights Reserved.

v0.1.1

3.8.1 Adding user

Supervisor can add new users and assign them any role below Admin (i.e., Branch Manager, Claim associate and supervisor). Enter the Required fields for first name, last name, Email, role and other fields to add the new user.

BRINKS BRANCH AUTOMATION	
ADD USER	
Complete all required fields	
First Name *	Last Name *
Email *	Role *
Country	State
City	Branch
Workstation Type	Workstation
Cancel Save	

Copyright © 2026 BRINKS and its related entities. All Rights Reserved.

v0.1.1

3.8.2 Editing user

Click the edit icon from the action column to edit the user. Edit the details and save the changes to edit the user.

BRINKS BRANCH AUTOMATION							
USER DETAILS							
Default user information is displayed below							
FIRST NAME	LAST NAME	EMAIL	STATUS	ROLE	WORK STATION	BRANCH	CREATED AT
branch	user	jaishmin.j@hitech.com	☒	Supervisor	NA	NA	03/18/2024, 02:17:32 AM
Giovanni	Ortiz	giovanni.ortiz@brinks.com	☒	Supervisor	WS-BAL-PACK-01	NA	03/18/2024, 02:17:32 AM

edit the user

BRINKS | BRANCH AUTOMATION

Jaishmin

EDIT USER

Update user details

Back

First Name *

branch

Last Name *

user

Email *

jaishmin.j@hitech.com

Role *

Supervisor

Country *

Select country

State *

Select state

City *

Select city

Branch *

Select branch

Workstation Type

Select type

Workstation

Select workstation

Cancel


Save

Copyright © 2025 BRINKS and its related entities. All Rights Reserved.

v0.11

3.8.3 Delete user

Supervisor can delete the user by clicking on the delete icon from the action button.



4 Logging Out

To log out, click your username or avatar in the top-right corner of the screen and select Sign Out. Your session token is immediately revoked. For security, always log out when leaving an unattended workstation.

