

VOICE AGENTS CHALLENGE

# Eufisky

A voice agent that guards Mom's phone line—screening strangers, recognizing scam pressure, and stepping in privately.

Built on AssemblyAI



# The danger begins after “hello.”

**\$2.4B**

in fraud losses reported by adults 60+ in 2024—four times the 2020 total.

“Margaret answers an unfamiliar number. The caller says Medicare benefits will be suspended today. Blocking the number now is too late: the persuasive conversation has already started.”

Source: FTC, Protecting Older Consumers 2024–2025, December 2025. Reported losses; not Eufisky savings.

# One sentence changes the call.

LIVE RISK

74

AUTHORITY CLAIM

URGENT

PII REQUEST

## Connected call

Caller: "Please read me the number on your Medicare card."

Margaret: "Let me get my purse."

**Caller paused · Guardian is speaking privately with Margaret**

# Listen separately. Decide transparently. Intervene privately.

1

## Two audio legs

Caller and senior each get a Universal Streaming session.

Caller · “Medicare”

Margaret · “my card”

2

## Explainable risk

Speaker-specific phrases, decaying weights, combo bonuses, and fixed thresholds.

3

## Private Guardian

The caller is held. Margaret can resume, call Sarah, trust, or end.

# AssemblyAI integration

| CAPABILITY          | WHERE                           | PURPOSE                                                   |
|---------------------|---------------------------------|-----------------------------------------------------------|
| Voice Agent API     | Front Door + Guardian           | Front Door and Guardian; fallback paths available         |
| Universal Streaming | One session per connected leg   | Low-latency words with deterministic caller/senior labels |
| Keyterm prompting   | Names + scam lexicon            | Bias recognition toward relevant vocabulary               |
| Batch PII redaction | After unknown calls             | Safer transcript and redacted audio when available        |
| LLM Gateway summary | LLM Gateway + template fallback | Plain-English, structured incident report for family      |

# Private help during a concerning call

~~Judge a call from caller ID alone~~

~~Ask an opaque model for a scam verdict~~

~~Record every family conversation~~

~~Take control away from the senior~~

Pause a concerning conversation, explain the evidence, and offer family help.

Explainable rules and private assistance. Consent controls need further hardening.

# Start with families; validate partner demand

## Families

A calm safety layer without listening to ordinary calls

## Telcos

An opt-in protection service beyond commodity blocking

## Insurers + banks

Intervene before a payment or account disclosure

## Senior living

Consistent escalation to staff and family

## Pricing hypothesis

Explore a family subscription and partner pilots. Pricing awaits measured usage and operating costs.

Trusted calls bypass AI. Carrier charges and support costs still matter.

# From browser proof to an everyday safety service.

01

## Real phone lines

Twilio or carrier media streams, per-leg whispers, call attestation, consent, and durable encrypted storage.

02

## Language coverage

Spanish monitoring is optional today. Localized agent conversations and evaluation come next.

03

## Family app

Contacts, alerts, live conference invitations, and accessible incident review.

# Measured prototype, defined next steps

85

## Passing local tests

Routing, hold isolation, rules, Replay, post-call processing, and browser contracts.

100

## Scripted scenarios

60 scam scripts reached intervention; 40 benign scripts did not.  
Constructed text fixtures.

Next

## Real audio evaluation

Consent hardening, privacy controls, accents, outages, and real phone integration.

# Keep the familiar phone call. Add a steady voice.

## Eufisky

Browser prototype · AssemblyAI Voice Agent Hackathon · September 2026

Live demo

[eufisky.onrender.com](https://eufisky.onrender.com)

Public repository

[github.com/adib-cyber007/Eufisky](https://github.com/adib-cyber007/Eufisky)

Family dashboard

[Replay the full intervention](#)