

Git & GitHub — Assignment Submission

Aditya Bawane

1. Repository Setup & First Branch

Task: Clone the repository via SSH, create a branch named after the username, add the Flask project files, commit, and merge into the main branch.

```
git clone git@github.com:adibawne26/flask-mongodb-assignment.git
cd flask-mongodb-assignment
git checkout -b adibawne26
git add .
git commit -m "Added Flask project files"
git push origin adibawne26
git add .
git commit -m "Committed changes in Html file"
git push origin adibawne26
git checkout master
git merge adibawne26
git push origin master
```

Explanation: The repo was cloned over SSH, and a personal branch adibawne26 was created for the project files. Since master didn't exist yet under that name (the checkout main attempt failed), master was used as the base branch. After committing and pushing to adibawne26, it was fast-forward merged into master and pushed.


A screenshot of a terminal window titled 'adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl'. The terminal shows the following commands and output:
1. Command: `git clone git@github.com:adibawne26/flask-mongodb-assignment.git`
Output: `Cloning into 'flask-mongodb-assignment'...`
`remote: Enumerating objects: 16, done.`
`remote: Counting objects: 100% (16/16), done.`
`remote: Compressing objects: 100% (13/13), done.`
`remote: Total 16 (delta 1), reused 16 (delta 1), pack-reused 0 (from 0)`
`Receiving objects: 100% (16/16), 562.41 KiB | 797.00 KiB/s, done.`
`Resolving deltas: 100% (1/1), done.`
2. Command: `ls`
Output: `flask-mongodb-assignment`
The terminal window has a dark background with light blue and green text.

Fig 1.1 — Cloning the repository via SSH

```
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout -b adibawne26
Switched to a new branch 'adibawne26'
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git add .
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git commit -m "Added Flask project files"
On branch adibawne26
nothing to commit, working tree clean
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git push origin adibawne26
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Create a pull request for 'adibawne26' on GitHub by visiting:
remote:   https://github.com/adibawne26/flask-mongodb-assignment/pull/new/adibawne26
remote:
To github.com:adibawne26/flask-mongodb-assignment.git
+ [new branch]   adibawne26 -> adibawne26
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git add .
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git commit -m "Committed changes in Html file [adibawne26 220d06d] Committed changes in Html file"
1 file changed, 2 insertions(+)
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git push origin adibawne26
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 4 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 423 bytes | 423.00 KiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:adibawne26/flask-mongodb-assignment.git
c2dcf35..220d06d adibawne26 -> adibawne26
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout main
error: pathspec 'main' did not match any file(s) known to git
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git merge adibawne26
Updating c2dcf35..220d06d
Fast-forward
 templates/success.html | 2 ++
+ file changed, 2 insertions(+)
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git push origin master
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:adibawne26/flask-mongodb-assignment.git
c2dcf35..220d06d master -> master
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$
```

Fig 1.2 — Creating branch adibawne26, committing, pushing, and merging into master




Fig 1.3 — Repository on GitHub after the merge, showing project files on the adibawne26 branch

2. Updating the JSON Data (adibawne26_new branch)

Task: Create a branch `adibawne26_new`, update the JSON file used by `/api`, and merge it back into `master`, resolving any conflicts in favour of the new branch.


data.json — before

```
[
  { "id": 1, "name": "Aditya", "course": "Information Technology" },
  { "id": 2, "name": "Sumit", "course": "Computer Engineering" }
]
```

A third record (Manav, Mechanical Engineering) was added on the new branch, as seen in the `/api` response after merging.


```
git checkout -b adibawne26_new
git add .
git commit -m "Updated JSON data"
git push origin adibawne26_new
git checkout master
git merge adibawne26_new
git push origin master
```

Explanation: The update (5 insertions to `data.json`) was committed on `adibawne26_new`, pushed, then merged into `master` as a clean fast-forward — no conflicts arose since `master` hadn't changed `data.json` independently.



```
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout -b adibawne26_new
Switched to a new branch 'adibawne26_new'
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git add .
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git commit -m "Updated JSON data"
[adibawne26_new cda0df7] Updated JSON data
1 file changed, 5 insertions(+)
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git push origin adibawne26_new
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 335 bytes | 167.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'adibawne26_new' on GitHub by visiting:
remote:   https://github.com/adibawne26/flask-mongodb-assignment/pull/new/adibawne26_new
remote:
To github.com:adibawne26/flask-mongodb-assignment.git
 * [new branch]      adibawne26_new -> adibawne26_new
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git merge adibawne26_new
Updating 220d06d..cda0df7
Fast-forward
 data.json | 5 +++++
 1 file changed, 5 insertions(+)
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git push origin master
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:adibawne26/flask-mongodb-assignment.git
 220d06d..cda0df7  master -> master
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$
```

Fig 2.1 — Branch `adibawne26_new`: updating `data.json`, pushing, and fast-forward merging into `master`



The image shows a browser window with a dark theme. The address bar at the top displays the URL `127.0.0.1:5000/api`. Below the address bar, there is a 'Pretty-print' button. The main content area of the browser displays a JSON array of three objects, each representing a record with 'course', 'id', and 'name' fields. The records are: 1. Information Technology (Aditya), 2. Computer Engineering (Sumit), and 3. Mechanical Engineering (Manav).


```
[
  {
    "course": "Information Technology",
    "id": 1,
    "name": "Aditya"
  },
  {
    "course": "Computer Engineering",
    "id": 2,
    "name": "Sumit"
  },
  {
    "course": "Mechanical Engineering",
    "id": 3,
    "name": "Manav"
  }
]
```

Fig 2.2 — /api now returning all three records after the merge

3. Parallel Feature Branches — Frontend & Backend

Task: Create master_1 (To-Do frontend form) and master_2 (backend /submittodoitem route) from master, then merge both back into master.

```
git checkout master
git checkout -b master_1
git checkout master
git checkout -b master_2
```



```
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout master
Already on 'master'
Your branch is up to date with 'origin/master'.
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout -b master_1
Switched to a new branch 'master_1'
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout -b master_2
Switched to a new branch 'master_2'
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$
```

Fig 3.1 — Creating master_1 and master_2 from master

master_1 — templates/todo.html

```
<h2>To-Do Form</h2>
<form>
<input placeholder="Item Name">
<input placeholder="Item Description">
<button>Submit</button>
</form>
```

```
git checkout master_1
cd templates && touch todo.html && cd ..
git add .
git commit -m "Created todo frontend"
git push origin master_1
```

```
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout master_1
Already on 'master_1'
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ ls
Flask_MongoDB_Assignment.pdf  Screenshots  app.py  data.json  requirements.txt  templates
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ cd templates
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment/templates$ touch todo.html
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment/templates$ cd ..
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git add .
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git commit -m "Created todo frontend"
[master_1 7abb7fc] Created todo frontend
1 file changed, 11 insertions(+)
create mode 100644 templates/todo.html
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git push origin master_1
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 4 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 469 bytes | 469.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'master_1' on GitHub by visiting:
remote:   https://github.com/adibawne26/flask-mongodb-assignment/pull/new/master_1
remote:
To github.com:adibawne26/flask-mongodb-assignment.git
 * [new branch]   master_1 -> master_1
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$
```

Fig 3.2 — *master_1*: creating and committing *todo.html*





Fig 3.3 — *todo.html* in the editor, showing the Item Name / Item Description form

master_2 — app.py addition

```
@app.route('/submittodoitem', methods=['POST'])
def submitTodo():
    item = {
        "itemName": request.form['itemName'],
        "itemDescription": request.form['itemDescription']
    }
    collection.insert_one(item)
    return "Stored Successfully"
```

```
git checkout master_2
git add .
git commit -m "Created todo backend API"
git push origin master_2
```

Explanation: /submittodoitem accepts a POST request, builds a dict from the form fields, and inserts it into the MongoDB collection.




```
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout master_2
Switched to branch 'master_2'
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git add .
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git commit -m "Created todo backend API"
[master_2 a0f2f7c] Created todo backend API
1 file changed, 12 insertions(+)
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git push origin master_2
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 431 bytes | 431.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'master_2' on GitHub by visiting:
remote:   https://github.com/adibawne26/flask-mongodb-assignment/pull/new/master_2
remote:
To github.com:adibawne26/flask-mongodb-assignment.git
 * [new branch]      master_2 -> master_2
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$
```

Fig 3.4 — master_2: committing the backend route

Merging both branches into master

```
git checkout master
git merge master_1
git merge master_2
git push origin master
```

Explanation: `master_1` merged as a fast-forward (`todo.html`). `master_2` touched a different file (`app.py`) than `master_1`, so Git used its 'ort' three-way merge strategy automatically — no conflicts.



```
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git merge master_1
Updating cda0df7..7ab07fc
Fast-forward
 templates/todo.html | 11 ++++++++
 1 file changed, 11 insertions(+)
 create mode 100644 templates/todo.html
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git merge master_2
Merge made by the 'ort' strategy.
 app.py | 12 ++++++++
 1 file changed, 12 insertions(+)
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git push origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 291 bytes | 291.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:adibawne26/flask-mongodb-assignment.git
 cda0df7..0a55b78 master -> master
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$
```

Fig 3.5 — Merging `master_1` and `master_2` into `master`, then pushing


4. Sequential Commits, Reset, and Rebase

Task: Add Item ID, Item UUID, and Item Hash fields to the To-Do form as three separate commits on master_1, merge into master, reset master back to the 'Item ID' state, then rebase master_1 onto that reset master while preserving individual commits.

4.1 Three sequential commits on master_1

```
git checkout master_1
git add .
git commit -m "Added Item ID field"
git add .
git commit -m "Added Item UUID field"
git add .
git commit -m "Added Item Hash field"
git push origin master_1
```

Explanation: Each new <input> field (Item ID, Item UUID, Item Hash) was added to todo.html and committed on its own, giving three distinct, traceable commits.



```
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout master_1
Switched to branch 'master_1'
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git add .
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git commit -m "Added Item ID field"
[master_1 d924625] Added Item ID field
1 file changed, 2 insertions(+)
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git add .
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git commit -m "Added Item UUID field"
[master_1 015255b] Added Item UUID field
1 file changed, 2 insertions(+)
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git add .
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git commit -m "Added Item Hash field"
[master_1 7957858] Added Item Hash field
1 file changed, 2 insertions(+)
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout master_1
Switched to branch 'master_1'
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git push origin master_1
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.


Please make sure you have the correct access rights
and the repository exists.
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git push origin master_1
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 4 threads
Compressing objects: 100% (12/12), done.
Writing objects: 100% (12/12), 1.00 KiB | 1.00 MiB/s, done.
Total 12 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (8/8), completed with 2 local objects.
To github.com:adibawne26/flask-mongodb-assignment.git
7abb7fc..7957858 master_1 -> master_1
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$
```

Fig 4.1 — Three separate commits for ID, UUID, and Hash fields, then pushed to master_1

4.2 Merge into master, then reset

```
git checkout master
git merge master_1
git log --oneline
git reset --soft d924625
git commit -m "Reset to Item ID state"
```

Explanation: After merging all three field commits into master, git log --oneline was used to find the commit hash (d924625) where only the Item ID field existed. git reset --soft moved master's branch pointer back to that point while keeping the later changes staged, which were then re-committed as a single 'Reset to Item ID state' commit — so master now reflects only the Item ID addition.



```
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git merge master_1
Merge made by the 'ort' strategy.
 templates/todo.html | 6 +++++
 1 file changed, 6 insertions(+)
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git merge master_1
Already up to date.
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git log --oneline
e447aee (HEAD -> master) Merge branch 'master_1'
7957858 (origin/master_1, master_1) Added Item Hash field
015255b Added Item UUID field
d924625 Added Item ID field
0a55b78 (origin/master, origin/HEAD) Merge branch 'master_2'
a8f2f7c (origin/master_2, master_2) Created todo backend API
7ab07fc Created todo frontend
c0db0f7 (origin/adibawne26_new, adibawne26_new) Updated JSON data
228d0ed (origin/adibawne26, adibawne26) Committed changes in Html file
c2dcf35 Flask and MongoDB assignment submission
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git reset --soft d924625
[master 66543cf] Reset to Item ID state
 2 files changed, 16 insertions(+)
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git checkout master_1
Switched to branch 'master_1'
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$ git rebase master
Auto-merging templates/todo.html
CONFLICT (content): Merge conflict in templates/todo.html
error: could not apply 015255b... Added Item UUID field
hint: Resolve all conflicts manually, mark them as resolved with
hint: 'git add/rm <conflicted_files>', then run 'git rebase --continue'.
hint: You can instead skip this commit: run 'git rebase --skip'.
hint: To abort and get back to the state before 'git rebase', run 'git rebase --abort'.
hint: Disable this message with 'git config set advice.mergeConflict false'
Could not apply 015255b... # Added Item UUID field
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment$
```

Fig 4.2 — Merging master_1, inspecting history, and soft-resetting master to the Item ID commit

4.3 Rebasing master_1 onto the reset master

```
git checkout master_1
git rebase master
```

Explanation: Rebasing replays master_1's commits (UUID field, Hash field) on top of the reset master. Since master no longer contains the UUID/Hash commits directly, Git tried to reapply the 'Added Item UUID field' patch and hit a conflict in todo.html, pausing the rebase for manual resolution.


```
adibawne37@adibawne-VirtualBox: ~/Assignments/version-ctl/flask-mongodb-assignment
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git status
Interactive rebase in progress; onto 66543cf
Last command done (1 command done):
  pick 015255b # Added Item UUID field
Next command to do (1 remaining command):
  pick 7957858 # Added Item Hash field
  (use "git rebase --edit-todo" to view and edit)
You are currently rebasing branch 'master_1' on '66543cf'.
  (fix conflicts and then run "git rebase --continue")
  (use "git rebase --skip" to skip this patch)
  (use "git rebase --abort" to check out the original branch)

Unmerged paths:
  (use "git restore --staged <file>..." to unstage)
  (use "git add <file>..." to mark resolution)
    both modified:   templates/todo.html

no changes added to commit (use "git add" and/or "git commit -a")
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git add templates/todo.html
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git rebase --continue
[detached HEAD ecd6e94] Added Item UUID field
1 file changed, 1 insertion(+), 3 deletions(-)
Successfully rebased and updated refs/heads/master_1.
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$ git push origin master_1 --force-with-lease
Enumerating objects: 17, done.
Counting objects: 100% (17/17), done.
Delta compression using up to 4 threads
Compressing objects: 100% (13/13), done.
Writing objects: 100% (13/13), 1.11 KiB | 227.00 KiB/s, done.
Total 13 (delta 10), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (10/10), completed with 4 local objects.
To github.com:adibawne26/flask-mongodb-assignment.git
+ 7957858...fc7c92a master_1 -> master_1 (forced update)
adibawne37@adibawne-VirtualBox:~/Assignments/version-ctl/flask-mongodb-assignment$
```

Fig 4.4 — Resolving the rebase conflict, continuing, and force-pushing with `--force-with-lease`