

TRIAL CHECK SHEET

To : PT. PRECIOUS INDONESIA

Attn :

Issue date : 03 AGUSTUS 2026

Machine No

2

Part No : 507 1248

Part Name : COVER SHOULDER BELT ANCHOR

Material Used : PP TRILENEN HI 10 H0 + MB 707 R8 (2%) BLACK

Tool Kit

T5

DRAWING

KNOWN

APPROVED

CHECKED

PREPARED

(Mgr. PE)

TRIAL ITEM

PURPOSE

☒ New Molding

☐ Material

☐ Modification

☐ Setting Condition

☒ Repair

☐ Others

RENEWAL MOLD TL.2

JUDGEMENT

INTERNAL

OK

NG

COMMENT :

~ T5 (03 AGUSTUS 2026)

~ DATA IS DAN SUMMARY NG

~ NEW LIFFTER

GENERAL TOLERANCE

0.5 ~ 3	±0.1
3 ~ 6	±0.1
6 ~ 30	±0.2
30 ~ 120	±0.3

RADIUS

0 ~ 3	±0.2
3 ~ 6	±0.5
6 ~	±1


ANGLE

10 ~ 50	±0.30
50 ~ 120	±0.20
120 ~ 400	±0.10

Note :

● Under
● Over

● Trial
○ Sample





DIMENSION CHECK				TRIAL RESULT																
No	Spec		Equipment	T2 (26 MEI 2026)				T3 (22 JUNI 2026)				T4 (14 JULI 2026)				T5 (03 AGUSTUS 2026)				
				3	JUDG	4	JUDG	3	JUDG	4	JUDG	3	JUDG	4	JUDG	3	JUDG	4	JUDG	
N°100	59	+ 0.3 - 0.3	VMS	58.983	OK	58.996	OK	58.947	OK	58.883	OK	58.896	OK	58.826	OK	58.909	OK	58.891	OK	
N°107	1 27	+ 0.2 - 0.2	VMS	26.947	OK	26.997	OK	27.063	OK	27.106	OK	27.023	OK	26.958	OK	27.066	OK	27.028	OK	
	2 27	+ 0.2 - 0.2	VMS	26.948	OK	26.868	OK	26.868	OK	26.967	OK	26.861	OK	26.872	OK	27.065	OK	27.049	OK	
N°112	47	+ 0.3 - 0.3	VMS	46.809	OK	46.756	OK	46.784	OK	46.820	OK	46.746	OK	46.739	OK	46.765	OK	46.834	OK	
N°300	3.5	+ 0.1 - 0.1	DH	3.545	OK	3.449	OK	3.536	OK	3.445	OK	3.515	OK	3.432	OK	3.518	OK	3.435	OK	
N°305	1 10	+ 0.2 - 0.2	DH	9.983	OK	9.927	OK	9.955	OK	9.914	OK	9.915	OK	9.869	OK	9.919	OK	9.873	OK	
	2 10	+ 0.2 - 0.2	DH	9.926	OK	9.891	OK	9.905	OK	9.866	OK	9.853	OK	9.802	OK	9.861	OK	9.821	OK	
N°306	18.5	+ 0.2 - 0.2	DH	18.546	OK	18.526	OK	18.523	OK	18.524	OK	18.520	OK	18.504	OK	18.521	OK	18.502	OK	
N°309	32.5	+ 0.3 - 0.3	VMS	32.571	OK	32.462	OK	32.523	OK	32.446	OK	32.419	OK	32.434	OK	32.485	OK	32.447	OK	
N°401	1 4.5	+ 0.1 - 0.1	VMS	4.580	OK	4.499	OK	4.652	NG	4.608	NG	4.464	OK	4.454	OK	4.519	OK	4.478	OK	
	2 4.5	+ 0.1 - 0.1	VMS	4.589	OK	4.583	OK	4.567	OK	4.548	OK	4.587	OK	4.526	OK	4.620	NG	4.556	OK	
	6.5	+ 1 - 1	SCALE	6.789	OK	6.635	OK	6.707	OK	6.581	OK	6.677	OK	6.556	OK	6.623	OK	6.607	OK	
APPEARANCE CHECK																				Decision
No			Equipment																	
1	No Shortmold		Visual	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	OK
2	No Flashes		Visual	X	NG	X	NG	X	NG	X	NG	X	NG	X	NG	X	NG	X	NG	NG
3	No Drag Mark		Visual	X	NG	X	NG	X	NG	X	NG	X	NG	X	NG	X	NG	X	NG	NG
4	No Gatelong		Visual	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	OK
5	No Frash		Visual	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	OK
6	No Hike		Visual	X	NG	O	OK	X	NG	O	OK	X	NG	O	OK	X	NG	O	OK	NG
7	No Shining		Visual	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	OK
8	No Scratch		Visual	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	OK
9	No Weldline		Visual	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	O	OK	OK

CUSTOMER : PT. AUTOLIV
PART NAME : COVER SHOULDER BELT ANCHOR
PART NUMBER : 507 1248
DESCRIPTION : APPEARANCE PART T5
TRIAL DATE : 03 AGUSTUS 2026
ISSUE DATE : 04 AGUSTUS 2026

Approved	Checked	Prepared
<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i> JIHAN

ABNORMAL APPEARANCE



DRAG MARK CAV 3

CER MOLD




DRAG MARK CAV 4

CER MOLD




BURRY
CAV 3 : 0.109 mm
CAV 4 : 0.124 mm

Repair




HIKE CAV 3

✓



UNDERCUT CAV 3



UNDERCUT CAV 3

BURRY
CAV 3 : 0.041 mm






BURRY
CAV 3 : 0.067 mm

OK

NOTE : CER OPEN LIFTER
CURUP TIRAK UNTUK RELEASE PART



A-A 1:1



SECTION	A-A 11	
FIRST POS.NO.	N°300	LAST POS.NO. N°309
DELETED POS.NO.	-	

VIEW	FRONT	
FIRST POSNO	N°100	LAST POSNO
DELETED POSNO	-	

VIEW	ASSY WITH SLIP ANCHOR		
FIRST POS.ND	N°500	LAST POS.ND	N°501
DELETED POS.ND	-		



SECTION	B-B 1:1	
FIRST POS.NO.	N°401	LAST POS.NO.
SELECTED POS.NO.	-	

VIEW	LOWER		
FIRST POS.ND	N°200	LAST POS.ND	-
DELETED POS.ND	-		

	PART NO.	DWG. LEVEL	REMARKS	COLOR	SURFACE FINISHING CODE
N17	507 1248 68	A	COVER, SHOULDER BELT ANCHOR	GREY	-
N16	507 1248 69	A	COVER, SHOULDER BELT ANCHOR	GREY	-
N15	507 1248 M1	A	COVER, SHOULDER BELT ANCHOR	LIGHT GREY	-
N14	507 1248 N2	A	COVER, SHOULDER BELT ANCHOR	GREY	-
N13	507 1248 O1	A	COVER, SHOULDER BELT ANCHOR	B. BLACK	-
N12	507 1248 54	A	COVER, SHOULDER BELT ANCHOR	DAK. GREY	-
N11	507 1248 F4	A	COVER, SHOULDER BELT ANCHOR	TIVORY	-

[illegible]

MASTER
DC /mc /24/06/2006

DW-21033-0

NOTES

VIEW	FRAME		
FIRST POSND	N°01	LAST POSND	N°13
DELETED POSND	-		

N001. 1. HAZARDOUS BURR, TEARS BE PROHIBITED
 N002. 2. COMPONENT TO BE FREE FROM ALL SURFACE
 IMPERFECTIONS, FLASHES AND GATE TABS
 N003. 3. UNLESS OTHERWISE SPECIFIED :
 FILLET RADIUS MAX. .05
 WALL THICKNESS .2501
 GEN. TOL. .020 MIN .060 ; ANGLED .30°
 N004. 4. PART MUST MAINTAIN FIRM AT TEMPERATURE, FIRM
 24H -40°C SUBSEQUENT 24H +100°C
 N005. 5. FLAMMABILITY TEST ACC. TO AWSA. 302
 UV REQUIREMENT TEST 6541G
 N007. 6. AUTULITY TO HAVE FINAL AUTHORITY ON CHOICE OF MATERIAL
 WHERE ALTERNATIVE MATERIALS ARE GIVEN,
 N008. 7. DIM. ESQ. TO BE MEASURE AT VENDORS AND AT
 RECEIVING INSPECTION EVERY BATCH
 N009. 8. PROHIBITED SUBSTANCES ACC. TO AS 5
 * SUBSTANCES USE RESTRICTIONS 69H, Hb, Cd, Cr⁶⁺ *
 N010. 9. COMPLIANCE DATA FREQUENCY : ES SPECS NOTED
 ARE TO BE REQUALIFIED FOR EACH PPAP SUBMISSION UNLESS
 OTHER AGREEMENT BY AUTULITY IS PROVIDED IN WRITING

DW-210

PE/mc/24/06/26

Autoliv

PT. AUTOLIV INDONESIA
BUILDINGS 2 FLOOR J. PUDJAPRAN V BLOK JU
JED MWARIA - INDONESIA 17002



REFERENCE	VARIOUS
(LITHO)	COVER SHOULD BELT ANCHOR
(LITHO)	COVER, SHOULDER BELT ANCHOR

CLASSIFICATION AS 4	2	YES/NO
ADDITIONAL INFORMATION ABOUT APPROVAL AND RELEASE DATE, SEE FDM SYSTEM		

507 1248

002