



上段:ダイヤモンド電機データ/下段:仕入先データ															
	検査項目	測定器	測定器No.	規格		31	32	33	34						判定
229				25,8	+ 0,1										OK
					- 0,1	25,740	25,740	25,740	25,750						OK
230				19,6	+ 0,1										OK
					- 0,1	19,554	19,535	19,545	19,553						OK
234				23,1	+ 0,1										OK
					- 0,1	23,024	23,022	23,031	23,025						OK
235				29,3	+ 0,1										OK
					- 0,1	29,200	29,200	29,200	29,200						OK
240				25,8	+ 0,1										OK
					- 0,1	25,740	25,740	25,730	25,730						OK
241				19	+ 0,1										OK
					- 0,1	18,920	18,930	18,930	18,930						OK
245				22,5	+ 0,1										OK
					- 0,1	22,450	22,440	22,450	22,440						OK
246				29,3	+ 0,1										OK
					- 0,1	29,210	29,210	29,200	29,200						OK
251				25,8	+ 0,1										OK
					- 0,1	25,730	25,730	25,730	25,730						OK
252				18,4	+ 0,1										OK
					- 0,1	18,330	18,330	18,340	18,330						OK
256				21,9	+ 0,1										OK
					- 0,1	21,840	21,830	21,850	21,840						OK
257				29,3	+ 0,1										OK
					- 0,1	29,200	29,200	29,200	29,200						OK
262				25,8	+ 0,1										OK
					- 0,1	25,730	25,730	25,730	25,730						OK
263				18,2	+ 0,1										OK
					- 0,1	18,130	18,140	18,140	18,130						OK
267				21,7	+ 0,1										OK
					- 0,1	21,610	21,630	21,630	21,630						OK
268				29,3	+ 0,1										OK
					- 0,1	21,200	21,200	21,210	21,210						OK
278				13,35	+ 0,1										OK
					- 0,1	13,285	13,296	13,261	13,273						OK
288				3N以上	+										OK
	抜け力				-	8,200	5,300	5,900	5,800						OK
289				3N以上	+										OK
	抜け力				-	5,900	8,800	5,800	8,700						OK
290				1N以上	+										OK
	抜け力				-	2,500	3,300	2,500	2,800						OK
291				0,05	+ 0										OK
	段差・バリ				- 0,05	0,022	0,025	0,024	0,024						OK
					+										OK
	Void				-	OK	OK	OK	OK						



CUSTOMER : PT. DIAMOND
PART NAME : SECONDARY BOBBIN TL.3 (FK0580)
PART NUMBER : T0323170-D
DESCRIPTION : APPEARANCE PART VOID
ISSU DATE : 07-05-2026

Approved	Checked	Prepared
		





最大1.0mm許可
MAXIMUM 1.0mm SIZE
IS ALLOWED.

31	32	33	34
			
Actual Void : 0,589 mm	Actual Void : 0,447 mm	Actual Void : 0,360 mm	Actual Void : 0,542 mm
JUDG	JUDG	JUDG	JUDG
OK	OK	OK	OK



- (1) ボイド無きこと
NO VOID IS ALLOWED.
- (2) 最大0.3mm許可
MAXIMUM 0.3mm SIZE
IS ALLOWED.
- (3) 最大0.5mm許可
MAXIMUM 0.5mm SIZE
IS ALLOWED.
- (4) 最大1.0mm許可
MAXIMUM 1.0mm SIZE
IS ALLOWED.

31	32	33	34
			
JUDG	JUDG	JUDG	JUDG
OK	OK	OK	OK



- (1) ボイド無きこと
NO VOID IS ALLOWED.
- (2) 最大0.3mm許可
MAXIMUM 0.3mm SIZE IS ALLOWED.
- (3) 最大0.5mm許可
MAXIMUM 0.5mm SIZE IS ALLOWED.
- (4) 最大1.0mm許可
MAXIMUM 1.0mm SIZE IS ALLOWED.

31	32	33	34
JUDG	JUDG	JUDG	JUDG
OK	OK	OK	OK