Examples

Awk

```
$ cat table.txt
brown bread mat hair 42
blue cake mug shirt -7
yellow banana window shoes 3.14

# print the second field of each input line
$ awk '{print $2}' table.txt
bread
cake
banana

# print lines only if the last field is a negative number
# recall that the default action is to print the contents of $0
$ awk '$NF<0' table.txt
blue cake mug shirt -7

# change 'b' to 'B' only for the first field
$ awk '{gsub(/b/, "B", $1)} 1' table.txt
Brown bread mat hair 42
Blue cake mug shirt -7
yellow banana window shoes 3.14
```

```
awk 'cond1{action1} cond2{action2} ... condN{actionN}'
```

https://learnbyexample.github.io/learn_gnuawk/

Awk

Examples

```
$ cat table.txt
brown bread mat hair 42
blue cake mug shirt -7
yellow banana window shoes 3.14

# print the second field of each input line
$ awk '{print $2}' table.txt
bread
cake
banana

# print lines only if the last field is a negative number
# recall that the default action is to print the contents of $0
$ awk '$NF<0' table.txt
blue cake mug shirt -7

# change 'b' to 'B' only for the first field
$ awk '{gsub(/b/, "B", $1)} 1' table.txt
Brown bread mat hair 42
Blue cake mug shirt -7
yellow banana window shoes 3.14
```

```
awk 'cond1{action1} cond2{action2} ... condN{actionN}'
```

https://learnbyexample.github.io/learn_gnuawk/

Linux

Sed

- Substitutions
    - /Pattern/replacement/flags
        - Flags : n <replace the n-matchin pattern>,g<global>,I <insensitive case>,p <print pattern>

1:101-201	201:101:1
2:102-202	202:102:2
3:103-203	203:103:3
4:104-204	204:104:4
5:105-205	205:105:5
6:106-206	206:106:6