

•headworldcitiespop.csv

•wc-|worldcitiespop.csv

• head-1000worldcitiespop.csv > sample_worldcitiespop.csv

•cut-d',-f1,5worldcitiespop.csv>country_population.csv

• tail-n+2worldcitiespop.csv|sort-t','-k5-nr|head-10

- `cut-d', '-f1 worldcitiespop.csv | sort | uniq | tail -n +2`

• `awk -F',' 'NR>1 && $5>10000000' worldcitiespop.csv`

- `awk -F',' 'NF > 1 {pop[$1]+=$5} END{ for(c in pop){print c" "pop[c]}}'`
`worldcitiespop.csv | sort -rn -k2,2 | head`

• Add country name using join.

Working with text files line by line

Linux

Country	City	Accent	City	Region	Population	Latitude	Longitude
ad	aixas	Aixàs	06		42.4833333	1.4666667	
ad	aixirivali	Aixirivali	06		42.4666667	1.5	
ad	aixirivall	Aixirivall	06		42.4666667	1.5	
ad	aixirvall	Aixirvall	06		42.4666667	1.5	
ad	aixovall	Aixovall	06		42.4666667	1.4833333	
ad	andorra	Andorra	07		42.5	1.5166667	
ad	andorra la vella	Andorra la Vella	07	20430	42.5	1.5166667	
ad	andorra-vieille	Andorra-Vieille	07		42.5	1.5166667	
ad	andorre	Andorre	07		42.5	1.5166667	

Linux

Working with text files line by line

- `head worldcitiespop.csv`
- `wc -l worldcitiespop.csv`
- `head -100 worldcitiespop.csv > sample_worldcitiespop.csv`
- `cut -d',' -f1,5 worldcitiespop.csv > country_population.csv`
- `tail -n +2 worldcitiespop.csv | sort -t',' -k5 -nr | head -10`
- `cut -d',' -f1 worldcitiespop.csv | sort | uniq | tail -n +2`
- `awk -F',' 'NR>1 && $5 > 1000000' worldcitiespop.csv`
- `awk -F',' 'NF > 1 {pop[$1]+=$5} END{ for(c in pop){print c" "pop[c]}}'`
`worldcitiespop.csv | sort -rn -k2,2 | head`
- Add country name using join..

```
Country,City,AccentCity,Region,Population,Latitude,Longitude
ad,aixas,Aixàs,06,,42.4833333,1.4666667
ad,aixirivali,Aixirivali,06,,42.4666667,1.5
ad,aixirivall,Aixirivall,06,,42.4666667,1.5
ad,aixirvall,Aixirvall,06,,42.4666667,1.5
ad,aixovall,Aixovall,06,,42.4666667,1.4833333
ad,andorra,Andorra,07,,42.5,1.5166667
ad,andorra la vella,Andorra la Vella,07,20430,42.5,1.5166667
ad,andorra-vieille,Andorra-Vieille,07,,42.5,1.5166667
ad,andorre,Andorre,07,,42.5,1.5166667
```

Linux

Sed and Awk — - Power tools for editing files