

Seed & regex examples

Linux

```
$ echo 'ac abc abbc abbbc abbbbbbbbbc' | sed -E 's/ab{1,4}c/X/g'  
ac X X X abbbbbbbbbc
```

```
$ echo 'ac abc abbc abbbc abbbbbbbbbc' | sed -E 's/ab{3,}c/X/g'  
ac abc abbc X X
```

```
$ echo 'ac abc abbc abbbc abbbbbbbbbc' | sed -E 's/ab{,2}c/X/g'  
X X X abbbc abbbbbbbbbc
```

```
$ echo 'ac abc abbc abbbc abbbbbbbbbc' | sed -E 's/ab{3}c/X/g'  
ac abc abbc X abbbbbbbbbc
```

```
$ echo 'fd fed fod fe:d feeeeder' | sed 's/fe*d/X/g'  
X X fod fe:d Xer
```

zero or more of '1' followed by '2'

```
$ echo '31111111125111142' | sed 's/1*2/-/g'  
3-511114-
```

```
$ cat anchors.txt
sub par
spar
apparent effort
two spare computers
cart part tart mart
```

```
# words starting with 'par'
```

```
$ sed -n '/\bpar/p' anchors.txt
sub par
cart part tart mart
```

```
# words ending with 'par'
```

```
$ sed -n '/par\b/p' anchors.txt
sub par
spar
```

```
$ sed -nE '/two|sub/p' anchors.txt
```

```
sub par
```

```
two spare computers
```

```
# match 'cat' or 'dog' or 'fox'
```

```
# note the use of 'g' flag for multiple replacements
```

```
$ echo 'cats dog bee parrot foxed' | sed -E 's/cat|dog|fox/--/g'
```

```
--s -- bee parrot --ed
```

```
# from the first 'b' to the last 't' in the line
$ echo 'car bat cod map scat dot abacus' | sed 's/b.*t/-/'
car - abacus
```

```
# from the first 'b' to the last 'at' in the line
$ echo 'car bat cod map scat dot abacus' | sed 's/b.*at/-/'
car - dot abacus
```

https://learnbyexample.github.io/learn_gnusted/cover.html

Linux

Sed & regex examples

```
$ cat anchors.txt
sub par
spar
apparent effort
two spare computers
cart part tart mart

# words starting with 'par'
$ sed -n '/\bpar/p' anchors.txt
sub par
cart part tart mart

# words ending with 'par'
$ sed -n '/par\b/p' anchors.txt
sub par
spar

$ sed -nE '/two|sub/p' anchors.txt
sub par
two spare computers

# match 'cat' or 'dog' or 'fox'
# note the use of 'g' flag for mul
$ echo 'cats dog bee parrot foxed' | sed -E 's/cat|dog|fox/--/g'
--s -- bee parrot --ed

$ echo 'ac abc abbc abbbc abbbbbbbbc' | sed -E 's/ab{1,4}c/X/g'
ac X X X abbbbbbbbc

$ echo 'ac abc abbc abbbc abbbbbbbbc' | sed -E 's/ab{3,}c/X/g'
ac abc abbc X X

$ echo 'ac abc abbc abbbc abbbbbbbbc' | sed -E 's/ab{,2}c/X/g'
X X X abbbc abbbbbbbbc

$ echo 'ac abc abbc abbbc abbbbbbbbc' | sed -E 's/ab{3}c/X/g'
ac abc abbc X abbbbbbbbc

$ echo 'fd fed fod fe:d feeeder' | sed 's/fe*d/X/g'
X X fod fe:d Xer

# zero or more of '1' followed by '2'
$ echo '311111111125111142' | sed 's/1*2/-/g'
3-511114-

# from the first 'b' to the last 't' in the line
$ echo 'car bat cod map scat dot abacus' | sed 's/b.*t/-/'
car - abacus

# from the first 'b' to the last 'at' in the line
$ echo 'car bat cod map scat dot abacus' | sed 's/b.*at/-/'
car - dot abacus
```

