Practical No : 8

Name: Aditya Jadhav

Class: MSC(Com.Sci) Part-1

Roll No : 11

Date:


Q.8) Write a C program to implement stack.

```
#include  <stdio.h>
#include <conio.h>
#define MAX 5
int stack[MAX];
int top = -1;
void push(int value)
{
   if (top == MAX - 1)
   {
      printf("Stack is Full\n");
   }
   else
   {
      top++;
      stack[top] = value;
      printf("%d pushed into stack\n", value);
   }
}
void pop()
{
   if (top == -1)
   {
      printf("Stack is Empty\n");
   }
   else
   {
```

```
        printf("%d popped from stack\n", stack[top]);
        top--;
    }
}
void display()
{
    int i;
    if (top == -1)
    {
        printf("Stack is Empty\n");
    }
    else
    {
        printf("Stack: ");

        for (i = top; i >= 0; i--)
        {
            printf("%d ", stack[i]);
        }
        printf("\n");
    }
}
int main()
{
    push(10);
    push(20);
    push(30);
    display();
    pop();
    display();
    return 0;
}
```

Output:


"C:\Users\Aditya\Downloads\
10 pushed into stack
20 pushed into stack
30 pushed into stack
Stack: 30 20 10
30 popped from stack
Stack: 20 10