

Climate–Health NeSy

Policy gap analysis

1. Query & Trace

2. Ingest (Docs + KG)

3. Memory Module

4. KG / TTL Browser

Climate–Health Policy Gap Console

Ask the 25 guiding questions (or your own) against news, policy, external memory and the ontology. The system routes the request and answers with a traceable result.

● Backend connected

http://172.20.10.2:8000

Change backend

Guiding question

23. What type of gap exists: design gap ↕

Purpose: Classify gap type

Domain climate ↕

What type of gap exists: design gap, implementation gap, coverage gap, outcome gap or equity gap?

Run mode

Auto (ADAPTIVERAG · GPT · ↕

Run query

Answer

No gap type can be confirmed because news evidence is absent; gap_types = [].

Mode: ADAPTIVERAG · Model: gpt-5

Policy assessment (CHPG-O)

Status: Policy-only alignment

UpdatedEvidence

priority: medium

freshness: 0.9

Media concern (news) 0 / 3

No news evidence provided; cannot assess media concern.

Policy strength 1 / 3

Provided policy excerpts are broad (agriculture GAP, general WHO compendium references) and do not specify climate–health risk measures for dengue or similar; minimal linkage to concrete health adaptation actions.

WHO alignment 1 / 3**WHO component alignment**

- **C7** C7 Management of environmental determinants of health — **partial**: Agriculture Good Agricultural Practices relate to environmental determinants but do not specify health risk control measures [8th Fifth year plan].
- **C3** C3 Assessments of climate and health risks and GHG emissions — **partial**: WHO compendium reference is generic guidance classification without concrete national actions [9789240095380-eng].
- **C1** C1 Climate-transformative leadership and governance — **absent**: No leadership/governance specifics for climate–health.
- **C8** C8 Climate-informed health programmes — **absent**: No climate-informed health programmes or disease-specific actions identified.
- **C9** C9 Climate-related emergency preparedness and management — **absent**: No emergency preparedness measures evidenced.
- **C10** C10 Sustainable climate and health financing — **absent**: No finance logic tied to health adaptation in the provided policy text.

Gap classification: No gap type classified

Evidence: policy + external memory

Confidence: 0.53

Reasoning workflow

- 1 **News evidence check** ·
mediaConcernScore = 0
No news evidence provided; cannot assess media concern.
- 2 **Policy evidence check** ·
policyStrengthScore = 1
Provided policy excerpts are broad (agriculture GAP, general WHO compendium references) and do not specify climate–health risk measures for dengue or similar; minimal linkage to concrete health adaptation actions.
- 3 **Ontology reasoning** · gapDifference = n/a · gapSeverity = n/a
Per CHPG-O, gap classification requires both news and policy evidence; news is missing, so no gap type can be assigned.
Rules: Rule_Final_01_EvidenceFirst, Rule_Final_04_PolicyOnlyAlignment, Rule_Final_12_NoForcedGap, Rule_Final_13_NoGapTypeForCoherence, Rule_Final_17_FinalOutput
- 4 **External-memory recheck** ·
evidenceStatus = UpdatedEvidence · priority = medium · freshness = 0.9
External memory highlights implementation challenges and health under-financing in Bangladesh's climate budget, and sustainability risks for surveillance and preparedness [mem1][mem2]; this updates context but cannot substitute for missing news layer.

Final result: Result: No confirmed policy gap classification (gap_types = []). Reason: News layer absent. Policy evidence is broad and lacks concrete climate–health measures and features. External memory suggests implementation and financing weaknesses in climate–health integration but, per workflow, cannot alone establish a formal CHPG-O gap type.

Sources

- [sym] Symbolic reasoning
- [policy] 8th Fifth year plan
- [policy] 9789240095380-eng

- [policy] 9789240081888-eng
- [policy] 8th Fifth year plan
- [policy] 8th Fifth year plan
- [policy] 9789240095380-eng
- [policy] 8th Fifth year plan
- [policy] 8th Fifth year plan
- [ontology] CHPG-O ontology
- [ontology] CHPG-O ontology
- [external_memory] Bangladesh plans record climate budget amid concerns over health funding

[View trace](#)

Climate–Health NeSy

Policy gap analysis

1. Query & Trace

2. Ingest (Docs + KG)

3. Memory Module

4. KG / TTL Browser

Climate–Health Policy Gap Console

Ask the 25 guiding questions (or your own) against news, policy, external memory and the ontology. The system routes the request and answers with a traceable result.

● Backend connected

http://172.20.10.2:8000

Change backend

Guiding question

13. Do policies integrate climate data, disease surveillance, early warning systems and real-time monitoring?

Purpose: Check surveillance alignment (WHO C4)

Domain

climate



Do policies integrate climate data, disease surveillance, early warning systems and real-time monitoring?

Run mode

Auto (ADAPTIVERAG · GPT-5)

Run query

Answer

Policies reference integrated climate–health surveillance and climate-informed early warning systems that combine climate/weather data with disease surveillance and include risk mapping and monitoring processes, but they do not specify real-time operational integration or financing; therefore, integration is partially present, not fully operationalized [9789240095380-eng][9789240081888-eng].

Mode: ADAPTIVERAG · Model: gpt-5

Gap analysis (CHPG-O)

Status: confirmed

ConfirmedEvidence

priority: medium

freshness: 0.9

Media concern (news) 2 / 3

Repeated emphasis on integrating climate data with disease surveillance and the need for early warning and real-time data sharing; identifies barriers and affected public health domains, indicating clear risk and system needs.

Policy strength 2 / 3

Policies specify integrated climate–health surveillance, climate-informed EWS, risk mapping, and a monitoring process within MoH with measurable outputs/indicators. They describe instruments and implementation levels but lack explicit financing details and concrete named actors beyond MoH and cross-sectoral groups.

WHO component alignment

- **C4** C4 Integrated risks monitoring, early warning and GHG emissions tracking — **aligned**: Integrated risk monitoring and climate-informed health EWS, risk mapping, MoH monitoring process and indicators are described [9789240095380-eng] [9789240081888-eng].
- **C8** C8 Climate-informed health programmes — **partial**: Application to climate-sensitive disease programmes implied but without specific target groups or programme detailing [9789240095380-eng].
- **C3** C3 Assessments of climate and health risks and GHG emissions — **partial**: Assessment and surveillance elements noted, but not full risk assessment frameworks [9789240095380-eng].

Gap type(s): **ImplementationGap**
OutcomeGap **CoverageGap**
EquityGap

Severity: 1 / 3 Confidence: 0.66

Reasoning workflow

- 1 **News evidence check** · mediaConcernScore = 2
Repeated emphasis on integrating climate data with disease surveillance and the need for early warning and real-time data sharing; identifies barriers and affected public health domains, indicating clear risk and system needs.
 - Bangladesh commentary urges coordination of climate forecasts with meteorologic, ecologic, and epidemiologic surveillance and calls for operational early warning systems, noting current limitations and data gaps [thedailystar.net-

Disease surveillance and control of vector to protect climate]

- Calls for mechanisms to share real-time data among climate-affected countries and to develop early warning capacity to save lives [thedailystar.net-The Security Implications of Climate Change]

2 Policy evidence check ·

policyStrengthScore = 2

Policies specify integrated climate–health surveillance, climate-informed EWS, risk mapping, and a monitoring process within MoH with measurable outputs/indicators. They describe instruments and implementation levels but lack explicit financing details and concrete named actors beyond MoH and cross-sectoral groups.

3 Ontology reasoning · gapSeverity = 1

ImplementationGap: measures lack explicit finance and full operational detail. OutcomeGap: no outcome evidence beyond proposed indicators. Coverage/Equity: no specified target/vulnerable groups despite news highlighting needs and vulnerable populations; policies are general rather than group-specific.

Rules: Rule_05_GapSeverityCalculation, Rule_08_ImplementationGap, Rule_11_OutcomeGap, Rule_07_CoverageGap, Rule_10_EquityGap

4 External-memory recheck ·

evidenceStatus = ConfirmedEvidence · priority = medium · freshness = 0.9
Recent WHO guidance (A78/4 Add.2) supports integration of climate and health data/surveillance, early warning, and cross-sector partnerships, confirming partial-policy integration direction but not adding Bangladesh-specific operational financing or outcomes [mem1][mem2][mem3].

Final result: Conclusion: Partial integration. Policies outline integrated climate–health surveillance, climate-informed early warning, risk mapping, and monitoring processes (MoH-led) that combine climate/weather with disease surveillance, but they do not evidence real-time operationalization, defined financing, or targeted coverage for vulnerable groups [9789240095380-eng][9789240081888-eng]. News underscores the urgency and current gaps in operational EWS and real-time data sharing, reinforcing implementation and outcome gaps [thedailystar.net-Disease surveillance and control of vector to protect climate]

[thedailystar.net-The Security Implications of Climate Change]. External WHO evidence confirms the direction of integration and supports the identified gaps [mem1][mem2][mem3].

Sources

- [sym] Symbolic reasoning
- [news] thedailystar.net-Disease surveillance and control of vector to protect climate
- [news] thedailystar.net-Disease surveillance and control of vector to protect climate
- [news] thedailystar.net-The Security Implications of Climate Change
- [news] thedailystar.net-Climate change impact and health issues
- [news] thedailystar.net-Climate Change Impact on Health System
- [news] thedailystar.net-Disease surveillance and control of vector to protect climate
- [policy] 9789240095380-eng
- [policy] 9789240081888-eng
- [policy] 9789240081888-eng
- [policy] 9789240081888-eng
- [policy] 9789240081888-eng

[View trace](#)

Climate–Health NeSy

Policy gap analysis

1. Query & Trace

2. Ingest (Docs + KG)

3. Memory Module

4. KG / TTL Browser

Climate–Health Policy Gap Console

Ask the 25 guiding questions (or your own) against news, policy, external memory and the ontology. The system routes the request and answers with a traceable result.

● Backend connected

http://172.20.10.2:8000

Change backend

Guiding question

1. Which climate-sensitive health risks are✓

Purpose: Identify media-visible health risks

Domain

climate



Which climate-sensitive health risks are most frequently reported in Bangladeshi news coverage?

Run mode

Auto (ADAPTIVERAG · GP✓

Run query

Answer

Most frequently reported climate-sensitive health risks include dengue outbreaks linked to heat and heavy rainfall in Dhaka, and broader increases in tropical/vector-borne diseases; there are also opinion pieces flagging climate-related reproductive health concerns in coastal areas [sym] [thedailystar.net-Climate change exposes Bangladesh to more tropical diseases] [Miscarriage on the rise_ Effects of climate change in coastal Bangladesh _ The Daily Star].

Mode: ADAPTIVERAG · Model: gpt-5

Gap analysis (CHPG-O)

Status: confirmedConfirmedEvidence

priority: mediumfreshness: 0.95

Media concern (news)3 / 3

Multiple reports with clear diseases, hazards and locations; dengue outbreak is specific and severe; repeated coverage of tropical diseases and coastal health risks indicates strong media concern.

Policy strength2 / 3

Dengue Management Guideline (2025) indicates a concrete programmatic measure for vector-borne disease; 8th Five Year Plan commits to strengthening climate-health emergency response broadly. Specific actor and instrument present; monitoring/finance details not explicit in provided excerpts.

WHO alignment2 / 3

WHO component alignment

- **C8** C8 Climate-informed health programmes — **aligned**: Programmatic dengue management aligns with climate-informed health programmes [870434161-Dengue-Management-Guideline-27-April-2025-1].
- **C9** C9 Climate-related emergency preparedness and management — **partial**: 8th FYP mentions strengthening emergency response capacity but lacks detailed instruments/financing in excerpt [8th Fifth year plan].
- **C1** C1 Climate-transformative leadership and governance — **partial**: Governance intent via CCHPU and system readiness stated, but specifics not shown in excerpt [8th Fifth year plan].

Gap type(s): OutcomeGap

ImplementationGapCoverageGap

DesignGapEquityGap

Severity: 1 / 3 Confidence: 0.73

Reasoning workflow

- 1 News evidence check ·
- mediaConcernScore = 3
- Multiple reports with clear diseases, hazards and locations; dengue outbreak is specific and severe; repeated coverage of tropical diseases and coastal health risks indicates strong media concern.
- Dengue outbreak in Dhaka linked to unusually hot and wet 2024 season [sym]

Climate change exposes Bangladesh to more tropical diseases (e.g., NTDs

like filariasis, kala-azar, rabies)
[thedailystar.net-Climate change
exposes Bangladesh to more tropical
diseases]

- Opinion highlights climate-related miscarriages/health risks in coastal Bangladesh [Miscarriage on the rise_ Effects of climate change in coastal Bangladesh _ The Daily Star]

2

Policy evidence check ·

policyStrengthScore = 2
Dengue Management Guideline (2025) indicates a concrete programmatic measure for vector-borne disease; 8th Five Year Plan commits to strengthening climate-health emergency response broadly. Specific actor and instrument present; monitoring/finance details not explicit in provided excerpts.

3

Ontology reasoning · gapSeverity = 1

News shows severe dengue and coastal reproductive risks; dengue guideline lacks explicit monitoring/finance (OutcomeGap, ImplementationGap). Broader tropical diseases and coastal maternal risks lack targeted measures in provided policy (CoverageGap, EquityGap). General emergency-readiness statements without specifics vs. specific reported risks (DesignGap).

Rules: Rule_04_BasicGapDetection,
Rule_05_GapSeverityCalculation,
Rule_11_OutcomeGap,
Rule_08_ImplementationGap,
Rule_07_CoverageGap, Rule_09_DesignGap,
Rule_10_EquityGap

4

External-memory recheck ·

evidenceStatus = ConfirmedEvidence ·
priority = medium · freshness = 0.95
WHO op-ed (2026) confirms dengue nationwide and heat-related health risks; World Bank (2025) confirms escalating heat-health impacts [mem1] [mem2] [mem3].

Final result: Bangladeshi news most frequently reports dengue outbreaks linked to heat and heavy rainfall in Dhaka, alongside broader tropical/vector-borne disease concerns and climate-related reproductive risks in coastal areas [sym] [thedailystar.net-Climate change exposes Bangladesh to more tropical diseases] [Miscarriage on the rise_ Effects of climate change in coastal Bangladesh _ The Daily Star]. Policies show targeted dengue management and general emergency-readiness, aligning mainly with WHO C8 and partially C9/C1, but with gaps in monitoring, financing, and targeted

coverage for other reported risks [870434161-Dengue-Management-Guideline-27-April-2025-1] [8th Fifth year plan]. External evidence from WHO and the World Bank confirms and updates the severity and breadth of heat- and vector-borne health risks [mem1] [mem2] [mem3].

Sources

- [sym] Symbolic reasoning
- [news] thedailystar.net-Climate change exposes Bangladesh to more tropical diseases
- [news] Miscarriage on the rise_ Effects of climate change in coastal Bangladesh _ The Daily Star(1)
- [news] Miscarriage on the rise_ Effects of climate change in coastal Bangladesh _ The Daily Star(2)
- [news] Miscarriage on the rise_ Effects of climate change in coastal Bangladesh _ The Daily Star
- [news] thedailystar.net-Miscarriage on the rise Effects of climate change in coastal Bangladesh
- [news] thedailystar.net-Innocent victim of climate change
- [policy] 870434161-Dengue-Management-Guideline-27-April-2025-1
- [policy] 8th Fifth year plan
- [policy] 9789240081888-eng
- [policy] 870434161-Dengue-Management-Guideline-27-April-2025-1
- [policy] 9789240081888-eng

[View trace](#)

Climate–Health NeSy

Policy gap analysis

1. Query & Trace

2. Ingest (Docs + KG)

3. Memory Module

4. KG / TTL Browser

Climate–Health Policy Gap Console

Ask the 25 guiding questions (or your own) against news, policy, external memory and the ontology. The system routes the request and answers with a traceable result.

● Backend connected

http://172.20.10.2:8000

Change backend

Guiding question

15. Do policies address climate-resilient and

Purpose: Check infrastructure alignment (WHO C6)

Domain

climate



Do policies address climate-resilient and low-carbon health facilities, WASH, energy, supply chains or infrastructure?

Run mode

Auto (ADAPTIVERAG · GPT)

Run query

Answer

Yes. Policies and guidance address climate-resilient and low-carbon health facilities, WASH, energy supply, and supply chains, including retrofitting facilities to climate-resilient and low-carbon standards; revising siting, construction, energy, water, waste and sanitation provisions; managing energy supply risks with solar and battery backups; and developing green supply chains and decarbonization plans for healthcare operations [9789240081888-eng][9789240095380-eng][mem1][mem3].

Mode: ADAPTIVERAG · Model: gpt-5

Gap analysis (CHPG-O)

Status: confirmedConfirmedEvidence

priority: mediumfreshness: 0.8

Media concern (news)0 / 3

No news passages were provided in the context.

Policy strength2 / 3

The policy/guidance includes concrete measures for climate-resilient and low-carbon infrastructure, technologies, WASH/energy provisions and supply chains with specified outputs/indicators (retrofitting counts, iterative specification reviews), and operational guidance for resilient energy. It covers multiple features (implementation level, instruments, and monitoring-like indicators). Finance is not specified; responsible national actors and target groups are implied but not explicitly named.

WHO alignment3 / 3

WHO component alignment

- **C6** C6 Climate-resilient and low-carbon infrastructures, technologies and supply chain — **aligned**: Direct measures for climate-resilient and low-carbon infrastructures, technologies, energy/WASH provisions and green supply chains, with measurable outputs [9789240081888-eng] [9789240095380-eng][mem1].
- **C7** C7 Management of environmental determinants of health — **partial**: WASH, waste, and sanitation provisions referenced for climate resilience and environmental sustainability, but without full actor/financing detail [9789240095380-eng] [9789240081888-eng].
- **C3** C3 Assessments of climate and health risks and GHG emissions — **partial**: Facility-level climate vulnerability assessments and specification reviews imply assessment elements; comprehensive sector GHG assessment referenced in external guidance [mem3].
- **C4** C4 Integrated risks monitoring, early warning and GHG emissions tracking — **partial**: Indicators/outputs (e.g., number of facilities retrofitted) suggest monitoring of implementation, but not full early warning/GHG tracking systems [9789240081888-eng].
- **C10** C10 Sustainable climate and health financing — **absent**: No explicit

sustainable financing mechanisms identified in the provided passages.

Gap type(s): **ImplementationGap**
OutcomeGap **DesignGap**

Severity: 1 / 3 **Confidence:** 0.66

Reasoning workflow

- 1 **News evidence check** ·
mediaConcernScore = 0
No news passages were provided in the context.
- 2 **Policy evidence check** ·
policyStrengthScore = 2
The policy/guidance includes concrete measures for climate-resilient and low-carbon infrastructure, technologies, WASH/energy provisions and supply chains with specified outputs/indicators (retrofitting counts, iterative specification reviews), and operational guidance for resilient energy. It covers multiple features (implementation level, instruments, and monitoring-like indicators). Finance is not specified; responsible national actors and target groups are implied but not explicitly named.
- 3 **Ontology reasoning** · gapSeverity = 1
ImplementationGap: measures lack explicit responsible actors and financing. OutcomeGap: no outcome/evaluation evidence beyond activity indicators. DesignGap: some elements are high-level guidance without specific national actor/targeting detail.
Rules: Rule_05_GapSeverityCalculation, Rule_08_ImplementationGap, Rule_11_OutcomeGap, Rule_09_DesignGap
- 4 **External-memory recheck** ·
evidenceStatus = ConfirmedEvidence ·
priority = medium · freshness = 0.8
Recent WHO resolution/addendum (A78/4 Add.2) confirms Member State actions on decarbonizing health facilities, green supply chains, and facility-level vulnerability assessments, aligning with C6 and related components [mem1][mem2][mem3].

Final result: Policies and guidance substantively address climate-resilient and low-carbon health facilities, WASH/energy provisions, and supply chains, including retrofitting to resilient/low-carbon standards, iterative specification updates for siting/construction and utilities, resilient energy with solar+battery backups, and

green supply chain decarbonization plans [9789240081888-eng][9789240095380-eng][mem1][mem3]. Alignment with WHO C6 is strong, with partial links to C7, C3, and C4. Gaps remain in specifying responsible actors and financing, and in documenting outcomes beyond implementation indicators.

Sources

- [sym] Symbolic reasoning
- [policy] 9789240081888-eng
- [policy] 9789240081888-eng
- [policy] 9789240095380-eng
- [policy] 9789240081888-eng
- [policy] 9789240081888-eng
- [policy] 9789240081888-eng
- [policy] 9789240081888-eng
- [policy] 9789240081888-eng
- [policy] 9789240095380-eng
- [external_memory] A78_4Add2-en
- [external_memory] A78_4Add2-en
- [external_memory] A78_4Add2-en

[View trace](#)

Climate–Health NeSy

Policy gap analysis

1. Query & Trace

2. Ingest (Docs + KG)

3. Memory Module

4. KG / TTL Browser

Climate–Health Policy Gap Console

Ask the 25 guiding questions (or your own) against news, policy, external memory and the ontology. The system routes the request and answers with a traceable result.

● **Backend connected**

http://172.20.10.2:8000

Change backend

Guiding question

18. Do policies include preparedness, c ↕

Purpose: Check emergency alignment (WHO C9)

Domain climate ↕

Do policies include preparedness, contingency planning and emergency response for floods, cyclones, heatwaves or outbreaks?

Run mode

Auto (ADAPTIVERAG · GPT· ↕

Run query

Answer

Yes. Bangladesh's policies include preparedness, contingency planning and emergency response for climate-related hazards, including extreme weather events and outbreaks, through Health EDRM-aligned contingency plans and disaster management frameworks [9789240095380-eng]

[8th Fifth year plan]. WHO guidance documents referenced also specify climate-related emergency preparedness and management components (C9), emphasizing climate-informed Health EDRM, early warning, and community-based response for floods, cyclones, heatwaves and outbreaks [9789240081888-eng].

Mode: ADAPTIVERAG · Model: gpt-5

Policy assessment (CHPG-O)

Status: Policy limitation

ConfirmedEvidence

priority: medium

freshness: 0.8

Media concern (news) 2 / 3

Multiple reports highlight repeated and specific concerns about flood/cyclone preparedness and outbreak-related implications, with identified locations and vulnerable groups.

Policy strength 2 / 3

Policies explicitly reference Health EDRM-aligned contingency planning for extreme weather with preparedness and response, and national disaster management laws/plans; however, explicit monitoring indicators and financing details are not provided in the excerpts.

WHO alignment 2 / 3

WHO component alignment

- **C9** C9 Climate-related emergency preparedness and management — **aligned**: Health EDRM contingency plans for extreme weather events with preparedness and response are specified [9789240095380-eng]; national disaster management frameworks support emergency response capacity [8th Fifth year plan].
- **C4** C4 Integrated risks monitoring, early warning and GHG emissions tracking — **partial**: Reference to

integrating weather and climate information into Health EDRM implies link to early warning, but specific monitoring/tracking instruments not detailed here [9789240095380-eng].

- **C8** C8 Climate-informed health programmes — **partial**: Use of risk maps and seasonal disease analysis to target resources suggests climate-informed programmes relevant to outbreaks, but details are generic in excerpt [9789240081888-eng].
- **C1** C1 Climate-transformative leadership and governance — **partial**: National plans and standing orders indicate governance arrangements; excerpt lacks full financing/monitoring specifics [8th Fifth year plan].

Gap classification:

Primary: ImplementationGap

Secondary: OutcomeGap

Gap difference: 0 **Severity:** 0 / 3

Evidence: news + policy + external memory

Confidence: 0.72

Reasoning workflow

1

News evidence check ·

mediaConcernScore = 2

Multiple reports highlight repeated and specific concerns about flood/cyclone preparedness and outbreak-related implications, with identified locations and vulnerable groups.

- Urgent need for cyclone and flood preparedness for vulnerable populations in Cox's Bazar amid monsoon and cyclone risks [thedailystar.net-Tackling the environmental challenges in Cox's Bazar]
- Operational gaps in cyclone emergency response and coordination during Cyclone Bulbul, including shortages of supplies and inactive committees [thedailystar.net-Cyclone Bulbul Views from the ground]
- Cyclone shelter operations during Amphan needed infection control measures, indicating overlap of disaster response with outbreak precautions [images.thedailystar.net-Cyclone Amphan during the pandemic]
- Dengue outbreak in Dhaka during hot, wet 2024 season linked to heatwave and heavy rainfall hazards [sym]

2

Policy evidence check ·

policyStrengthScore = 2

Policies explicitly reference Health EDRM-aligned contingency planning for extreme weather with preparedness and response, and national disaster management laws/plans; however, explicit monitoring indicators and financing details are not provided in the excerpts.

3 **Ontology reasoning** · gapDifference = 0

· gapSeverity = 0

News shows operational shortcomings (inactive committees, supply shortages) during cyclones and shelter operations [thedailystar.net-Cyclone Bulbul Views from the ground]

[images.thedailystar.net-Cyclone Amphan during the pandemic], while policies state preparedness/response exists but excerpts lack concrete monitoring and financing details [9789240095380-eng][8th Fifth year plan].

Rules: Rule_Final_01_EvidenceFirst, Rule_Final_05_GapDifferenceCalculation, Rule_Final_06_GapSeverityCalculation, Rule_08_ImplementationGap, Rule_11_OutcomeGap, Rule_Final_14_GapTypeEvidenceRequirement, Rule_Final_08_PartialPolicyCoherence, Rule_Final_17_FinalOutput

4 **External-memory recheck** ·

evidenceStatus =

ConfirmedEvidence · priority =

medium · freshness = 0.8

Recent WHO documents reinforce the need for integrated DRR with emergency preparedness and rapid response, and detail C9 scope for climate-related emergencies, aligning with policy claims

[A78_4Add2-en][9789240081888-eng].

Final result: Finding: Policies in Bangladesh do include preparedness, contingency planning and emergency response for floods, cyclones, heatwaves and outbreaks via Health EDRM-aligned contingency plans and national disaster management frameworks [9789240095380-eng][8th Fifth year plan], consistent with WHO C9 guidance [9789240081888-eng]. However, media reports point to operational and coordination gaps during cyclones and shelter operations [thedailystar.net-Cyclone Bulbul Views from the ground] [images.thedailystar.net-Cyclone Amphan during the pandemic], and the provided policy excerpts do not specify monitoring or financing, indicating

Implementation and Outcome gaps. External WHO materials confirm and update the relevance of integrating DRR, early warning and rapid response for climate-related health emergencies [A78_4Add2-en].

Sources

- [sym] Symbolic reasoning
- [news] Tackling the environmental challenges in Cox_s Bazar _ The Daily Star
- [news] thedailystar.net-Cyclone Bulbul Views from the ground
- [news] thedailystar.net-Tackling the environmental challenges in Coxs Bazar
- [news] images.thedailystar.net-Cyclone Amphan during the pandemic
- [news] thedailystar.net-Climate change and food security
- [news] thedailystar.net-Reducing disaster risk at village level(1)
- [policy] 9789240095380-eng
- [policy] 8th Fifth year plan
- [policy] 9789240081888-eng
- [policy] 9789240081888-eng
- [policy] 9789240081888-eng

[View trace](#)

Climate–Health NeSy

Policy gap analysis

1. Query & Trace

2. Ingest (Docs + KG)

3. Memory Module

4. KG / TTL Browser

Climate–Health Policy Gap Console

Ask the 25 guiding questions (or your own) against news, policy, external memory and the ontology. The system routes the request and answers with a traceable result.

● Backend connected

http://172.20.10.2:8000

Change backend

Guiding question

1. Which climate-sensitive health risks ↕

Purpose: Identify media-visible health risks

Domain climate ↕

Which climate-sensitive health risks are most frequently reported in Bangladeshi news coverage?

Run mode

Auto (ADAPTIVERAG · GPT · ↕)

Run query

Answer

Bangladeshi news most frequently reports climate-sensitive health risks related to dengue outbreaks during hot and wet seasons, linking unusually high temperatures and heavy rainfall in Dhaka to increased dengue transmission [sym]; broader news coverage also highlights climate-linked tropical diseases (e.g., filariasis, kala-

azar, rabies) [thedailystar.net-Climate change exposes Bangladesh to more tropical diseases].

Mode: ADAPTIVERAG · Model: gpt-5

Policy assessment (CHPG-O)

Status: Partial policy coherence

ConfirmedEvidence

priority: medium

freshness: 0.9

Media concern (news) 3 / 3

The ontology-linked news indicates repeated dengue reporting with clear hazards and location (Dhaka, heat and heavy rainfall). Additional national news discusses multiple tropical diseases tied to climate change, indicating sustained media attention and public health concern.

Policy strength 2 / 3

The national Dengue Management Guideline (2025) indicates a concrete measure addressing dengue; actor (DGHS/CDC division) and instrument (clinical/public health guidelines) are evident, but explicit target groups, implementation level details, monitoring indicators, and financing are not specified in the provided excerpt. The 8th Five Year Plan mentions readiness and emergency response strengthening but lacks detailed implementation/monitoring/finance in the excerpt.

WHO alignment 2 / 3

WHO component alignment

- **C8** C8 Climate-informed health programmes — **partial**: Disease-specific programme guidance for dengue aligns with climate-informed health programmes but lacks full monitoring and financing detail in the excerpt [870434161-Dengue-Management-Guideline-27-April-2025-1].
- **C9** C9 Climate-related emergency preparedness and management — **partial**: 8th FYP references strengthening emergency response and post-disaster health management,

aligning with preparedness, but without full feature set in excerpt [8th Fifth year plan].

Gap classification:

Primary: ImplementationGap

Secondary: OutcomeGap

Gap difference: 1 Severity: 1 / 3

Evidence: news + policy + external memory

Confidence: 0.72

Reasoning workflow

- 1 News evidence check** ·
mediaConcernScore = 3
The ontology-linked news indicates repeated dengue reporting with clear hazards and location (Dhaka, heat and heavy rainfall). Additional national news discusses multiple tropical diseases tied to climate change, indicating sustained media attention and public health concern.
 - Dengue outbreak in Dhaka during unusually hot and wet 2024 season, repeatedly reported and climate-linked [sym]
 - Climate change exposes Bangladesh to more tropical diseases including filariasis, kala-azar and rabies [thedailystar.net-Climate change exposes Bangladesh to more tropical diseases]

2

Policy evidence check ·

policyStrengthScore = 2

The national Dengue Management Guideline (2025) indicates a concrete measure addressing dengue; actor (DGHS/CDC division) and instrument (clinical/public health guidelines) are evident, but explicit target groups, implementation level details, monitoring indicators, and financing are not specified in the provided excerpt. The 8th Five Year Plan mentions readiness and emergency response strengthening but lacks detailed implementation/monitoring/finance in the excerpt.

3

Ontology reasoning · gapDifference = 1 · gapSeverity = 1

News reports a clear, recurrent dengue risk. Policy guidance exists but lacks explicit implementation level, monitoring indicators and financing in the provided text, indicating implementation and outcome evidence gaps.

Rules: Rule_Final_01_EvidenceFirst, Rule_04_BasicGapDetection, Rule_Final_05_GapDifferenceCalculation, Rule_Final_06_GapSeverityCalculation, Rule_08_ImplementationGap, Rule_11_OutcomeGap, Rule_Final_14_GapTypeEvidenceRequirement, Rule_Final_09_MinorPolicyGap, Rule_Final_17_FinalOutput

4

External-memory recheck ·

evidenceStatus =

ConfirmedEvidence · priority = medium · freshness = 0.9

WHO op-ed (2026) confirms dengue as a nationwide, year-round threat with severe recent outbreaks; also flags heat stress and post-flood waterborne disease burdens, aligning with news signals [mem1]. World Bank (2025) further confirms health risks from extreme heat [mem2][mem3].

Final result: Most frequently reported climate-sensitive health risks in Bangladeshi news are dengue outbreaks linked to unusually hot and wet conditions—especially in Dhaka—alongside broader mentions of climate-

driven tropical diseases (filariasis, kala-azar, rabies) [sym][thedailystar.net-Climate change exposes Bangladesh to more tropical diseases]. Policies partially address dengue through national guidance, but lack clear implementation, monitoring and financing details in the provided excerpts, indicating implementation and outcome evidence gaps [870434161-Dengue-Management-Guideline-27-April-2025-1][8th Fifth year plan]. External sources from WHO (2026) and World Bank (2025) confirm and reinforce these risks, including heat-related health impacts [mem1][mem2][mem3].

Sources

- [sym] Symbolic reasoning
- [news] thedailystar.net-Climate change exposes Bangladesh to more tropical diseases
- [news] Miscarriage on the rise_ Effects of climate change in coastal Bangladesh _ The Daily Star(1)
- [news] Miscarriage on the rise_ Effects of climate change in coastal Bangladesh _ The Daily Star(2)
- [news] Miscarriage on the rise_ Effects of climate change in coastal Bangladesh _ The Daily Star
- [news] thedailystar.net-Miscarriage on the rise Effects of climate change in coastal Bangladesh
- [news] thedailystar.net-Innocent victim of climate change
- [policy] 870434161-Dengue-Management-Guideline-27-April-2025-1
- [policy] 8th Fifth year plan
- [policy] 9789240081888-eng
- [policy] 870434161-Dengue-Management-Guideline-27-April-2025-1
- [policy] 9789240081888-eng

[View trace](#)

Climate–Health NeSy

Policy gap analysis

1. Query & Trace

2. Ingest (Docs + KG)

3. Memory Module

4. KG / TTL Browser

Climate–Health Policy Gap Console

Ask the 25 guiding questions (or your own) against news, policy, external memory and the ontology. The system routes the request and answers with a traceable result.

● Backend connected

http://172.20.10.2:8000

Change backend

Guiding question

21. Where do news concerns and polic: ⚙

Purpose: Identify coherence

Domain climate ⚙

Where do news concerns and policy responses match clearly?

Run mode

Auto (ADAPTIVERAG · GPT: ⚙

Run query

Answer

Clear match on early warning, community communication and preparedness for climate-related disasters: news calls for stronger cyclone warning systems, localized messaging (including community radio and media), and community-led preparedness; policy provides communication strategies, community

engagement mechanisms, media capacity building, and monitoring of climate-health risks. This aligns primarily with WHO C4 (integrated risk monitoring and early warning) and C9 (emergency preparedness), with supportive links to C1 and C8 [thedailystar.net-The cyclone and its aftermath] [thedailystar.net-Reducing disaster risk at village level] [9789240081888-eng].

Mode: ADAPTIVERAG · Model: gpt-5

Policy assessment (CHPG-O)

Status: Policy limitation

ConfirmedEvidence

priority: medium

freshness: 0.8

Media concern (news) 2 / 3

Multiple news items emphasize specific hazards (cyclones/disasters), concrete communication shortcomings, and community-level preparedness needs, indicating repeated appearance with clear affected locations/groups.

Policy strength 2 / 3

Policy sets out communication plans on climate risks to health, media/public targeting, community engagement/feedback mechanisms, and inclusion of indicators in national monitoring—these provide instruments and partial implementation logic but lack explicit financing and detailed responsible actors for Bangladesh.

WHO alignment 2 / 3

WHO component alignment

- **C4** C4 Integrated risks monitoring, early warning and GHG emissions tracking — **aligned**: Calls for integrating indicators on climate risks and establishing community feedback to guide monitoring and warning systems [9789240081888-eng].
- **C9** C9 Climate-related emergency preparedness and management — **partial**: Community preparedness and

roles referenced, but without full actor/financing specifics [9789240081888-eng].

- **C1** C1 Climate-transformative leadership and governance — **partial**: Communication strategies and stakeholder outreach imply governance functions, but responsible authorities not specified [9789240081888-eng].
- **C8** C8 Climate-informed health programmes — **partial**: Climate-informed health programmes via public/media communication and community engagement, without full implementation details [9789240081888-eng].

Gap classification:

Primary: ImplementationGap

Secondary: OutcomeGap

Gap difference: 0 **Severity:** 0 / 3

Evidence: news + policy + external memory

Confidence: 0.64

Reasoning workflow

1

News evidence check ·

mediaConcernScore = 2

Multiple news items emphasize specific hazards (cyclones/disasters), concrete communication shortcomings, and community-level preparedness needs, indicating repeated appearance with clear affected locations/groups.

- Bangladesh needs improved cyclone early warning systems, standardized warning levels, localized language messaging, greater media use and community radio; current systems were stressed beyond capacity [thedailystar.net-The cyclone and its aftermath]
- Communities should lead village-level disaster risk reduction and know their roles before disasters strike [thedailystar.net-Reducing disaster risk at village level]

2

Policy evidence check ·

policyStrengthScore = 2

Policy sets out communication plans on climate risks to health, media/public targeting, community engagement/feedback mechanisms, and inclusion of indicators in national monitoring—these provide instruments and partial implementation logic but lack explicit financing and detailed responsible actors for Bangladesh.

- 3** **Ontology reasoning** · gapDifference = 0
 · gapSeverity = 0
 News indicates urgent needs for operational improvements (warning level standardization, localized alerts, media channels), while policy provides instruments/monitoring intent but lacks specified actors, implementation levels, financing, and outcome evidence—indicating implementation and outcome gaps despite topical alignment.
 Rules: Rule_Final_01_EvidenceFirst, Rule_Final_05_GapDifferenceCalculation, Rule_Final_06_GapSeverityCalculation, Rule_08_ImplementationGap, Rule_11_OutcomeGap, Rule_Final_14_GapTypeEvidenceRequirement, Rule_Final_08_PartialPolicyCoherence, Rule_Final_17_FinalOutput
- 4** **External-memory recheck** · evidenceStatus = ConfirmedEvidence · priority = medium · freshness = 0.8
 Recent WHO A78/4 Add.2 supports emphasis on communication, partnerships, evidence/monitoring, and research for climate-health, consistent with policy excerpts and reinforcing C4/C9 alignment [mem1] [mem2] [mem3].
- Final result:** News and policy clearly match on strengthening early warning, risk communication, and community-led preparedness for cyclones/disasters. The policy outlines communication strategies, media engagement, monitoring indicators, and community feedback mechanisms (C4, partial C9), which respond to news calls for standardized warnings, localized messaging, and community action. However, missing specifics on responsible actors, implementation levels, financing, and outcome evidence point to implementation and outcome gaps despite thematic coherence [thedailystar.net-The cyclone and its aftermath] [thedailystar.net-Reducing disaster risk at village level] [9789240081888-eng].

Sources

- [sym] Symbolic reasoning
- [news] thedailystar.net-Confronting climate refugee issues in Bangladesh
- [news] thedailystar.net-The cyclone and its aftermath
- [news] thedailystar.net-Addressing water scarcity
- [news] thedailystar.net-Reducing disaster risk at village level
- [news] thedailystar.net-Reducing disaster risk at village level(1)
- [news] thedailystar.net-Impact of climate change on health
- [policy] 9789240081888-eng
- [policy] 9789240081888-eng
- [policy] 9789240081888-eng
- [policy] 8th Fifth year plan
- [policy] 9789240095380-eng

[View trace](#)

Climate–Health NeSy

Policy gap analysis

1. Query & Trace

2. Ingest (Docs + KG)

3. Memory Module

4. KG / TTL Browser

Climate–Health Policy Gap Console

Ask the 25 guiding questions (or your own) against news, policy, external memory and the ontology. The system routes the request and answers with a traceable result.

● Backend connected

http://172.20.10.2:8000

Change backend

Guiding question

— Pick one of the 25 guiding questions ↕

Domain climate ↕

does the policy and news tells about the women, old people from the coastal area, does news and policy indicates for the coastal area women menstrual problem and diseases

Run mode

Auto (ADAPTIVERAG · GPT: ↕

Run query

Answer

Yes for coastal women's reproductive risks (miscarriage) in news; policy generally notes women/elderly and coastal salinity risks but does not specify menstrual problems. No explicit mention of "menstrual problems" or diseases among coastal women in the provided policy; news highlights higher miscarriage risk among coastal pregnant women. No specific mention

of old people’s menstrual issues (not applicable) but the policy flags elderly as vulnerable without coastal-specific disease details. [thedailystar.net- Miscarriage on the rise Effects of climate change in coastal Bangladesh] [8th Fifth year plan]

Mode: ADAPTIVERAG · Model: gpt-5

Policy assessment (CHPG-O)

Status: Policy limitation

UpdatedEvidence

freshness: 0.8

priority: medium

Media concern (news) 2 / 3

Repeated/consistent report focused on a clear vulnerable group (pregnant women) and location (coastal areas) with quantified increased miscarriage risk.

Policy strength 2 / 3

Policy recognizes women and elderly as vulnerable and highlights coastal salinity and service gaps in coastal areas, but provides broad intentions without explicit targeted instruments for menstrual/reproductive health in coastal women or monitoring/financing details.

WHO alignment 2 / 3

WHO component alignment

- **C1** C1 Climate-transformative leadership and governance — **partial**: Acknowledges governance engagement on environmental health and climate change and identifies vulnerable groups [8th Fifth year plan].
- **C7** C7 Management of environmental determinants of health — **partial**: Identifies environmental determinant (salinity in coastal belt) affecting health, but lacks concrete management actions [8th Fifth year plan].
- **C8** C8 Climate-informed health programmes — **partial**: Mentions inequities for women/adolescents and

hard-to-reach coastal areas, implying need for targeted programmes but no specific coastal reproductive/menstrual interventions [8th Fifth year plan].

Gap classification:**Primary: DesignGap****Secondary: OutcomeGap****Gap difference: 0 Severity: 0 / 3****Evidence:** news + policy + external memory**Confidence:** 0.67**Reasoning workflow****1****News evidence check ·**

mediaConcernScore = 2

Repeated/consistent report focused on a clear vulnerable group (pregnant women) and location (coastal areas) with quantified increased miscarriage risk.

- Coastal pregnant women have higher miscarriage risk than inland women, linked to climate factors in coastal Bangladesh [thedailystar.net-Miscarriage on the rise Effects of climate change in coastal Bangladesh]

2**Policy evidence check ·**

policyStrengthScore = 2

Policy recognizes women and elderly as vulnerable and highlights coastal salinity and service gaps in coastal areas, but provides broad intentions without explicit targeted instruments for menstrual/reproductive health in coastal women or monitoring/financing details.

3 **Ontology reasoning** · gapDifference = 0

· gapSeverity = 0

News reports specific coastal reproductive harm (miscarriage among coastal women), while policy states broad concern about women/elderly and coastal salinity without specific measures targeting menstrual/reproductive issues (DesignGap); no monitoring/indicator/outcome evidence for these risks (OutcomeGap).

Rules: Rule_Final_01_EvidenceFirst, Rule_Final_05_GapDifferenceCalculation, Rule_Final_06_GapSeverityCalculation, Rule_09_DesignGap, Rule_11_OutcomeGap, Rule_Final_14_GapTypeEvidenceRequirement, Rule_Final_15_MaxTwoGapTypes, Rule_Final_08_PartialPolicyCoherence, Rule_Final_17_FinalOutput

4 **External-memory recheck** ·

evidenceStatus = UpdatedEvidence

· priority = medium · freshness = 0.8

External memory reports coastal reproductive/menstrual health risks among women and adolescents, including menstrual irregularities and pregnancy complications linked to WASH and salinity, indicating under-addressed policy attention; this updates and reinforces the finding of insufficient policy specificity [mem1]. Other external items are unrelated to coastal menstrual health [mem2][mem3].

Final result: Finding: News specifically indicates elevated miscarriage risk among coastal pregnant women; policy acknowledges women/elderly as vulnerable and coastal salinity/HTR service gaps but lacks specific coastal reproductive or menstrual health measures. Therefore: coastal women's menstrual problems are clearly indicated in external evidence, miscarriage risk in news, but not addressed specifically in policy—showing a design and outcome gap in C8-aligned programming. [thedailystar.net-Miscarriage on the rise Effects of climate change in coastal Bangladesh][8th Fifth year plan][mem1]

Sources

- [sym] Symbolic reasoning
- [news] Miscarriage on the rise_ Effects of climate change in coastal Bangladesh _ The Daily Star(2)
- [news] Miscarriage on the rise_ Effects of climate change in coastal Bangladesh _ The Daily Star
- [news] Miscarriage on the rise_ Effects of climate change in coastal Bangladesh _ The Daily Star(1)
- [news] thedailystar.net-Miscarriage on the rise Effects of climate change in coastal Bangladesh
- [news] thedailystar.net-Water salinity and maternal health
- [news] thedailystar.net-Climate change Bangladeshs case
- [policy] 8th Fifth year plan
- [policy] 8th Fifth year plan
- [policy] 9789240095380-eng
- [policy] 9789240095380-eng
- [policy] 8th Fifth year plan

[View trace](#)

Climate–Health NeSy

Policy gap analysis

1. Query & Trace

2. Ingest (Docs + KG)

3. Memory Module

4. KG / TTL Browser

Climate–Health Policy Gap Console

Ask the 25 guiding questions (or your own) against news, policy, external memory and the ontology. The system routes the request and answers with a traceable result.

● Backend connected

http://172.20.10.2:8000

Change backend

Guiding question

— Pick one of the 25 guiding questions ↕

Domain

climate ↕

is the rangpur and barishal district came to highlight in news or policy or not

Run mode

Auto (ADAPTIVERAG · GPT · ↕

Run query

Answer

Yes, Rangpur appears in news and policy; Barisal/Barishal appears in both as well. News: Rangpur is cited for flood-damaged roads; Barisal (as Barisal) is included in a disaster-preparedness initiative list. Policy: both Rangpur and Barisal are highlighted in the 8th Five Year Plan discussing poverty reduction and lagging regions. [Over 1,000km roads damaged by flood

_ The Daily Star][thedailystar.net-
Reducing disaster risk at village level]
[8th Fifth year plan]

Mode: ADAPTIVERAG · Model: gpt-5

Policy assessment (CHPG-O)

Status: Policy limitation

UncertainEvidence

priority: medium

freshness: 0.4

Media concern (news) 2 / 3

Multiple news items reference specific districts (Rangpur, Barisal) with clear hazards/impacts (flood damage; disaster-prone preparedness programming).

Policy strength 2 / 3

The 8th Five Year Plan explicitly names Rangpur and Barisal/Barishal as lagging regions with disaster/climate vulnerability and documents substantial poverty reduction; however, it lacks a fully specified health-climate measure with all implementation details.

WHO alignment 2 / 3

WHO component alignment

- **C1** C1 Climate-transformative leadership and governance — **partial**: Strategic recognition of regional disparities and intent to reduce them, naming Rangpur and Barisal, indicates governance focus but not full implementation detail. [8th Fifth year plan]
- **C8** C8 Climate-informed health programmes — **partial**: Addresses climate/disaster-vulnerable regions in broader socio-economic planning which underpins health programme targeting, but lacks concrete health programme instruments in the excerpt. [8th Fifth year plan]

Gap classification:**Primary: ImplementationGap****Secondary: OutcomeGap****Gap difference: 0 Severity: 0 / 3****Evidence:** news + policy + external memory**Confidence: 0.63****Reasoning workflow**

- 1 News evidence check ·**
mediaConcernScore = 2
Multiple news items reference specific districts (Rangpur, Barisal) with clear hazards/impacts (flood damage; disaster-prone preparedness programming).
 - Rangpur had roads flood-damaged as part of widespread infrastructure impacts [Over 1,000km roads damaged by flood _ The Daily Star]
 - Barisal listed among disaster-prone regions included in preparedness programming alongside Rangpur and others [thedailystar.net-Reducing disaster risk at village level]
- 2 Policy evidence check ·**
policyStrengthScore = 2
The 8th Five Year Plan explicitly names Rangpur and Barisal/Barishal as lagging regions with disaster/climate vulnerability and documents substantial poverty reduction; however, it lacks a fully specified health-climate measure with all implementation details.

3 **Ontology reasoning** · gapDifference = 0 · gapSeverity = 0

Gap analysis requires both specific news risk and a corresponding specific policy measure; provided policy text is high-level and not directly mapped to the cited news hazards, so no definitive gap classification.

Rules: Rule_Final_01_EvidenceFirst,
Rule_Final_05_GapDifferenceCalculation,
Rule_Final_06_GapSeverityCalculation,
Rule_08_ImplementationGap,
Rule_11_OutcomeGap,
Rule_Final_14_GapTypeEvidenceRequirement,
Rule_Final_08_PartialPolicyCoherence,
Rule_Final_17_FinalOutput

4 **External-memory recheck** · evidenceStatus = UncertainEvidence · priority = medium · freshness = 0.4 External memory items reference Cox's Bazar outbreaks and national actions, not Rangpur/Barishal specifically; they neither confirm nor contradict district-specific mentions. [mem1][mem2][mem3]

Final result: Both Rangpur and Barisal/Barishal are highlighted in the news and in policy. News reports cite Rangpur's flood-damaged roads and list Barisal in disaster-preparedness coverage, indicating district-specific concern. The 8th Five Year Plan explicitly names both divisions as historically lagging yet improving, noting their higher exposure to disasters and climate impacts. External-memory items do not add district-specific confirmation, so the core finding stands based on source-grounded news and policy excerpts.

Sources

- [sym] Symbolic reasoning
- [news] thedailystar.net-Global warming local impact
- [news] Over 1,000km roads damaged by flood _ The Daily Star
- [news] Over 1,000km roads damaged by flood _ The Daily Star(1)
- [news] thedailystar.net-Reducing disaster risk at village level
- [news] thedailystar.net-Reducing disaster

risk at village level(1)

- [news] thedailystar.net-Human health is at the centre of climate change
- [policy] 8th Fifth year plan
- [policy] 8th Fifth year plan
- [policy] 8th Fifth year plan
- [policy] 8th Fifth year plan
- [policy] 8th Fifth year plan

[View trace](#)