Walkthrough & recording script

A ten-minute video that shows the product working end to end and explains the technical decisions and tradeoffs behind it. What to click, what to say, and what to have ready.

LIVE APP
adimalkar.github.io/miraflores-workpaper

CODE
github.com/adimalkar/miraflores-workpaper

TARGET LENGTH
9–11 minutes · 9 segments

Before you record

Ten minutes of setup saves three retakes.

BROWSER

- [ ] Use a **fresh Chrome profile** (or a guest window). Each browser keeps its own workpaper state.
- [ ] Window at about **1440 × 900**, zoom 100%. Hide bookmarks bar and extensions.
- [ ] Open the live app. The **welcome screen** appears on first visit: leave it for segment 1.
- [ ] Open a **second window** of the same profile, side by side, for segment 6 (live collaboration).
- [ ] Turn off notifications. Close Slack, email and anything that can pop up.

FILES AND RECORDING

- [ ] Have `docs/demo/ready-to-send.json` on disk. You import it before segment 7 to skip the filing setup.
- [ ] Recorder: Loom or OBS, full screen, mic checked. Camera bubble bottom-left over the sidebar footer, not over content.
- [ ] Rehearse once with the sheet below. Speak to the CPA, not the code: say what it proves, then how.
- [ ] If anything goes sideways: Firm › Record › **Reset demo** (as Helen or Jo), then reload.


Run sheet

	SEGMENT	THE MOMENT TO LAND	TIME
1	The idea	“Every number carries its own proof.” Welcome screen, then Today.	0:00–0:45
2	Trace a number	⌘K `1840` → proof panel → highlighter lands on the field in the document.	0:45–2:00
3	Checks that don't trust the engine	22 findings, the engine silent on 19. Evidence, method, proposed fix, undo.	2:00–3:45
4	What a fix changes	Bottom line rolls from 4,220 due to a 6,585 refund; books to tax still reconciles to 0.	3:45–4:30
5	Focus mode	Keyboard triage: `a` applies, `v` verifies against the highlighted source.	4:30–5:30
6	People	Two windows, two people. A blocking note arrives live; a sign-off reopens on its own.	5:30–7:00
7	Filing and after	The July e-file rejection, reproduced and prevented. Freeze, amend, Letter 566 record.	7:00–8:30
8	Firm, and nothing hardcoded	Masking and view log; firm rules drive behavior; open a different packet.	8:30–9:15
9	Decisions, tradeoffs, AI	Event log, derived views, exact flow vs estimated tax, local-first, how AI was used.	9:15–10:45

1 The idea

0:00 – 0:45

Goal: in 45 seconds the viewer knows what the product is and why it isn't a spreadsheet.



DO

1. Start on the welcome screen. Click **Next** through the three slides, slowly.
2. Click **Start working**. Land on **Today**.
3. Hover the **proof map**: a few squares, one red.

SAY

> “Software computes this return; the workpaper's job is to prove it. So I didn't build a spreadsheet. The unit here is a number together with its proof: where it came from, how it was built, who checked it, and what is still open.”


> “This return has 627 numbers. Each square on this map is one of them, colored by how well it's proven. The red ones are where the review found a problem the engine didn't.”

> “And it opens on my work for today, not on a dashboard.”

2 Trace a number

0:45 – 2:00

Goal: show “trace any number to its exact source, and any document to everywhere it landed.”



DO

1. Press `⌘ K` and type 1840. Pause on the results: every return line and document field with that amount.
2. Press `enter` on the first line (SchB.1.1). The proof panel slides in.
3. Point at **How it was built**, **History** (2024 → v1 → v2 → v3) and the red check pinned to the line.
4. Click the source card `D28 · p1`. The document opens and the highlighter sweeps across `1,840.00`.
5. Point at **Where this document landed**: every line this document feeds.

SAY

> “Search understands amounts, so a CPA can paste a number from anywhere and find every place it lives.”

> “Every line carries its rule, its inputs, independently re-footed, and its history across the engine's three versions and last year's return.”


> “One click and you're on the exact field on the exact page, with the confidence the pipeline read it at. The documents here are simulated from the packet, but highlights are keyed by page and field position, so a real PDF drops in underneath without changing anything else.”

> “And it works backwards: from any document to everywhere it landed, or why it didn't.”

3 Checks that don't trust the engine

2:00 – 3:45

> **Goal:** the packet "contains confident mistakes." Show how the design surfaces them, with evidence a reviewer can judge.



DO

1. Press `esc` twice, then `g` `c` for **Checks**. Read the summary sentence.
2. Open **Theo's SSN differs from last year's return**: three sources, two transposed digits.
3. Open **State taxes wages earned after the move**. Point at *What the engine said: nothing* and *How this check works*.
4. Open **Stock compensation sales taxed on their full proceeds**. Click **Apply fix**, then **Undo** on the toast.
5. Click **Apply all clear-cut fixes**. Judgment calls stay open on purpose.

SAY

> "Twenty-two checks rebuild figures from the documents, the client's own words, the prior year and the agency records. The engine's own diagnostics mention only three of them. The rest it reported with full confidence."

> "The dependent's SSN on the organizer has two digits transposed. Last year's return has it right. That is exactly why the real e-file was rejected in July. Here it's caught in March."

> "California is taxing wages earned after the move, because the employer kept the wrong work state. The paystub at the move date gives the right split."


> "The RSU sales were taxed on their full proceeds: about forty-seven thousand of overstated gain. The engine matched the plan statement for one lot but not these, because the lot numbers differ. Matching on acquisition date works."

> "Each check shows its evidence and its method, so a reviewer can disagree with it. Every fix is undoable."

4 What a fix changes

3:45 – 4:30

Goal: “adjust without losing the original, see the tax effect.” Be honest about what is exact and what is estimated.



DO

1. g t back to Today. The bottom line rolls: **4,220 due → 6,585 refund** federal; state refund **8,256 → 11,246**.
2. Point at “engine due 4,220 · workpaper −10,805”.
3. g s Schedules › **Books to tax**. Point at *Unreconciled 0*.
4. Return › Form 1040: adjusted lines in blue, original struck through in the proof panel.

SAY

> “The engine can't be rerun, so I made a choice. Arithmetic flows exactly: an adjustment carries through every sum above it, using each sum's signs learned from the engine's own numbers. That's why AGI and the state columns move to the dollar.”


> “Lines that apply tax law, such as brackets, caps and phase-outs, are marked as awaiting recompute, and their tax effect is estimated with the per-dollar rates the packet gives. It says so on screen. Nothing is silently guessed.”

> “Books to tax is rebuilt from the books and the return, not typed in, and it still reconciles to zero after every fix.”

5 Focus mode

4:30 – 5:30

Goal: show that a 20-year CPA would be faster here than anywhere else.



DO

1. Press `f`. The work queue fills the screen.
2. Press `j` twice, then `a` on a fix. It applies and advances.
3. Press `tab` for **Verify numbers**: the largest unverified number, its source page beside it, the field highlighted.
4. Press `1` (agreed to source document), then `v`. The tick draws in and the next number appears. Do three; try `2` (recalculated) on one.
5. `esc` back to Today: the proof map has green squares.

SAY

> "Most of a review is the same motion hundreds of times: look at the number, look at the source, mark it. Focus mode makes that one keystroke."


> "The queue is built for whoever is signed in, ordered by what blocks filing and by tax effect."

> "Verification records the method as an auditor's tick mark: traced to source, recalculated, confirmed with client, agreed to prior year, agreed to a third-party record. Lines with an open check are kept out of this queue until they're fixed."

6 People

5:30 – 7:00

Goal: questions become evidence, blocking notes, sign-offs that reopen, enforced roles, several people at once.



DO

1. Second window: role switcher (bottom-left) → **Daniel Ortiz**, reviewer. His avatar appears in the first window.
2. As Daniel, open any line (⌘K `SchE.9A`) → **Note** → “Need the declarations page” → **Add blocking note**.
3. First window: **Since you last looked** badge, the note on Today's queue.
4. Daniel: Review › Sign-offs → **Sign off** the return as reviewer.
5. First window (Priya): adjust any 1040 line. Daniel's sign-off flips to **Reopened**, listing what moved. Undo with `⌘ Z`: it closes again.
6. Switch to **Helen** (partner): Review › Adjustments → **Approve all**. Note she can't approve her own adjustments.

SAY

> “Two people, two windows. Daniel's note lands in Priya's queue the moment he writes it, and it blocks filing until a reviewer clears it.”

> “A sign-off stores the exact values it covered. Change any of them and it reopens by itself and says what changed. Undo, and it's whole again.”


> “The firm's rules are enforced, not suggested: no one reviews their own work, adjustments above the firm's threshold need the partner, and staff without clearance see sensitive data masked.”

> “Questions to the client go to their portal, and the answer is filed as evidence on the line that asked.”

7 Filing and after

7:00 – 8:30

Goal: extensions, approval, e-file rejection, freeze and amend, the client's copy, a self-contained answer to a notice.



DO

1. **Off camera:** as Helen, Firm › Record › **Reset demo**, then **Import** `ready-to-send.json`.
2. `g` `l` Filing. Every gate is green. **Send for approval**.
3. Switch to **Ngozi Okafor**: client portal → **Review and sign Form 8879**, PIN 41207, sign.
4. Back as Helen: **Transmit**. It is **rejected R0000-504-02**. Click “The check that predicted this” → **Reopen** → **Apply fix**, then transmit again: accepted, workpaper frozen.
5. Point at **Open amendment**. Then **Build the response record** for the 2028 Letter 566.

SAY

> “I loaded a state where every gate is clear, except one thing: someone dismissed the SSN check. Watch what happens. The rejection is the same code the real season got in July. The check had predicted it in March.”

> “At filing the workpaper freezes. Changes after that go into an amendment layered on top, and the filed version stays in the log.”

> “Two years later the IRS examines two items. The response record is built from the frozen file: the lines, their documents, the 1099 reconciliation, and what the review corrected before filing. No one has to find the preparer.”

8 Firm, and nothing hardcoded

8:30 – 9:15

Goal: firm-wide standards, sensitive data with view logs, and proof that this is a product, not a demo of one file.

DO

1. Switch to **Marcus Bell** (no clearance): Firm › Sensitive data. SSNs masked, **Reveal** disabled with the reason.
2. Switch to **Helen**: reveal one value. It appears in the **view log** with name and time.
3. Switch to **Jo Kimura** (admin): Firm › Standards. Point at rules, thresholds, verification methods.
4. Firm › Record: point at **Open another packet** and **Export event log**.

SAY

> “Firm standards drive the app: the partner threshold, the variance rule, the verification methods and retention are read from here, and the administrator can change them.”

> “Nothing in the code names this client, a document or an amount. Every schedule, check sentence and client to-do is derived from the packet. I tested that with a different household where I fixed two of the planted errors: it opened cleanly and those two checks disappeared on their own.”

9 Decisions, tradeoffs, and how I used AI

9:15 – 10:45

Goal: the brief asks for the technical decisions and tradeoffs. Say them plainly; show the repo for a few seconds.

An append-only event log	The packet is never modified. Every verification, adjustment, note, sign-off and filing action is an event. That one choice gives original values kept, undo, live sync, version compare, sign-offs that reopen, freeze-and-amend and the audit trail, from a single structure.
Everything derived	Views, schedules, checks and narratives are pure functions of packet plus log. That's why it opens any packet in the same format, and why it can't drift out of sync with itself.
Exact flow, honest estimates	The engine can't be rerun. Sums and carries recompute exactly; tax-law lines are flagged and estimated with the packet's per-dollar rates, or with the engine's own what-if results where they exist. *Tradeoff:* estimates near thresholds can be off until a real recompute.
Local-first, no server	The log lives in the browser and syncs live across tabs; it exports and imports. It runs from a link with zero setup. *Tradeoff:* two people on two machines need a sync server: one adapter to swap.
Explicit checks, not a rules engine	Each check is a readable function that states its method on screen. Easier for a reviewer to trust and for a firm to extend. *Tradeoff:* new checks are code, not configuration.
Simulated documents	Rendered from the printed text, with highlights keyed by page and field position, so real page images slot in underneath.
Testing	A headless browser sweeps every screen for errors, before and after fixes; the full lifecycle was run end to end; reconciliations were checked by hand against the packet.

DO

1. Show the repo README for five seconds: the “What's where” table.
2. End on Today with the proof map partly green.

SAY · AI

> “I built this with Claude Code as a pair programmer. I set the product direction, decided which errors mattered and how they should surface, and reviewed every screen. Claude read the packet, wrote the error-finding scripts and most of the code, and drove a browser to test the flows. Every figure in the errors write-up was checked by hand against the packet.”

> “The bar in the brief was a CPA who finds it faster and more trustworthy than anything they've used. That's what I optimized for: every number one click from its proof.”

Cheat sheet

Keep this beside the keyboard while recording.

NUMBERS TO QUOTE

Documents · values read · numbers on the return	74 · 3,012 · 627
Independent findings · engine silent on	22 · 19
Flagged on the proof map at start	31
Engine v3: federal · state	4,220 due · 8,256 refund
After clear-cut fixes: federal · state	6,585 · 11,246 refunds
Ready-to-send demo: federal · state	4,264 · 10,454 refunds
RSU gain overstated	≈ 47,620
State-source wages: engine → rebuilt	218,400 → 129,569
Theo's SSN: organizer vs official	…3309 vs …3390
E-file rejection code	R0000-504-02
Brightpath lots tie to broker summary	260, to the cent
Books to tax unreconciled	0

KEYBOARD

Search anything, including amounts	⌘K or /
Focus mode	f
Next / previous item	j / k
Apply proposed fix	a
Verify · choose method	v · 1–5
Adjust · note	e · n
Switch focus queue	tab
Go to Today · Checks · Review	g t · g c · g v
Go to Schedules · Filing · Firm	g s · g l · g m
Undo your last change	⌘Z
All shortcuts	?

PEOPLE

Priya Raman · preparer	st-01
Daniel Ortiz · reviewer	st-02
Helen Strand · partner	st-03
Marcus Bell · preparer, no clearance	st-04
Jo Kimura · firm administrator	st-05
Ngozi Okafor / Erik Lindqvist · client	PIN 41207

IF SOMETHING GOES WRONG

A view looks stuck mid-transition	reload the page
State is messy from rehearsals	Firm › Record › Reset demo (Helen or Jo)
Need to jump to filing	Reset, then Import ready-to-send.json
Welcome screen won't show again	use a new guest window
A role can't do something	that's the point: say which rule blocked it