

Nama: Muhammad Rafi Adinata

Nim: 2410511012

Kelas: Informatika A

SS Endpoint

The screenshot shows a REST client interface with a POST request to `http://127.0.0.1:3000/api/orders`. The request body is a JSON object with the following structure:

```
1 {
2   "payment_method": "Ovo",
3   "items": [
4     {
5       "product_id": 9,
6       "quantity": 1,
7       "price": 8000000
8     },
9     {
10      "product_id": 10,
11      "quantity": 1,
12      "price": 200000
13    }
14  ]
15 }
```

The response status is **200 OK** with a time of **404 ms** and a size of **490 B**. The response body is a JSON object:


```
1 {
2   "status": "success",
3   "message": "Checkout berhasil! data telah ditambahkan ke table.",
4   "detail": {
5     "order_id": 21,
6     "total_pembayaran": 8200000,
7     "jumlah_macam_barang": 2
8   }
9 }
```

The screenshot shows a REST client interface with a POST request to `http://127.0.0.1:3000/api/products`. The request body is a JSON object:

```
1 {
2   "name": "Camera",
3   "description": "Dapatkan foto bagus dengan kamera ini",
4   "price": "15000000.00",
5   "stock": 5
6 }
```

The response status is **201 Created** with a time of **245 ms** and a size of **600 B**. The response body is a JSON object:

```
1 {
2   "status": "success",
3   "message": "Produk berhasil ditambahkan",
4   "data": {
5     "name": "Camera",
6     "description": "Dapatkan foto bagus dengan kamera ini",
7     "price": "15000000.00",
8     "stock": 5,
9     "updated_at": "2026-05-02T05:01:51.000000Z",
10    "created_at": "2026-05-02T05:01:51.000000Z",
11    "id": 11
12  }
13 }
```

POST

http://127.0.0.1:3000/api/auth/logout

Send

Params

Authorization

Headers (9)

Body

Pre-request Script

Tests

Settings

Cookies

Query Params

Key	Value	Description
Key	Value	Description

Body

Cookies

Headers (9)

Test Results

Status: 200 OK Time: 7 ms Size: 337 B Save as example

Pretty

Raw

Preview

Visualize

JSON

```
1 {
2   "status": "success",
3   "message": "Logout berhasil."
4 }
```

DELETE

http://127.0.0.1:3000/api/orders/21

Send

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

Cookies

Type

Bearer Token

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about variables.

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Token

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ...

Body

Cookies

Headers (11)

Test Results

Status: 200 OK Time: 179 ms Size: 496 B Save as example

Pretty

Raw

Preview

Visualize

JSON

```
1 {
2   "status": "success",
3   "message": "Order #21 berhasil dibatalkan. Tagihan dihapus dan stok semua barang telah dikembalikan.",
4   "pembeli": "2418511012@mahasiswa.upnvj.ac.id"
5 }
```