LAPORAN PRAKTIKUM

POSTTEST 6

ALGORITMA PEMROGRAMAN DASAR



Disusun oleh:

Adinda Olivia Maharani 2609106088

Kelas C1 ‘26


PROGRAM STUDI INFORMATIKA

UNIVERSITAS MULAWARMAN


SAMARINDA

2026


1. Flowchart




Gambar 1.1


A
Siapkan data film dan daftar pengguna
tampilkan menu sesuai peran
masukkan menu pilihan
gak pilih menu?
Tidak
Ya
menu 1
Tidak
Ya
B
menu 2
Tidak
Ya
C
bukan admin?
Tidak
Ya
menu 3
Tidak
Ya
D
menu 4
Tidak
Ya
E
menu 5
Tidak
Ya
F
menu 0
Ya
Tidak
tampilkan pesan tidak valid
Selesai


Gambar 2.1


B
tampilkan judul film
pilih nomor film atau b
Pilihan = b?
Tidak
Ya
Nomor film tersedia?
Tidak
Ya
A
tampilkan pesan input tidak valid
Tampilkan detail film: tahun, sutradara, durasi, rating


Gambar 3.1


C
Watchlist kosong?
Ya
Tidak
tampikan watchlist kosong
tampilkan isi watchlist
masukkan nomor film atau b
Pilihan = b?
Ya
Tidak
Nomor film tersedia?
Ya
Tidak
tampilkan pesan input tidak valid
Film sudah ada di watchlist?
Tidak
Tambahkan film ke watchlist
tampilkan pesan film sudah ada
tampilkan pesan film berhasil ditambahkan
A


Gambar 4.1


D
film sudah ada ditambahkan?
Tidak
Ya
tampilkan film yang sudah ditambahkan
Masukkan data film: judul, tahun, sutradara, durasi, rating; atau b
input = b?
Tidak
Ya
Jumlah data = 5?
Tidak
Ya
data duplikat?
Tidak
Ya
Simpan data film ke daftar film dan daftar tambahan
tampilkan pesan film ini sudah ada
tampilkan pesan film berhasil ditambahkan
A

Gambar 5.1


E
tampilkan judul film
pilih film atau b
Pilihan = b?
Tidak
Ya
tampilkan data film
pilih nomor film
Nomor film tersedia?
tampilkan pesan input tidak valid
masukan data terbaru atau enter untuk mempertahankan data lama
Perbarui data film
A

Gambar 6.1


F
tampilkan daftar film
pilih nomor film atau b
Pilihan = b?
Tidak
Ya
Nomor film tersedia?
Tidak
Ya
Hapus film dari daftar berdasarkan nomor
tampilkan pesan input tidak valid
tampilkan pesan film berhasil dihapus
A

Gambar 7.1

2. Deskripsi Singkat Program

Sistem Manajemen Film ini berbasis Python yang dirancang untuk mengelola pustaka film dan daftar tontonan pengguna melalui Command-Line Interface (CLI). Program ini dilengkapi dengan mekanisme autentikasi dan pembatasan hak akses berbasis peran, sehingga membedakan alur kerja antara pengguna biasa dan admin.

3. Source Code

```
if choice == "1":
        username = input("Enter username: ")
        password = input("Enter password: ")


        if username in users and password == users[username][0]:
            print(f"\nwelcome {username}!\n")
            current_user = username
        else:
            print("invalid username or password! Try again?\n")
            continue

    elif choice == "2":
        new_username = input("Enter new username: ")
        new_password = input("Enter new password: ")

        registered_usernames = list(users.keys())
        if new_username in registered_usernames:
            print("Username already exists! Try again.\n")
        else:
            users[new_username] = [new_password, "user"]
            print("Registration successful! Please login.\n")
        continue
    else:
        print("invalid input.")
        continue
```

```
if choices == "1":
                while True:
                    for i, film in enumerate(list_films):
                        print(f"{i + 1}. {film['title']}")

                    input_index = input("choose to see more detail(b to cancel):
")

                    valid_index = [str(i+1) for i in range(len(list_films))]

                    if input_index in cancel:
                        break
                    elif input_index in valid_index:
                        data = int(input_index)-1
                        print(f"\n--- {list_films[data]['title']} ---")
                        print(f"release: {list_films[data]['release']}")
                        print(f"directed by: {list_films[data]['director']}")
                        print(f"duration: {list_films[data]['duration']}")
                        print(f"ratings: {list_films[data]['rating']}\n")
                    else:
                        print("invalid input.")

elif choices == "2":
            if len(watchlist_user) == 0:
                print("your watchlist is empty!")
            else:
                print("--- Your Watchlist ---")
                for i, film in enumerate(watchlist_user):
                    print(f"{i+1}. {film}")

            input_index = input("add film index here(b to cancel): ")

            valid_index = [str(i+1) for i in range(len(list_films))]

            if input_index.lower() == 'b':
                continue

            elif input_index in valid_index:
                index = int(input_index) - 1
                title_film = list_films[index]['title']
                if title_film not in watchlist_user:
                    watchlist_user.append(title_film)
                    print(f"{title_film} successfully added to your watchlist!")
                else:
                    print(f"{title_film} is already in your watchlist!")
            else:
                print("invalid input.")
elif choices == "3":
            if user_role != "admin":
                print("invalid input.")
                continue
```

```
            if not added_films:
                print("you haven't added film yet")
            else:
                print("--- Added Films ---")
                for title in added_films:
                    print(f"{title}")

            input_film = input("add your films include the data here\n"
                "for example: (title film), (years release), (director), (film
duration), (rating)\n"
                        "(b to cancel):")
            if input_film in cancel or input_film.lower() in [c.lower() for c in
cancel]:
                continue
            else:
                film_data = [item.strip() for item in input_film.split(",")]
            if len(film_data) == 5:
                    input_lower = [item.lower() for item in film_data]

                    is_duplicate = False
                    for f in list_films:
                        existing_film = [
                            f["title"].lower(),
                            f["release"].lower(),
                            f["director"].lower(),
                            f["duration"].lower(),
                            f["rating"].lower()
                        ]
                        if input_lower == existing_film:
                            is_duplicate = True
                            break
                    if is_duplicate:
                        print("this film is already existed.")
                    else:
                        added_films.append(film_data[0])
                        list_films.append({
                            "title": film_data[0],
                            "release": film_data[1],
                            "director": film_data[2],
                            "duration": film_data[3],
                            "rating": film_data[4]
                        })
                        print("successfully added!")



elif choices == "4":
            if user_role != "admin":
                print("invalid input.")
                continue
```

```
            for i, film in enumerate(list_films):
                print(f"{i + 1}. {film['title']}")

            input_index = input("pick an index films to change the data(b to
back): ")

            if input_index in cancel or input_index.lower() in [c.lower() for c
in cancel]:
                continue
            elif input_index.isdigit() and 1 <= int(input_index) <=
len(list_films):
                data = int(input_index) - 1

                print(f"--- {list_films[data]['title']} ---")
                print(f"release: {list_films[data]['release']}")
                print(f"directed by: {list_films[data]['director']}")
                print(f"duration: {list_films[data]['duration']}")
                print(f"ratings: {list_films[data]['rating']}")
                print("--------------------")

                print("Insert the new data (or just press enter to keep the old
data):")
                title = input(f"title [{list_films[data]['title']}]: ") or
list_films[data]['title']
                release = input(f"release [{list_films[data]['release']}]: ") or
list_films[data]['release']
                directed = input(f"directed by [{list_films[data]['director']}]:
") or list_films[data]['director']
                duration = input(f"duration [{list_films[data]['duration']}]: ")
or list_films[data]['duration']
                ratings = input(f"ratings [{list_films[data]['rating']}]: ") or
list_films[data]['rating']

                list_films[data] = {
                    "title": title,
                    "release": release,
                    "director": directed,
                    "duration": duration,
                    "rating": ratings
                }
                print("Data successfully updated!")
            else:
                print("invalid input.")



 elif choices == "5":
            if user_role != "admin":
                print("invalid input.")
                continue
```

```
            for i, film in enumerate(list_films):
                print(f"{i + 1}. {film['title']}")

            valid_index = [str(i + 1) for i in range(len(list_films))]

            input_index = input("pick an index films to delete(b to back): ")
            if input_index in cancel or input_index.lower() in [c.lower() for c
in cancel]:
                continue

            if input_index in valid_index:
                deleted_film = list_films.pop(int(input_index) - 1)
                print(f"Film {deleted_film['title']} successfully deleted.")
            else:
                print("invalid input!")
```

A. Fitur Registrasi & Login Akun [Create & Read]

Membuat akun baru sebagai pengguna biasa (Create) dan memverifikasi kredensial username/password saat login (Read).

```
if choice == "1":
        username = input("Enter username: ")
        password = input("Enter password: ")


        if username in users and password == users[username][0]:
            print(f"\nwelcome {username}!\n")
            current_user = username
        else:
            print("invalid username or password! Try again?\n")
            continue

    elif choice == "2":
        new_username = input("Enter new username: ")
        new_password = input("Enter new password: ")

        registered_usernames = list(users.keys())
        if new_username in registered_usernames:
            print("Username already exists! Try again.\n")
        else:
            users[new_username] = [new_password, "user"]
            print("Registration successful! Please login.\n")
        continue
    else:
        print("invalid input.")
        continue
```

B. Fitur Katalog & Detail Informasi Film [Read]

Menampilkan daftar seluruh film yang tersedia dan menyajikan rincian informasi film secara terpisah (**Read**).

```
if choices == "1":
            while True:
                for i, film in enumerate(list_films):
                    print(f"{i + 1}. {film['title']}")

                input_index = input("choose to see more detail(b to cancel): ")

                valid_index = [str(i+1) for i in range(len(list_films))]

                if input_index in cancel:
                    break
                elif input_index in valid_index:
                    data = int(input_index)-1
                    print(f"\n--- {list_films[data]['title']} ---")
                    print(f"release: {list_films[data]['release']}")
                    print(f"directed by: {list_films[data]['director']}")
                    print(f"duration: {list_films[data]['duration']}")
                    print(f"ratings: {list_films[data]['rating']}\n")
                else:
                    print("invalid input.")
```

C. Fitur Manajemen Watchlist Pribadi [Create & Read]

Membaca isi daftar tontonan pengguna (**Read**) serta menambahkan judul film terpilih ke dalam watchlist tersebut (**Create**).

```
elif choices == "2":
            if len(watchlist_user) == 0:
                print("your watchlist is empty!")
            else:
                print("--- Your Watchlist ---")
                for i, film in enumerate(watchlist_user):
                    print(f"{i+1}. {film}")

            input_index = input("add film index here(b to cancel): ")

            valid_index = [str(i+1) for i in range(len(list_films))]

            if input_index.lower() == 'b':
                continue

             elif input_index in valid_index:
                 index = int(input_index) - 1
                title_film = list_films[index]['title']
```

```
                if title_film not in watchlist_user:
                    watchlist_user.append(title_film)
                    print(f"{title_film} successfully added to your watchlist!")
                else:
                    print(f"{title_film} is already in your watchlist!")
            else:
                print("invalid input.")
```

D. Fitur Penambahan Data Film - Khusus Admin [Create]

Menerima input 5 komponen data film baru dari admin dan menyimpannya ke dalam list film utama (**Create**).

```
elif choices == "3":
            if user_role != "admin":
                print("invalid input.")
                continue

            if not added_films:
                print("you haven't added film yet")
            else:
                print("--- Added Films ---")
                for title in added_films:
                    print(f"{title}")

            input_film = input("add your films include the data here\n"
                "for example: (title film), (years release), (director), (film
duration), (rating)\n"
                       "(b to cancel):")

            if input_film in cancel or input_film.lower() in [c.lower() for c in
cancel]:
                continue
            else:
                film_data = [item.strip() for item in input_film.split(",")]
            if len(film_data) == 5:
                    input_lower = [item.lower() for item in film_data]

                    is_duplicate = False
                    for f in list_films:
                        existing_film = [
                            f["title"].lower(),
                            f["release"].lower(),
                            f["director"].lower(),
                            f["duration"].lower(),
                            f["rating"].lower()
                        ]
                        if input_lower == existing_film:
```

```
                            is_duplicate = True
                            break
                    if is_duplicate:
                        print("this film is already existed.")
                    else:
                        added_films.append(film_data[0])
                        list_films.append({
                            "title": film_data[0],
                            "release": film_data[1],
                            "director": film_data[2],
                            "duration": film_data[3],
                            "rating": film_data[4]
                        })
                        print("successfully added!")
```

E. Fitur Pembaruan Data Film - Khusus Admin [Update]

Memperbarui elemen data film yang berada di katalog utama sesuai indeks yang dipilih (**Update**).

```
elif choices == "4":
            if user_role != "admin":
                print("invalid input.")
                continue

            for i, film in enumerate(list_films):
                print(f"{i + 1}. {film['title']}")

            input_index = input("pick an index films to change the data(b to
back): ")

            if input_index in cancel or input_index.lower() in [c.lower() for c
in cancel]:
                continue
            elif input_index.isdigit() and 1 <= int(input_index) <=
len(list_films):
                data = int(input_index) - 1

                print(f"--- {list_films[data]['title']} ---")
                print(f"release: {list_films[data]['release']}")
                print(f"directed by: {list_films[data]['director']}")
                print(f"duration: {list_films[data]['duration']}")
                print(f"ratings: {list_films[data]['rating']}")
                print("--------------------")

                print("Insert the new data (or just press enter to keep the old
data):")
                title = input(f"title [{list_films[data]['title']}]: ") or
list_films[data]['title']
```

```
                release = input(f"release [{list_films[data]['release']}]: ") or
list_films[data]['release']
                directed = input(f"directed by [{list_films[data]['director']}]:
") or list_films[data]['director']
                duration = input(f"duration [{list_films[data]['duration']}]: ")
or list_films[data]['duration']
                ratings = input(f"ratings [{list_films[data]['rating']}]: ") or
list_films[data]['rating']

                list_films[data] = {
                    "title": title,
                    "release": release,
                    "director": directed,
                    "duration": duration,
                    "rating": ratings
                }
                print("Data successfully updated!")
            else:
                print("invalid input.")
```

E. Fitur Penghapusan film - Khusus Admin [Delete]

Menghapus film yang tersedia beserta data-datanya (**delete**).

```
elif choices == "5":
            if user_role != "admin":
                print("invalid input.")
                continue

            for i, film in enumerate(list_films):
                print(f"{i + 1}. {film['title']}")

            valid_index = [str(i + 1) for i in range(len(list_films))]

            input_index = input("pick an index films to delete(b to back): ")
            if input_index in cancel or input_index.lower() in [c.lower() for c
in cancel]:
                continue

            if input_index in valid_index:
                deleted_film = list_films.pop(int(input_index) - 1)
                print(f"Film {deleted_film['title']} successfully deleted.")
            else:
                print("invalid input!")
```

4. Hasil Output

```
[1] Login
[2] Register
Choose option: 1
Enter username: ovoxo
Enter password: rahasia

welcome admin ovoxo!
```

Gambar 19.1


```
[1] Login
[2] Register
Choose option: 2
Enter new username: a
Enter new password: z
Registration successful! Please login.

[1] Login
[2] Register
Choose option: 1
Enter username: a
Enter password: z


welcome user a!

[1]list films
[2]watchlist
[0]exit
choose between the option:
```

Gambar 19.2



Gambar 20.1



Gambar 20.2

```
choose between the option: 2
your watchlist is empty!
add film index here(b to cancel): 4
The godfather successfully added to your watchlist!
[1]list films
[2]watchlist
[0]exit
choose between the option: 2
--- Your Watchlist ---
1. The godfather
add film index here(b to cancel):
```


Gambar 21.1

```
choose between the option: 3
you haven't added film yet
add your films include the data here
for example: (title film), (years release), (director), (film duration), (rating)
(b to cancel):a,a,a,a,a
successfully added!
[1]list films
[2]watchlist
[3]add films
[4]edit data films
[0]exit
choose between the option: 1
1. Whiplash
2. Interstellar
3. Taxi driver
4. The godfather
5. a
choose to see more detail(b to cancel): 5

--- a ---
release: a
directed by: a
duration: a
ratings: a

1. Whiplash
2. Interstellar
3. Taxi driver
4. The godfather
5. a
choose to see more detail(b to cancel):
```

Gambar 21.2


choose between the option: 4
1. Whiplash
2. Interstellar
3. Taxi driver
4. The godfather
5. a
pick a films to change the data(b to back): 5
--- a ---
release: a
directed by: a
duration: a
ratings: a

Masukkan data baru (tekan Enter untuk menyimpan nilai lama):
title [a]: ayam
release [a]: 2000
directed by [a]: olip
duration [a]: 20 minutes
ratings [a]: 5
Data successfully updated!

Gambar 22.1

```
choose between the option: 1
1. Whiplash
2. Interstellar
3. Taxi driver
4. The godfather
5. ayam
choose to see more detail(b to cancel): 5

--- ayam ---
release: 2000
directed by: olip
duration: 20 minutes
ratings: 5

1. Whiplash
2. Interstellar
3. Taxi driver
4. The godfather
5. ayam
choose to see more detail(b to cancel):
```

Gambar 23.1

```
choose between the option: 5
1. Whiplash
2. Interstellar
3. Taxi driver
4. The godfather
pick an index films to delete(b to back): 1
Film Whiplash successfully deleted.
```

Gambar 23.2

```
choose between the option: 1
1. Interstellar
2. Taxi driver
3. The godfather
choose to see more detail(b to cancel):
```

Gambar 23.3

5. Langkah-langkah Git

5. 1 Git Add

```
PS C:\praktikum_apd_2026> git add .
```

Perintah git add . digunakan untuk menandai file program baru yang ada di dalam folder posttest-apd-5 agar siap disimpan oleh Git.

5.2 Git Commit

```
PS C:\praktikum_apd_2026> git commit -m "pdf nya nyusul"
[main aeede17] pdf nya nyusul
 2 files changed, 302 insertions(+), 13 deletions(-)
 create mode 100644 posttest/posttest-apd-5/2609106088-ADINDAOLIVIAMAHARANI-PT-6.py
```

Perintah git commit -m “pdf nya nyusul” digunakan untuk menyimpan file program 2609106088-ADINDAOLIVIAMAHARANI-PT-6 ke dalam riwayat Git yang sudah ada lengkap beserta catatan perubahannya.

5.3 Git Push

```
PS C:\praktikum_apd_2026> git push
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 4 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (7/7), 3.75 KiB | 226.00 KiB/s, done.
Total 7 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/adindaoliviaa2-spec/praktikum_apd_2026.git
   42a753c..aeede17  main -> main
```

Perintah git push digunakan untuk mengupload file program yang sudah disimpan tadi sebelumnya dari laptop ke tempat penyimpanan online di GitHub.