Spesifikasi Protokol

Port = 25000

Host = Localhost

Message dari Client

```
public static String loginMessage (String username, String password) {
        //message : action;username;password
        String temp = "login;"+username+";"+password;
        return temp;
    }
    public static String logoutMessage() {
        //message : logout
        String temp = "logout";
        return temp;
    }
    public static String syncMessage(){
        //message : message
        String temp = "sync";
        return temp;
    }
    public static String listMessage(String username) {
        //message : list;username
        String temp = "list;"+username;
        return temp;
    }
    public static String postChange (String id, String username, String
value) {
        String temp = "post;"+id+";"+username+";"+value;
        return temp;
    }
```

Message dari Server

```
public static String runCommand(ArrayList 1) throws ClassNotFoundException,
SQLException, NoSuchAlgorithmException{
    String message = " failed";
    if(l.get(0).equals("login")) {
        //action login
        boolean isExist = false;
        isExist = Login.isUserExist(l.get(1).toString(),

l.get(2).toString());
    if(isExist) {
        message = "login successfull";
    }
    else{
        message = "login failed";
    }
}
```

```
else if(l.get(0).equals("logout")){
           //action logout
           message = "logout action";
        else if(l.get(0).equals("list")){
            //action list task
            ListTask listTask = new ListTask();
            ArrayList<Task> sesuatucuk =
ListTask.getTaskAll(ListTask.getIdUser(l.get(1).toString()));
            String msg = ListTask.convertTaskToString(sesuatucuk);
            message = msg;
        else if(l.get(0).equals("post")){
           //action post changes
           message = "post";
        else if(l.get(0).equals("sync")){
            //action sync task
            message = "sync";
        return message;
```