DATABASE SCHEMA

Schema Name: consultation

Tables:

1. address

Field	Type	Null	Key	Default
Id	varchar(255)	NO	PRI	NULL
address_line1	varchar(255)	YES		NULL
address_line2	varchar(255)	YES		NULL
City	varchar(255)	YES		NULL
postcode	varchar(255)	YES		NULL
State	varchar(255)	YES		NULL

2. appointment

Field	Type	Null	Key	Default
appointment_id	varchar(255)	NO	PRI	NULL
appointment_date	varchar(255)	YES		NULL
created_date	varchar(255)	YES		NULL
doctor_id	varchar(255)	YES		NULL
doctor_name	varchar(255)	YES		NULL
prior_medical_history	varchar(255)	YES		NULL
status	varchar(255)	YES		NULL
symptoms	varchar(255)	YES		NULL
time_slot	varchar(255)	YES		NULL
user_email_id	varchar(255)	YES		NULL
user_id	varchar(255)	YES		NULL
user_name	varchar(255)	YES		NULL

3. doctor

Field	Type	Null	Key	Default
id	varchar(255)	NO	PRI	NULL
college	varchar(255)	YES		NULL
dob	varchar(255)	YES		NULL
email_id	varchar(255)	YES		NULL
first_name	varchar(255)	YES		NULL
highest_qualification	varchar(255)	YES		NULL
last_name	varchar(255)	YES		NULL
mobile	varchar(255)	YES		NULL
pan	varchar(255)	YES		NULL

rating	double	YES		NULL
speciality	varchar(255)	YES		NULL
total_years_of_exp	int	YES		NULL

4. rating

Field	Type	Null	Key	Default
id	varchar(255)	NO	PRI	NULL
appointment_id	varchar(255)	YES		NULL
comments	varchar(255)	YES		NULL
doctor_id	varchar(255)	YES		NULL
rating	int	YES		NULL

5. user

Field	Type	Null	Key	Default
email_id	varchar(255)	NO	PRI	NULL
created_date	varchar(255)	YES		NULL
dob	varchar(255)	YES		NULL
first_name	varchar(255)	YES		NULL
last_name	varchar(255)	YES		NULL
mobile	varchar(255)	YES		NULL
password	varchar(255)	YES		NULL
salt	varchar(255)	YES		NULL

6. user_auth_token

Field	Type	Null	Key	Default
id	bigint	NO	PRI	NULL
access_token	varchar(1000)	YES		NULL
expires_at	datetime	YES		NULL
login_at	datetime	YES		NULL
logout_at	datetime	YES		NULL
user_id	varchar(255)	YES	MUL	NULL

Legend

- PRI – the column is a PRIMARY KEY or is one of the columns in a multiple-column PRIMARY KEY.
- MUL - the column is the first column of a non-unique index in which multiple occurrences of a given value are permitted within the column.