

EXPERIMENT-7: create a webpage using CherryPy

CODE:

```
import cherrypy class
MyApp:
    @cherrypy.expose
    def text(self):
        return "This is a plain text response!"
    @cherrypy.expose
    def html(self):
        return """
        <!DOCTYPE html>
        <html>
        <head>
            <title>CherryPy HTML Page</title>
        </head>
        <body>
            <h1>Welcome to CherryPy!</h1>
            <p>This is an HTML page served by CherryPy.</p>
        </body>
        </html>
        """
    @cherrypy.expose
    def external_html(self):
```


```
        return open('external_page.html').read()

if __name__ == '__main__':

    cherrypy.quickstart(MyApp())
```

OUTPUT

1:



OUTPUT 2:



EXPERIMENT-8: Create a webpage using Flask

CODE:

```
from flask import Flask
app = Flask(__name__)
@app.route('/') def
hello_world():
    return 'Hello, World!' if
__name__ == '__main__':
app.run(debug=True)
```

OUTPUT:



EXPERIMENT-9: Create Webpage using Bottle **CODE:**

```
from bottle import Bottle,run
app = Bottle() @app.route('/')
def home():
    return ('Hello World!') run(app,
host='localhost', port=5000)
```

OUTPUT:

