

Study Guide: Organisms and Populations

This comprehensive study guide explores the intricate relationships between living organisms and their environments. It covers biological organization, responses to abiotic factors, population dynamics, and the various ways species interact within a community.

CHAPTER 13: ORGANISMS AND POPULATIONS

TOPIC 1: ECOLOGY & THE ENVIRONMENT

Ecology is a branch of science that studies the reciprocal relationships between organisms and their physical environment. It is primarily concerned with four levels of biological organization:

1. **Organisms:** The basic unit of study.
2. **Populations:** A group of individuals of the same species living in a given area.
3. **Communities:** An assemblage of populations of different species interacting in an area.
4. **Biomes:** A large unit constituting a major vegetation type and associated fauna, formed due to annual variations in temperature and precipitation (e.g., desert, rain forest, tundra).

Major Abiotic Factors


The physical and chemical conditions of habitats are determined by key non-living components:

- **Temperature:** Affects enzyme kinetics and basal metabolism.
 - **Eurythermal:** Organisms that tolerate a wide range of temperatures.
 - **Stenothermal:** Organisms restricted to a narrow range of temperatures.
- **Water:** Vital for life; aquatic organisms face osmotic problems based on salinity.
 - **Euryhaline:** Organisms that tolerate a wide range of salinities.
 - **Stenohaline:** Organisms restricted to a narrow range of salinities.
- **Light:** Essential for photosynthesis in plants and acts as cues for foraging, reproduction, and migration in animals.
- **Soil:** Characteristics like grain size, aggregation, and pH determine water-holding capacity and dictate the type of vegetation and benthic animals supported.

TOPIC 2: RESPONSES TO ABIOTIC FACTORS

Organisms cope with stressful external conditions to maintain **homeostasis** (a constant internal environment).

Flowchart: Organismic Responses to Environmental Stress



1. **Regulate:** Maintaining homeostasis by physiological or behavioral means ensures constant body temperature (thermoregulation) and osmotic concentration (osmoregulation). *Example: Humans sweat in summer and shiver in winter to maintain 37°C.*
2. **Conform:** Majority of animals (99%) and nearly all plants cannot maintain a constant internal environment; their body temperature or osmotic concentration changes with ambient conditions. Thermoregulation is energetically expensive for small animals (e.g., shrews, hummingbirds), which is why they are rarely found in polar regions.
3. **Migrate:** Organisms temporarily move from a stressful habitat to a more hospitable area. *Example: Migratory birds travelling from Siberia to Keolado National Park in Rajasthan during winter.*
4. **Suspend:** Escaping stress in time when migration is not possible.
 - **Hibernation:** Winter sleep to escape cold (e.g., Bears).
 - **Aestivation:** Summer sleep to escape heat and desiccation (e.g., Snails, fishes).
 - **Diapause:** A stage of suspended development under unfavorable conditions (e.g., Zooplankton).

TOPIC 3: ADAPTATIONS

Adaptation is any morphological, physiological, or behavioral attribute of an organism that enables it to survive and reproduce in its habitat.

A. Desert Adaptations

- **Plants:** Possess a thick cuticle, sunken stomata to minimize transpiration, and a special CAM photosynthetic pathway that keeps stomata closed during the day. Leaves may be reduced to spines, with green stems taking over photosynthesis (e.g., *Opuntia*).
- **Animals:** The Kangaroo rat meets water requirements through internal fat oxidation (water is a byproduct) and concentrates its urine. Desert lizards exhibit **behavioral adaptation** by basking in the sun to absorb heat and burrowing in the sand when temperatures rise.

B. Cold Climate Adaptations

- **Allen's Rule:** Mammals from colder climates generally have shorter ears and limbs to minimize heat loss.
- **Aquatic Mammals:** Seals have a thick layer of fat called **blubber** below their skin that acts as an insulator.

C. High Altitude Adaptations (Physiological)

- **Issue:** Low atmospheric pressure at high altitudes causes **altitude sickness** (nausea, fatigue, heart palpitations) due to insufficient oxygen.
- **Adaptation:** The body compensates by **increasing red blood cell production**, decreasing the binding affinity of hemoglobin, and increasing the breathing rate.

TOPIC 4: POPULATION ATTRIBUTES


A population has specific attributes that an individual organism does not possess:

- **Population Density (N):** The number of individuals of a species per unit area or volume. Biomass or percent cover is sometimes a more meaningful measure than absolute numbers (e.g., comparing 200 *Parthenium* plants to one massive Banyan tree).
- **Birth Rate (Natality):** Per capita births, expressed as individuals added to the population per given time.
- **Death Rate (Mortality):** Per capita deaths, expressed as individuals lost from the population per given time.
- **Sex Ratio:** The ratio or percentage of males and females in a population (e.g., 60% females, 40% males).

Age Pyramids (Human Populations)

Graphical representation of different age groups (pre-reproductive, reproductive, post-reproductive) in a population determines its growth status.

Diagram: Types of Age Pyramids



TOPIC 5: POPULATION GROWTH

Population density fluctuates due to four basic processes:

1. **Natality (B):** Number of births (+).
2. **Immigration (I):** Individuals coming into the habitat (+).
3. **Mortality (D):** Number of deaths (-).
4. **Emigration (E):** Individuals leaving the habitat (-).

Population Growth Equation:

$$N_{t+1} = N_t + [(B + I) - (D + E)]$$

Growth Models

Feature	Exponential Growth	Logistic Growth
Resource Availability	Unlimited resources (food/space).	Limited (finite) resources.
Curve Shape	J-shaped curve.	S-shaped (Sigmoid) curve.
Equation	$\frac{dN}{dt} = rN$	$\frac{dN}{dt} = rN \left(\frac{K - N}{K} \right)$
Key Terms	r = Intrinsic rate of natural increase.	K = Carrying capacity (maximum individuals nature can sustain).
Realism	Highly unrealistic in nature over a long time.	More realistic model as resources eventually limit growth.

TOPIC 6: POPULATION INTERACTIONS

Organisms in nature do not exist in isolation. Interspecific interactions occur between populations of two different species.

(Note: '+' indicates benefit, '-' indicates harm, and '0' indicates neutral)

Interaction	Species A	Species B	Examples & Description
Mutualism	+	+	Lichens: Fungi absorb nutrients, algae prepare food. Mycorrhizae: Fungi and higher plant roots. Fig & Wasp: Wasp pollinates, fig provides seeds/shelter for wasp eggs. Orchid (<i>Ophrys</i>) & Bee: Employs "sexual deceit" to ensure cross-pollination.
Competition	-	-	Rivalry for limiting resources. Gause's Competitive Exclusion Principle: Two closely related species competing for the same limiting resources cannot coexist indefinitely; the inferior will be eliminated. <i>Example:</i> Flamingoes and resident fishes competing for zooplankton. Species avoid this via Resource Partitioning (e.g., choosing different feeding times).
Predation	+	-	Transfer of energy across trophic levels and keeps prey population in check. <i>Example: Tiger and deer, or sparrow eating a seed.</i> Prey Defenses: Camouflage (frogs/insects), poisonous chemicals (Monarch butterfly), morphological thorns (Cactus, Acacia), toxic glycosides (<i>Calotropis</i>).
Parasitism	+	-	Ectoparasites: Feed on the external surface (e.g., lice on humans, ticks on dogs, <i>Cuscuta</i> on hedge plants). Endoparasites: Live inside the host (e.g., human liver fluke, tapeworm, <i>Plasmodium</i>). Brood Parasitism: Koel lays eggs in a crow's nest. <i>Adaptations:</i> Loss of sense organs, presence of suckers, high reproductive capacity.
Commensalism	+	0	One benefits, the other is completely unaffected. <i>Examples:</i> Orchid growing as an epiphyte on a mango branch, barnacles on a whale's back, cattle egret and grazing cattle, clown fish living among stinging tentacles of a sea anemone.

Amensalism	-	0	One species is harmed, the other is neither benefitted nor harmed. <i>Example: Penicillium</i> secretes toxins that kill bacteria, but the fungus itself is unaffected.
-------------------	----------	----------	---

Short Answer Quiz

1. What is the primary difference between eurythermal and stenothermal organisms?
2. Define Allen's Rule and provide its biological significance.
3. How do humans physiologically adapt to high-altitude sickness?
4. Distinguish between hibernation and aestivation.
5. What four factors determine population density?
6. Explain the concept of "Carrying Capacity" (K) in logistic growth.
7. Describe the "Competitive Exclusion Principle."
8. What is brood parasitism? Provide an example.
9. How do desert plants like *Opuntia* conserve water through morphological adaptation?
10. Define mutualism and provide an example involving a plant and a fungus.

Quiz Answer Key

1. Eurythermal organisms can tolerate and thrive in a wide range of temperatures, whereas stenothermal organisms are restricted to a very narrow range of temperatures.
2. Allen's Rule states that mammals in colder climates generally have shorter ears and limbs. This is an adaptation to minimize heat loss by reducing the surface area-to-volume ratio.
3. The body compensates for low oxygen at high altitudes by increasing red blood cell production and breathing rates. It also decreases the binding capacity of hemoglobin to release oxygen more readily.
4. Hibernation is a state of "winter sleep" where animals like bears escape cold-related stress in time. Aestivation is "summer sleep" used by organisms like snails and fish to avoid heat and desiccation.
5. Population density is determined by natality (births), mortality (deaths), immigration (moving in), and emigration (moving out).
6. Carrying Capacity (K) represents the maximum number of individuals of a species that a specific habitat's limited resources can support. Once this limit is reached, population growth stabilizes.
7. Proposed by Gause, this principle states that two closely related species competing for the same limiting resources cannot coexist indefinitely. The competitively inferior species will eventually be eliminated.
8. Brood parasitism occurs when a parasitic bird lays its eggs in the nest of a host bird for incubation. An example is the cuckoo laying eggs in a crow's nest; the eggs have evolved to resemble the host's in size and color.
9. Desert plants like *Opuntia* reduce their leaves to spines to minimize water loss through transpiration. Photosynthetic functions are instead taken over by flattened, fleshy stems.

10. Mutualism is an interaction where both species benefit. An example is mycorrhizae, an association where fungi help plant roots absorb soil nutrients while the plant provides the fungi with carbohydrates.

Essay Questions (Suggested)

1. Analyze the major abiotic factors and evaluate how they influence the distribution and physiological functions of various organisms.
2. Compare and contrast the Exponential and Logistic growth models, explaining which is more realistic in nature and why.
3. Discuss the various responses organisms have evolved to cope with stressful external environmental conditions, using specific examples of regulation, conformation, and suspension.
4. Examine the diverse range of population interactions, focusing on how predation and competition serve as potent forces in organic evolution and community stability.
5. Explain the concept of biological organization and how "how-type" and "why-type" questions help us understand the mechanisms and significance of ecological processes.

Glossary of Key Terms

- **Adaptation:** Any morphological, physiological, or behavioral attribute that enables an organism to survive and reproduce in its habitat.
- **Amensalism:** An interspecific interaction where one species is harmed and the other is unaffected.
- **Autecology:** The study of the relationship of an individual organism to its environment.
- **Biome:** A major ecological community type (e.g., tropical rain forest, desert, tundra) formed by variations in temperature and precipitation.
- **Commensalism:** An interaction where one species benefits and the other is neither harmed nor benefited.
- **Diapause:** A stage of suspended development used by some organisms to survive unfavorable conditions.
- **Ecotone:** A zone of transition between two different biological communities.
- **Ectoparasite:** A parasite that feeds on the external surface of the host (e.g., lice, ticks).
- **Endoparasite:** A parasite that lives inside the host's body (e.g., liver fluke, tapeworm).
- **Homeostasis:** The tendency of an organism to maintain a constant internal environment despite varying external conditions.
- **Intrinsic Rate of Natural Increase (r):** A parameter used to assess the impact of biotic or abiotic factors on population growth; it represents the birth rate minus the death rate.
- **Mutualism:** An obligatory and beneficial interaction for both species involved.
- **Natality:** The number of births in a population during a given period.
- **Niche:** The physical position and functional role of a species within its community.
- **Phytophagous:** Organisms, such as many insects, that feed specifically on plant sap and other plant parts.
- **Population Density:** The number of individuals of a species per unit area or volume.
- **Predation:** An interaction where one organism (predator) kills and eats another (prey).