BigHammer.ai



Srinath Reddy – Founder & CEO

A nightly job failed at 3 AM.

Someone re-ran it. It failed again. The third run worked, and everyone went back to sleep.

All three are on your bill.

BigHammer.ai



Srinath Reddy – Founder & CEO

By breakfast, the incident was closed.

Nobody asked what the two failed runs cost.

But they ran on real machines for real hours. They were billed just like the run that worked.

BigHammer.ai



Srinath Reddy – Founder & CEO

Your monitoring tracks the failure.

It almost never tracks what the failure cost.

So the number finance cares about never reaches the people who could fix it.

BigHammer.ai



Srinath Reddy – Founder & CEO

That's a shame, because it is the most defensible number you have.

No guesses about savings. The runs happened, they failed, they were billed.

Join job_run_timeline to billing.usage and you see it run by run.

BigHammer.ai



Srinath Reddy – Founder & CEO

You can measure it this week.

Every run that ended

```
FAILED · TIMED_OUT · ERROR
```

in the last 90 days, priced at list.
One query. No tools to install.

BigHammer.ai



Srinath Reddy – Founder & CEO

Then you'll see three things:

1. What failure cost you last quarter
2. The few jobs that fail the most
3. Which of them have no timeout at all

That's your first Databricks saving, and nobody can argue with it.

BigHammer.ai



Srinath Reddy – Founder & CEO

This Thursday I'm hosting a free live masterclass on how to cut your Databricks bill: where the spend leaks, and what to fix first.

Reduce your Databricks costs up to 75%

Thu 15 Oct, 12:00 PM ET / 5 PM UK

webinar.bighammerai.com