
TANTRA

Find the one step that leaks your funnel.



with nothing but division →

You don’t fix a funnel. You fix one step of it.

Every stage is one count divided by the one before it.

1. Write every stage as a fraction.

Registration	56 / 800	0.78
Show-up	24 / 56	up
Booking	3 / 24	up

← divide each rate by your own last run. The lowest ratio is the step.

Fictional example. A count you don't have reads "unknown, will measure".

2. Change one thing inside that step.

Low registrations	→	**the headline**
Low show-up	→	**one reminder**
Few calls booked	→	**the offer slide and its call to action**

Torn between two? Take the earlier one. It feeds the rest.

3. Write the test down before the run.

THE ONE THING I CHANGE

The registration page headline

THE NUMBER THAT DECIDES

Visits to registrations

HOW I SPLIT IT

Half the next run sees A, half sees B

WHEN I READ IT

When the run ends. Never after a day.

Two warnings from people who test for a living.

5% → 26.1%

False positives in Evan Miller's simulation, when an A/B test was stopped the moment it looked significant.

About a third

of ideas improved the metric they targeted, at Microsoft's experimentation team. Expect most changes to lose.

It’s the Theory of Constraints, in miniature.

In The Goal (1984), Eliyahu Goldratt and Jeff Cox argued a system’s output is limited by its constraint. Improve anything else and little changes.

So when next week’s worst step moves, that’s the loop working.

TANTRA

Which stage have you never written as a fraction?

Day 3 of the workshop

The 3-Day AI RevOps Workshop

Next cohort Wed 11 Nov · 11:00 AM ET · three live sessions

You build the engine with us, not notes about it. Link in the comments.