Bribes, Not Forgeries: Results and Findings Summary

Jenifer Nguyen's betrayal study (Plan C v2), Swarm Alignment Hackathon, 8 November 2026

A concise summary. The full 24-page report (algorithms, complexity, efficiency) is `JENIFER_FULL_REPORT.pdf`. Brackets are 95% seed-bootstrap confidence intervals. "Exploratory" means the experiment was designed after pre-registration. Every number comes from `planC_v2/out/READOUT_v2_1.md`, `READOUT_ADDENDUM_GHGR.md` and the arm results files.

1. Setup

LLM agents (usually 8) play a cooperative key-trading game for up to 12 rounds. Each holds 5 keys and needs 3 it does not have. Agents can give keys, post their needs, warn neighbours, or **defect**: burn a key another agent needs, which gains the defector one key if the guess is right and costs it its own key if wrong. An attacker tries to cause defections, using one of two **methods** from one of two **positions**:

- **Forgery:** sending fake messages. *D-Evil* is an LLM outsider that can impersonate anyone.
- **Bribery:** "defect against agent v and I'll send you a key you need". The briber never pays unless told to.
- **Outsider:** not a member of the swarm.
- **Insider:** a compromised member. It bribes, lies and never gives keys.

Every attacked game is forked from the same round-1 history as a **clean twin** with no attacker (and the same defense), so the effect is measured as *extra defections per game versus the twin*. The pre-registered study (arms A-E) used Qwen-2.5-7B; most later arms used Gemma-3-12B.

2. Headline findings (strongest first)

1. **Bribes turn agents; forgeries do not.**
   - In a head-to-head with the same model, entry round and number of messages (arm U, all-Gemma, 36 seeds), an outsider's bribes added **+0.19** defections per game and its forged messages **0.00** (difference +0.19 [0.06, 0.36], p = 0.033; 6 vs 0 turned agents).
   - The insider's bribes alone added **+1.03**, against +0.14 for its lies alone (+0.89 [0.56, 1.25], p < 0.0001).
   - A seven-factor fractional factorial (arm UF) replicates this as its *only* clear effect: bribe vs forge **+0.33 [0.10, 0.53]**, p = 0.024.
   - In the pre-registered Qwen grid, D-Evil's forgeries added exactly +0.00 (H2a).
2. **A pre-registered insider raises betrayal (H2b supported).** +0.13 defections per game [0.08, 0.19], Holm p = 0.0004. That is rare per agent (23 of 2,700 honest agent-games turned). An insider's bribe works about **5×** better than an outsider's (1.03 vs 0.19 in arm U).
3. **Lies amplify bribes.** The full insider, which both bribes and lies, added +2.22, about twice the bribe-only insider (+1.03). Lies alone did little (+0.14).
4. **Dual control works partly (pre-registered, arm DC).**
   - Requiring a random co-signer for every key burn cut the bribe-only insider's effect from **+1.18 to +0.70** (H-DC2: −0.48 [−0.73, −0.20], Holm p = 0.006, **supported**).
   - For the full insider it fell from +2.00 to +1.45 (H-DC1: −0.55 [−1.00, −0.10], raw p = 0.033, Holm p = 0.066, **not supported**).
   - It had no welfare cost (H-DC3: +0.022 [−0.025, +0.072]).

- It cannot stop betrayal: honest co-signers approved about **42%** of burn requests (45/111 and 17/39), and an insider drawn as co-signer always approved.

5. **Defenses depend on the model.**
   - On Qwen, reputation + corroboration + quarantine did not reduce insider damage (H3: −2.4 pp [−7.9, +3.1], Holm p = 1.0).
   - On bribe-susceptible Gemma (arm U), a one-paragraph **resilience instruction cut bought defections from +2.22 to 0.00**, and all seven defenses together to +0.03 (both survive Holm across 34 cells).
   - Susceptibility is model-specific: in the mixed swarm only Gemma's turns were caused by the attack (+0.25 extra defections per agent [0.17, 0.34]). Llama and Qwen were almost never turned; gpt-oss defected regardless.
6. **A paying insider hides from the ledger; a late payer hides later, not longer.**
   - Paying never changed how much betrayal a bribe bought: about +2 per game under every schedule (arm J) and every timing (arm T: +2.18 to +2.23).
   - But the cheap "who never gives?" ledger rule caught a never-paying insider in **0.90** of games and an always-paying one in **0.40** (Fisher p = 0.001).
   - An end-of-game payer was flagged mid-game as often as a never-payer; its cover arrived only in round 12 (0.80 → 0.48, Holm p = 0.020).
7. **Bigger bribes buy more betrayal, and recruitment spreads it a little (N = 16).**
   - With an outsider offering 1, 2 or 3 keys, betrayal rose by **+0.28 defections per extra key** [0.14, 0.43], Holm p = 0.003. With contagion the slope was +0.39 per key (Holm p = 0.032).
   - Contagion (bribed agents become bribers) added +0.45 and +0.68 (raw p = 0.046 and 0.027, **Holm 0.054, just short**).
   - Chains reached at most **4 hops** (N = 8) and 3 hops (N = 16), with about 1.1-1.5 recruits per recruiter. At N = 8 the same directions were not significant.
8. **A bigger swarm dilutes one insider.**
   - All-Qwen insider damage to completion: **40 pp at N = 4, 9 at N = 8, about 0 at N ≥ 16**.
   - Key-based damage falls to about 0 by N = 8-16 in all five model families tested.
   - Most of that damage was the insider **withholding** keys, not bought betrayal (only about 20-30% came from burned keys in all-Qwen swarms).
9. **Certainty deters more than severity (H4 supported, fragile).** Public defection records cut betrayal more than a doubled penalty: +0.30 [0.10, 0.50], exact p = 0.016, Holm p = 0.047. It rests on 11 defections.
10. **A disclosure bounty and social cues do nothing (exploratory).**
    - **Disclosure bounty (DB):** agents were promised a key for publicly quoting a bribe offer and threatened with losing one for hiding it. They reported **0 of 98** delivered bribes, and betrayal was unchanged (+2.15 vs +2.05, p = 0.86). A raw-reply check found **0** attempts to use the report field, so the null is **behavioural**, not a formatting failure: agents that mentioned the offer mostly took it.
    - **Social-engineering levers (SE):** only levers pointing at the target's *own* keys moved anyone (bribe +0.25 [0.05, 0.45], urgency +0.35 [0.10, 0.65]). Social proof, liking and rumour gave 0.00-0.05. **Nothing survives Holm** (all Holm p ≥ 0.44).

Finding turned agents is hard (H1 not supported). The combined detector did not beat the best single detector, an LLM judge reading the messages an agent received: 0.85 vs 0.94 on the main grid (underpowered, 9 positives) and 0.73 vs 0.74 on the mixed swarm (p = 0.59). A trivial baseline, "was this agent sent a bribe?", scored 0.77-0.79.

Dual control (arm DC, pre-registered; no figure was produced). Extra defections per game against a twin that also has dual control where applicable:

Insider	No dual control	Dual control	Paired difference	Holm p
bribe + lie (BASE)	+2.00 [1.70, 2.28]	+1.45 [1.13, 1.78]	−0.55 [−1.00, −0.10]	0.066
bribe only	+1.18 [0.90, 1.45]	+0.70 [0.48, 0.95]	−0.48 [−0.73, −0.20]	0.006




Figure 1: **Arm U (all-Gemma-3, 36 seeds), one factor at a time against BASE (+2.22).** Left: extra defections per game against the clean twin. Outsider forgery (`posXmethod=outsider_forged`) is 0; outsider bribe (`pos=outsider`) is +0.19; insider bribe-only is +1.03; resilience prompting and all defenses are about 0. Right: detection monitors. Exploratory.




Figure 2: **Bribe-size dose-response at N = 16** (all-Gemma-3, 40 seeds per size; 1 and 3 keys from C16, 2 keys from C2K). Exploratory.




Figure 3: **Social-engineering levers** (all-Gemma-3, N = 8, 20 seeds). Only self-interest levers (bribe, urgency) move agents; nothing survives Holm. Exploratory. No authority lever, by project rule.

3. Every arm at a glance

Q = Qwen-2.5-7B, G = Gemma-3-12B, mix = Qwen/Llama/Gemma/gpt-oss. Status: **PRE** = pre-registered, **EXPL** = exploratory, **STOP** = stopped. Cost in US$ (OpenRouter) unless marked Ada (Adaption units, unverified).

Arm	Question	Design	Result	Status	Cost
A	Do a forger / insider raise betrayal? Do defenses help? Can detectors find turned agents?	Q, N=8, 30 seeds, 2 topologies × 3 defenses	Insider +0.13 (Holm 0.0004); forger 0.00; defenses no help; H1 not supported	PRE	2.65
B	Certainty vs severity	Q, N=8, 20 seeds, 2×2	C − S +0.30, Holm 0.047	PRE	0.61
C-scale	Damage vs size	Q, N=4-32, 10 seeds	40 → 9 → 1 → −2 pp	PRE	0.89
D	Mixed-model swarm	mix, N=8, 40 seeds	100/1,800 turned; Gemma carries the effect; H1 not supported	PRE	1.34
E	“This is a test” framing	Q, N=8, 10 seeds	100% say “test”; no behaviour change	PRE	0.18
F	Stronger models	Adaption mix, N=8, 8 of 10 seeds	Insider +0.08 [−0.29, 0.46], unresolved	EXPL, partial	Ada 0.25 + 0.01
G	Outsider bribe	Q, N=8, 40 seeds, timing × disguise	+0.08 [0.04, 0.13]; 2% of bribes acted on; damage ≈0	EXPL	0.95
GR	Growth 6 → 8	Q, 8 seeds	No visible effect	EXPL	0.08
H	Mixed swarm × size	mix, N=4/16/32, 8 seeds	“Mixing protects” retracted (gone on keys)	EXPL	0.47
I	Other single-model fleets	Llama/gpt-oss/G, N=4/8/16, 10-20 seeds	Size dilutes in every fleet; Gemma bribable	EXPL	0.68
J	Does paying matter?	G, N=8, 20 seeds, 5 schedules × 3 bribers	Betrayal unchanged; ledger 0.90 → 0.40	EXPL	1.11
K	Entry stage × size; can agents tell?	G, N=4/8/16, 4 seeds	Name the true insider above chance at N=8/16	EXPL	0.37 (+0.35 super-seded)

Arm	Question	Design	Result	Status	Cost
Ada queue	G / growth / H on stronger models	Adaption mix, 3 seeds each	Underpowered, no effect	EXPL	Ada 0.08
U	One-factor head-to-head	G, N=8, 36 seeds, 34 cells	Bribe > forge; resilience prompting → 0	EXPL	7.19
UF	Seven-factor replication	G/mix, 2^(7−3), 10 seeds	Bribe vs forge +0.33, p = 0.024	EXPL	1.79
UA	Stronger Gemma (gemma-4-31b)	Adaption, 40 seeds planned	0 successful calls (quota)	**STOP**	Ada 0.01
C	Contagion × bribe size	G, N=8, 40 seeds	+0.30 to +0.80, none significant; ≤4 hops	EXPL	0.54
C16	The same at N=16	G, N=16, 40 seeds	Size Holm 0.004; contagion Holm 0.054	EXPL	1.18
C2K	2-key bribe (dose)	G, N=16, 40 seeds	+0.28 per key, Holm 0.003	EXPL	0.73
T	When does a payer pay?	G, N=8, 40 seeds	Betrayal the same; late payer hides later, not longer	EXPL	0.57
DB	Disclosure bounty	G, N=8, 20 seeds	0/98 reported; no effect (behavioural null)	EXPL	0.25
SE	Social-engineering levers	G, N=8, 20 seeds	Only bribe/urgency move agents; nothing survives Holm	EXPL	0.33
DC	Dual control on burns	G, N=8, 40 seeds	Bribe-only +1.18 → +0.70 (Holm 0.006)	**PRE** (own prereg)	0.70

Total spend (our sum of the cost tallies): about $23.4 on two OpenRouter keys plus 0.39 Adaption units. Every OpenRouter arm logged 0 failed calls. A game cost under 1 cent.

4. Hypotheses scorecard

Hypothesis	Prediction	Result	Verdict
H1 (primary)	Combined detector beats the best single one	0.85 vs 0.94 (9 positives); mixed 0.73 vs 0.74, p = 0.59	Not supported (main grid underpowered)
H2a	Forger (D-Evil) raises defection	+0.00, Holm 1.0	Not supported
H2b	Insider raises defection	+0.13 [0.08, 0.19], Holm 0.0004	**Supported**
H3	Rep+corr+quar cuts insider damage; provenance fails	−2.4 pp [−7.9, 3.1], Holm 1.0	Not supported
H4	Certainty deters more than severity	+0.30 [0.10, 0.50], Holm 0.047	**Supported** (fragile)
H5 (expl.)	Turned agents' self-reports diverge most	+1.5 [1.0, 2.0] contradictions	Supported (partly label-related)
H6 (expl.)	High-credibility defectors lose less standing	Only 2 public defections	Untestable
H7 (expl.)	Early givers become hubs	ρ = 0.06 [−0.05, 0.16]	Not supported
H8 (expl.)	Test framing changes behaviour	100% "test" in both framings	Not supported (ceiling)
H-DC1	Dual control cuts BASE insider betrayal	−0.55, Holm 0.066	Not supported (right direction)
H-DC2	Dual control cuts bribe-only betrayal	−0.48, Holm 0.006	**Supported**
H-DC3	Dual control has only a small welfare cost	+0.022 [−0.025, 0.072]	**Met**

5. What didn't work, what was stopped, and the limitations

Stopped, partial or discarded runs:

- **Arm UA** (gemma-4-31b) was stopped with 0 successful calls: Jenifer's Adaption quota was saturated. There is no result.
- **Arm F** stopped at 8 of 10 seeds; Adaption pilots 1 and 2 were invalid (429 storms).
- The first arm K run lost its interviews to a token cap and was rerun.
- The first arm E run was discarded.

Retracted claims:

- "Mixing models protects small swarms": it vanished on the key metric.
- "Flagged bribes beat disguised ones": $p = 0.06$.
- "The forger turned 26 agents": all were gpt-oss agents that defect anyway.
- "The ledger catches the insider 82% of the time": that is mostly an all-Qwen result, and it fails against a paying insider.
- "H4 not significant": a Holm bug, since fixed.
- "Detector AUROC 1.00": a label leak; the leak-free version is primary.

Limitations:

- **Single model per comparison:** Qwen for the pre-registered grid, Gemma-3 for arm U and later. Susceptibility is strongly model-specific.
- **Small n:** H4 rests on 11 defections; H1 had 9 held-out positives; several arms have 3-8 seeds.
- **English only:** text-only, game-style templates.
- **Scripted attackers** that never adapt. We did not test an insider who forges, or bribing the co-signer under dual control.
- **No authority lever:** an authority cell was dropped by project rule (the forged-authority ban). The run that briefly included it was killed and its outputs deleted.
- **Evaluation awareness:** 82-100% of agents said "this is a test".
- **Completion metric:** it counts burned keys as done; key-based damage is preferred.
- **Adaption dataset issues:**
  - The messages sent for augmentation were mostly forged rumours, with only 2 unique bribe texts.
  - Augmentation expanded essentially one class and left `enhanced_prompt` empty.
  - Adaption's "enhanced" label columns were about 34% wrong.
  - Training was told to use the original labels only, and no Adaption-trained detector result is reported.