



HackerRank in a String! 1

[Problem](#)[Submissions](#)[Leaderboard](#)

RATE THIS CHALLENGE



A subsequence is a sequence that can be derived from another string by deleting some or no characters without changing the order of the remaining characters.

Print:

YES if "hackerrank" is a subsequence of s. NO otherwise.

Input Format

The first line contains an integer q, the number of test cases.

Each of the next q lines contains a string s.

Constraints

 $1 \leq q \leq 100$ $1 \leq |s| \leq 10^5$ The sum of the lengths of all strings does not exceed 10^6 .

Output Format

For each test case, print:

YES

or

NO

Sample Input 0

hackerworld

Sample Output 0

NO

[Change Theme](#)

Language

Python 3



```
3 4 def solve():
5     lines = sys.stdin.read().split()
6     if not lines:
7         return
8     if lines[0].isdigit():
9         q = int(lines[0])
10        test_cases = lines[1:q+1]
11    else:
12
13        test_cases = lines
14
```

```
15     target = "hackerrank"
16     target_len = len(target)
17
18     for s in test_cases:
19         idx = 0
20         for char in s:
21             if char == target[idx]:
22                 idx += 1
23             if idx == target_len:
24                 break
25
26         if idx == target_len:
27             print("YES")
28         else:
29             print("NO")
30
31 if __name__ == "__main__":
32     solve()
33
```

Line: 33 Col: 1



Upload Code as File



Test against custom input

Run Code

Submit Code

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.



Sample Test case 0

Input (stdin)

Download

```
1 | hackerworld
```

Your Output (stdout)

```
1 | NO
```

Expected Output

Download

```
1 | NO
```