

ಅಕ್ಕೋಬರ್

- ಎಲೆ ತುಕ್ಕು ರೋಗ ನಿಯಂತ್ರಣಕ್ಕಾಗಿ ಹಿಂಗಾರಿನ 0.5 % ಬೋಡೊ ದ್ರಾವಣ ಅಥವಾ ಕಾಂಟಾಫ್ (400 ಮಿಲಿ/200 ಲೀಟರ್ ನೀರು) ಸಿಂಪರಣೆಯನ್ನು ಮುಗಿಸುವುದು
- ಬಿಳಿ ಕಾಂಡ ಕೊರಕ ನಿಯಂತ್ರಣಕ್ಕಾಗಿ, ಕಾಂಡ ಹಾಗೂ ತಾಯಿ ರೆಕ್ಕೆಗಳಿಗೆ ಕ್ಲೋರೋಪೈರಿಪಾಸ್ (600 ಮಿಲಿ / 200 ಲೀಟರ್ ನೀರು) ಸಿಂಪರಣೆಯನ್ನು ಮುಗಿಸುವುದು
- ಹಿಂಗಾರಿನ ಗೊಬ್ಬರ ಹಾಕಿ ಮುಗಿಸುವುದು
- ಪುಡಿ ಹಾಗೂ ಕಂಬ ಚಿಗುರು ತೆಗೆಯುವುದು, ನೆತ್ತಿ ಬಿಡಿಸುವುದು
- ರೆಕ್ಕೆ ಬೋರಲು ಪೀಡಿತ ರೆಕ್ಕೆಗಳನ್ನು ಗುರುತಿಸಿ ತೆಗೆದು ಸುಟ್ಟು ಹಾಕುವುದು. ರೊಬಸ್ಪ್ ಸಣ್ಣ ಗಿಡಗಳಿಗೆ ಟಲ್ಪ್ (160 ಮಿಲಿ / 200 ಲೀಟರ್ ನೀರು) ರೆಕ್ಕೆ ಬೋರಲು ನಿಯಂತ್ರಣಕ್ಕಾಗಿ ಸಿಂಪಡಿಸುವುದು
- ಅರೇಬಿಕಾ ತೋಟಗಳಲ್ಲಿ ಸ್ವಚ್ಛವಾಗಿ ಕಳೆ ತೆಗೆಯುವುದು
- ತೊಟ್ಟಿಲು ಗುಂಡಿಗಳನ್ನು ತೆಗೆಯುವುದು
- ಹೊಸ ತೋಟಗಳಲ್ಲಿ ಮುಚ್ಚಗತೆ ಮಾಡುವುದು
- ಹಳೆ ತೋಟಗಳಲ್ಲಿ ಧೂಳಗತೆ ಮಾಡುವುದು
- ಬೇರು ರೋಗ ಕಂಡುಬಂದಲ್ಲಿ, ಪ್ರತಿ ಗಿಡಕ್ಕೆ 3 ಲೀಟರ್ ಬ್ಯಾವಿಸ್ಪಿನ್ ದ್ರಾವಣವನ್ನು ಹೊಯ್ಯುವುದು

October

- Complete the spray 0.5 % Bordeaux Mixture or Contaf (@ 400 ml / 200 litres) against leaf rust
- Complete the spray chloropyriphos (600 ml / 200 litres of water) to main stem and thick primary branches of Arabica plants
- Complete the post monsoon manuring
- Trace, collect and burn shot hole affected branches, spray Tilt (160 ml / 200 litres) in young robusta plants to control against shot hole borer
- Handling, Centering and Desuckering
- Clean weeding in Arabica to facilitate harvesting
- Open cradle pits in slopy areas
- Scuffling in established plantations
- If root disease is noticed, drench soil with Bavistin or Tilt, apply compost enriched with Trichoderma @ 5-10 Kg per plant