

# Cucumber Report

May 3, 2023, 4:08:05 PM

**Start : May 03, 4:06:44.590 PM**

**End : May 03, 4:08:03.268 PM**

**Duration : 1 m 18.678 s**

Features







PASSED - 1  
FAILED - 9  
SKIPPED - 0

Scenarios

PASSED - 8  
FAILED - 46  
SKIPPED - 0

Steps


PASSED - 122  
FAILED - 46  
SKIPPED - 50




<b>Feature</b>		<b>Duration</b>	<b>Scenario</b>				<b>Step</b>			
			<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>DS Algo ArrayPractice Page</u>		7.398 s	4	0	4	0	23	3	4	16
<u>DataStructure page</u>		0.953 s	2	0	2	0	10	0	2	8
<u>Graph page</u>		5.910 s	2	0	2	0	10	3	2	5
<u>Linked List page</u>		13.766 s	7	0	7	0	30	22	7	1
<u>DS-Algo Sign In</u>		6.696 s	8	8	0	0	16	16	0	0
<u>DS-ALGO Project</u>		1.865 s	1	0	1	0	10	5	1	4
<u>Queue page</u>		7.476 s	4	0	4	0	19	13	4	2
<u>user registration page</u>		3.527 s	10	0	10	0	30	10	10	10
<u>Stack page</u>		5.864 s	3	0	3	0	14	10	3	1
<u>Tree page</u>		24.810 s	13	0	13	0	56	40	13	3

<b>Tag</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@ArrayPractice		4	0	4	0	1	0	1	0
@DataStructure		2	0	2	0	1	0	1	0
@graph		2	0	2	0	1	0	1	0
@LinkedList		7	0	7	0	1	0	1	0
@Login		8	8	0	0	1	1	0	0
@homepage		1	0	1	0	1	0	1	0
@mainPage		1	0	1	0	1	0	1	0
@queue		4	0	4	0	1	0	1	0
@TS_register_01		1	0	1	0	1	0	1	0
@register		10	0	10	0	1	0	1	0
@TS_register_02		1	0	1	0	1	0	1	0
@TS_register_03		1	0	1	0	1	0	1	0
@TS_register_04		1	0	1	0	1	0	1	0
@TS_register_05		1	0	1	0	1	0	1	0
@TS_register_06		1	0	1	0	1	0	1	0
@TS_register_07		1	0	1	0	1	0	1	0
@TS_register_08		2	0	2	0	1	0	1	0


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<b>Name</b>								
@TS_register_09	1	0	1	0	1	0	1	0
@stack	3	0	3	0	1	0	1	0
@tree	13	0	13	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<a href="#">DS Algo ArrayPractice Page</a>	4	0	4	0	7.398 s
2	<a href="#">DataStructure page</a>	2	0	2	0	0.953 s
3	<a href="#">Graph page</a>	2	0	2	0	5.910 s
4	<a href="#">Linked List page</a>	7	0	7	0	13.766 s
5	<a href="#">DS-Algo Sign In</a>	8	8	0	0	6.696 s
6	<a href="#">DS-ALGO Project</a>	1	0	1	0	1.865 s
7	<a href="#">Queue page</a>	4	0	4	0	7.476 s
8	<a href="#">user registration page</a>	10	0	10	0	3.527 s
9	<a href="#">Stack page</a>	3	0	3	0	5.864 s
10	<a href="#">Tree page</a>	13	0	13	0	24.810 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DS Algo ArrayPractice Page</u>	<u>User navigate to Array Practice Page and works in Search the array</u>	6	0	1	5	4.917 s
2	<u>DS Algo ArrayPractice Page</u>	<u>User navigate to Array Practice Page and works in Max Consecutive Ones</u>	6	1	1	4	0.690 s
3	<u>DS Algo ArrayPractice Page</u>	<u>User navigate to Array Practice Page and works in Find Numbers with Even Number of Digits</u>	5	1	1	3	0.592 s
4	<u>DS Algo ArrayPractice Page</u>	<u>User navigate to Array Practice Page and works in Squares of a Sorted Array</u>	6	1	1	4	0.454 s
5	<u>DataStructure page</u>	<u>user navigate to datastructure page</u>	5	0	1	4	0.500 s
6	<u>DataStructure page</u>	<u>user navigate to datastructure page</u>	5	0	1	4	0.416 s
7	<u>Graph page</u>	<u>user navigate to Graph page and works on Graph</u>	5	0	1	4	0.508 s
8	<u>Graph page</u>	<u>user does Graph Representations</u>	5	3	1	1	5.377 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Linked List page</u>	<u>user navigate to Linked List page and works on Introduction on Linked List</u>	5	4	1	0	3.853 s
10	<u>Linked List page</u>	<u>user does Creating Linked List</u>	4	3	1	0	2.674 s
11	<u>Linked List page</u>	<u>user does Types of Linked Lists</u>	4	3	1	0	2.084 s
12	<u>Linked List page</u>	<u>user does Implement Linked List in Python</u>	4	3	1	0	1.215 s
13	<u>Linked List page</u>	<u>user does Traversal</u>	4	3	1	0	1.189 s
14	<u>Linked List page</u>	<u>user does Insertion</u>	4	3	1	0	1.533 s
15	<u>Linked List page</u>	<u>user does Deletion</u>	5	3	1	1	1.071 s
16	<u>DS-Algo Sign In</u>	<u>user navigate to sign in page</u>	2	2	0	0	1.928 s
17	<u>DS-Algo Sign In</u>	<u>user navigate to sign in page</u>	2	2	0	0	0.778 s
18	<u>DS-Algo Sign In</u>	<u>user navigate to sign in page</u>	2	2	0	0	0.592 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>DS-Algo Sign In</u>	<u>user navigate to sign in page</u>	2	2	0	0	0.531 s
20	<u>DS-Algo Sign In</u>	<u>user navigate to sign in page</u>	2	2	0	0	0.621 s
21	<u>DS-Algo Sign In</u>	<u>user navigate to sign in page</u>	2	2	0	0	0.618 s
22	<u>DS-Algo Sign In</u>	<u>user navigate to sign in page</u>	2	2	0	0	0.690 s
23	<u>DS-Algo Sign In</u>	<u>user navigate to sign in page</u>	2	2	0	0	0.798 s
24	<u>DS-ALGO Project</u>	<u>Opeing DS-Algo portal link</u>	10	5	1	4	1.865 s
25	<u>Queue page</u>	<u>user navigate to Queue page and works on Implementation Queue in Python</u>	5	4	1	0	2.349 s
26	<u>Queue page</u>	<u>user does Implementation Using Collection.deque</u>	4	3	1	0	1.763 s
27	<u>Queue page</u>	<u>user does Implementation Using Array</u>	5	3	1	1	1.675 s
28	<u>Queue page</u>	<u>user does Queue Operations</u>	5	3	1	1	1.606 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
29	<u>user registration page</u>	<u>The user is presented with error message for empty fields below Username textbox</u>	3	1	1	1	0.267 s
30	<u>user registration page</u>	<u>The user is presented with error message for empty fields below Password textbox</u>	3	1	1	1	0.268 s
31	<u>user registration page</u>	<u>The user is presented with error message for empty fields below confirm Password textbox</u>	3	1	1	1	0.380 s
32	<u>user registration page</u>	<u>The user is presented with error message for invalid username</u>	3	1	1	1	0.371 s
33	<u>user registration page</u>	<u>The user is presented with error message for password mismatch</u>	3	1	1	1	0.348 s



#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
34	<u>user registration page</u>	<u>The user is presented with error message for password with characters less than 8</u>	3	1	1	1	0.321 s
35	<u>user registration page</u>	<u>The user is presented with error message for password with only numbers</u>	3	1	1	1	0.375 s
36	<u>user registration page</u>	<u>Getting register into page with username and password</u>	3	1	1	1	0.344 s
37	<u>user registration page</u>	<u>Getting register into page with username and password</u>	3	1	1	1	0.363 s
38	<u>user registration page</u>	<u>The user is presented with error message for existing username</u>	3	1	1	1	0.295 s
39	<u>Stack page</u>	<u>user navigate to Stack page and works on Operations in Stack</u>	5	4	1	0	2.359 s
40	<u>Stack page</u>	<u>user does Implementation Stack</u>	4	3	1	0	1.610 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
41	<u>Stack page</u>	<u>user does Applications</u>	5	3	1	1	1.879 s
42	<u>Tree page</u>	<u>user navigate to Tree page and works on Overview of Trees</u> <u>1st link in the Tree</u>	5	4	1	0	2.764 s
43	<u>Tree page</u>	<u>user does Terminologies in Trees</u>	4	3	1	0	1.995 s
44	<u>Tree page</u>	<u>user does Types of Trees</u>	4	3	1	0	2.352 s
45	<u>Tree page</u>	<u>user does Tree Traversals</u>	4	3	1	0	1.624 s
46	<u>Tree page</u>	<u>user does Traversal-Illustration</u>	4	3	1	0	1.924 s
47	<u>Tree page</u>	<u>user does Binary Trees</u>	5	3	1	1	1.642 s
48	<u>Tree page</u>	<u>user does Types of Binary Trees</u>	4	3	1	0	2.005 s
49	<u>Tree page</u>	<u>user does Implementation in Python</u>	4	3	1	0	1.828 s
50	<u>Tree page</u>	<u>user does Binary Tree Traversals</u>	4	3	1	0	1.731 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
51	<u>Tree page</u>	<u>user does Implementation of Binary Trees</u>	5	3	1	1	1.801 s
52	<u>Tree page</u>	<u>user does Applications of Binary Trees</u>	4	3	1	0	1.592 s
53	<u>Tree page</u>	<u>user does Binary Search Trees</u>	4	3	1	0	1.944 s
54	<u>Tree page</u>	<u>user does Implementation of BST</u>	5	3	1	1	1.406 s

## DS Algo ArrayPractice Page




User navigate to Array Practice Page and works in Search the array



#	Step / Hook Details	Status	Duration
1	<p>Given user login with username "Numpyninja95AT" and password "sdet95batchAT" given through config</p> <pre>java.io.FileNotFoundException: .src\test\resources\config.properties (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.&lt;init&gt;(FileInputStream.java:157) at java.base/java.io.FileInputStream.&lt;init&gt;(FileInputStream.java:111) at pages.CollectionsPage.loginWithUsernamePwd(CollectionsPage.java:442) at StepDefinition.Collections.user_login_with_username_and_password_given_through_config(Collections.java:442) at ?.user login with username "Numpyninja95AT" and password "sdet95batchAT" given through config(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/ArrayPractice.feature:24) * Not displayable characters are replaced by '?'.</pre>	FAILED	4.513 s
	<p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.232 s


#	Step / Hook Details	Status	Duration
			
2	Given user clicks "Get started" in Array field	SKIPPED	0.000 s
3	When User is in Array Practice homepage	SKIPPED	0.000 s
4	When User clicks "Search the array" first link in the Array Practice list	SKIPPED	0.000 s
5	And user clears the text and enter python code	SKIPPED	0.001 s
6	Then user enters Python Code "print("Hello\");" from config	SKIPPED	0.008 s

### User navigate to Array Practice Page and works in Max Consecutive Ones




#	Step / Hook Details	Status	Duration
1	Given user clicks "Get started" in Array field	PASSED	0.629 s
2	When User is in Array Practice homepage	FAILED	0.000 s
	Step undefined		
3	When User clicks "Max Consecutive Ones" second link in the Array Practice list	SKIPPED	0.002 s
4	And user clears the text and enter python code	SKIPPED	0.001 s
5	Then user enters Python Code1 "print(Hello\");" from config	SKIPPED	0.001 s
6	Then user gets the error message	SKIPPED	0.002 s

### User navigate to Array Practice Page and works in Find Numbers with Even Number of Digits



#	Step / Hook Details	Status	Duration
1	Given user clicks "Get started" in Array field	PASSED	0.540 s
2	When User is in Array Practice homepage  Step undefined	FAILED	0.000 s
3	When User clicks "Find Numbers with Even Number of Digits" third link in the Array Practice list	SKIPPED	0.000 s
4	And user clears the text and enter python code	SKIPPED	0.000 s
5	Then user enters python code  print("Find Numbers with Even Number of Digits")	SKIPPED	0.035 s

### User navigate to Array Practice Page and works in Squares of a Sorted Array




#	Step / Hook Details	Status	Duration
1	Given user clicks "Get started" in Array field	PASSED	0.418 s
2	When User is in Array Practice homepage  Step undefined	FAILED	0.003 s
3	When User clicks "Squares of a Sorted Array" fourth link in the Array Practice list	SKIPPED	0.000 s
4	And user clears the text and enter python code	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	Then user enters python code Squares of a Sorted Array print(Squares of a Sorted Array)	SKIPPED	0.000 s
6	Then user gets the error message	SKIPPED	0.004 s

## DataStructure page




## user navigate to datastructure page



#	Step / Hook Details	Status	Duration
1	Given user login with username "USERNAME" and password "PASSWORD" given through config  java.io.FileNotFoundException: .src\test\resources\config.properties (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at pages.CollectionsPage.loginWithUsernamePwd(CollectionsPage.java:442) at StepDefinition.Collections.user_login_with_username_and_password_given_through_config(Collections.java:442) at ?.user login with username "USERNAME" and password "PASSWORD" given through config(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/DataStructure.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.317 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.167 s
2	Given user launch DataStructure page	SKIPPED	0.000 s
3	When click on timecomplexity ,tryHere,and,tryEditor assesment page is open	SKIPPED	0.007 s
4	Then user enters code from <sheetNumber> and 0 then click run,code is printed	SKIPPED	0.000 s
5	Then user navigate to homepage	SKIPPED	0.004 s

### user navigate to datastructure page




#	Step / Hook Details	Status	Duration
1	Given user login with username "USERNAME" and password "PASSWORD" given through config  java.io.FileNotFoundException: .src\test\resources\config.properties (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at pages.CollectionsPage.loginWithUsernamePwd(CollectionsPage.java:442) at StepDefinition.Collections.user_login_with_username_and_password_given_through_config(Collections.java:442) at ?.user login with username "USERNAME" and password "PASSWORD" given through config(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/DataStructure.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.287 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot	PASSED	0.111 s

#	Step / Hook Details	Status	Duration
2	Given user launch DataStructure page	SKIPPED	0.000 s
3	When click on timecomplexity ,tryHere,and,tryEditor assesment page is open	SKIPPED	0.000 s
4	Then user enters code from <sheetNumber> and 1 then click run,code is printed	SKIPPED	0.002 s
5	Then user navigate to homepage	SKIPPED	0.001 s

## Graph page




user navigate to Graph page and works on Graph



#	Step / Hook Details	Status	Duration
1	Given user login with username "USERNAME" and password "PASSWORD" given through config  java.io.FileNotFoundException: .src\test\resources\config.properties (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:216) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:157)	FAILED	0.320 s

#	Step / Hook Details	Status	Duration
	at java.base/java.io.FileInputStream.<init>(FileInputStream.java:111) at pages.CollectionsPage.loginWithUsernamePwd(CollectionsPage.java:442) at StepDefinition.Collections.user_login_with_username_and_password_given_through_config(Collections.java:442) at ?.user login with username "USERNAME" and password "PASSWORD" given through config(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Graph.feature:23) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.162 s
2	Given user clicks "Get started" in Graph field	SKIPPED	0.000 s
3	When user click "Graph" first link in the Graph	SKIPPED	0.000 s
4	Then user clicks "Try here"	SKIPPED	0.000 s
5	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed	SKIPPED	0.000 s

## user does Graph Representations




#	Step / Hook Details	Status	Duration
1	Given user is in Graph homepage	PASSED	1.173 s
2	When user click "Graph Representations" second link in the Graph	PASSED	1.082 s
3	Then user clicks "Try here"	PASSED	2.882 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed  java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Graph.feature:37) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.201 s
5	And user navigate to homepage	SKIPPED	0.005 s

## Linked List page




user navigate to Linked List page and works on Introduction on Linked List




#	Step / Hook Details	Status	Duration
1	Given user login with username "Numpyninja95AT" and password "sdet95batchAT"	PASSED	1.648 s
2	Given user clicks "Get started" in Linked List field	PASSED	0.516 s
3	When user click "Introduction" first link in the list	PASSED	0.588 s
4	Then user clicks "Try here"	PASSED	0.891 s
5	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed	FAILED	0.009 s
	java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/LinkedList.feature:27) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.182 s
	My screenshot		
			


### user does Creating Linked List




#	Step / Hook Details	Status	Duration
1	Given user is in Linked List homepage	PASSED	0.370 s
2	When user click "Creating Linked List" second link in the Linked list	PASSED	0.947 s
3	Then user clicks "Try here"	PASSED	1.204 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections. java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/ src/test/resources/features/LinkedList.feature:36) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.142 s



### user does Types of Linked Lists



#	Step / Hook Details	Status	Duration
1	Given user is in Linked List homepage	PASSED	0.584 s
2	When user click "Types of Linked Lists" third link in the Linked list	PASSED	0.610 s
3	Then user clicks "Try here"	PASSED	0.756 s
4	<p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <pre>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections. java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/ src/test/resources/features/LinkedList.feature:36) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	src/test/resources/features/LinkedList.feature:45 * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.128 s

## user does Implement Linked List in Python

FAILED	DURATION - 1.215 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 4:07:07.812 PM // 4:07:09.027 PM /				
Linked List page				
@LinkedList				


#	Step / Hook Details	Status	Duration
1	Given user is in Linked List homepage	PASSED	0.268 s
2	When user click "Implement Linked List in Python" fourth link in the Linked list	PASSED	0.343 s
3	Then user clicks "Try here"	PASSED	0.479 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed  java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/LinkedList.feature:54) * Not displayable characters are replaced by '?'.	FAILED	0.005 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.106 s
	My screenshot		


#	Step / Hook Details	Status	Duration
			

**user does Traversal**


#	Step / Hook Details	Status	Duration
1	Given user is in Linked List homepage	PASSED	0.290 s
2	When user click "Traversal" fifth link in the Linked list	PASSED	0.329 s
3	Then user clicks "Try here"	PASSED	0.471 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed  java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/LinkedList.feature:64) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot 	PASSED	0.084 s

## user does Insertion



#	Step / Hook Details	Status	Duration
1	Given user is in Linked List homepage	PASSED	0.637 s
2	When user click "Insertion" sixth link in the Linked list	PASSED	0.365 s
3	Then user clicks "Try here"	PASSED	0.472 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed  java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/LinkedList.feature:74) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.055 s

## user does Deletion




#	Step / Hook Details	Status	Duration
1	Given user is in Linked List homepage	PASSED	0.170 s
2	When user click "Deletion" seventh link in the Linked list	PASSED	0.285 s
3	Then user clicks "Try here"	PASSED	0.568 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed  java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/LinkedList.feature:84) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.048 s
5	And user navigate to homepage	SKIPPED	0.000 s

## DS-Algo Sign In




### user navigate to sign in page




#	Step / Hook Details	Status	Duration
1	Given user launches login page	PASSED	0.212 s
2	When user login using username and password from given "<SheetName>" and 0	PASSED	1.710 s


### user navigate to sign in page



#	Step / Hook Details	Status	Duration
1	Given user launches login page	PASSED	0.225 s
2	When user login using username and password from given "<SheetName>" and 1	PASSED	0.553 s


**user navigate to sign in page**

#	Step / Hook Details	Status	Duration
1	Given user launches login page	PASSED	0.169 s
2	When user login using username and password from given "<SheetName>" and 2	PASSED	0.423 s

**user navigate to sign in page**


#	Step / Hook Details	Status	Duration
1	Given user launches login page	PASSED	0.161 s
2	When user login using username and password from given "<SheetName>" and 3	PASSED	0.365 s

**user navigate to sign in page**




#	Step / Hook Details	Status	Duration
1	Given user launches login page	PASSED	0.269 s
2	When user login using username and password from given "<SheetName>" and 4	PASSED	0.352 s

### user navigate to sign in page




#	Step / Hook Details	Status	Duration
1	Given user launches login page	PASSED	0.241 s
2	When user login using username and password from given "<SheetName>" and 5	PASSED	0.370 s

### user navigate to sign in page



#	Step / Hook Details	Status	Duration
1	Given user launches login page	PASSED	0.233 s
2	When user login using username and password from given "<SheetName>" and 6	PASSED	0.457 s

### user navigate to sign in page




#	Step / Hook Details	Status	Duration
1	Given user launches login page	PASSED	0.257 s
2	When user login using username and password from given "<SheetName>" and 7	PASSED	0.541 s

### DS-ALGO Project




### Opeing DS-Algo portal link




#	Step / Hook Details	Status	Duration
1	Given The user opens DS-Algo portal link	PASSED	0.345 s
2	When user clicks "Get Started" button	PASSED	0.789 s
3	Then user should be redirected to the homepage and see 6 different collections	PASSED	0.016 s
4	Then user click on the "Data Structures" dropdown arrow and sees 6 different collections	PASSED	0.237 s
5	And user clicks any one collection from dropdown	PASSED	0.348 s
6	And user get alert message "you are not logged in"	FAILED	0.031 s
	<pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //*[@class='alert alert-primary'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [96079bbd-d9a3-4a03-8368-036f85300df1, findElement {using=xpath, value=//*[@class='alert alert-primary']} Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:27817, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 18308, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:27817/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 96079bbd-d9a3-4a03-8368-036f85300df1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy.\$Proxy45.getText(Unknown Source) at pages.CollectionsPage.errorMessage(CollectionsPage.java:170) at StepDefinition.Collections.user_get_alert_message(Collections.java:74) at ?.user get alert message "you are not logged in"(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/MainPage.feature:30)</pre> <p>* Not displayable characters are replaced by '?'.</p>		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.079 s
7	Then user click on Data Structure "getstarted" button	SKIPPED	0.000 s
8	And user get alert message "you are not logged in"	SKIPPED	0.002 s
9	When user clicks "Sign In" in homePage	SKIPPED	0.000 s
10	Then user is redirected to Sign In page	SKIPPED	0.000 s


## Queue page




## user navigate to Queue page and works on Implementation Queue in Python




#	Step / Hook Details	Status	Duration
1	Given user login with username "Numpyninja95AT" and password "sdet95batchAT"	PASSED	0.696 s
2	Given user clicks "Get started" in Queue field	PASSED	0.646 s
3	When user click "Implementation Queue in Python" first link in the Queue	PASSED	0.378 s

#	Step / Hook Details	Status	Duration
4	Then user clicks "Try here"	PASSED	0.566 s
5	<p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <pre>java.lang.Error: Unresolved compilation problems:  Unhandled exception type InterruptedException  Unhandled exception type InvalidFormatException     at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258)     at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections. java:194)     at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/ src/test/resources/features/Queue.feature:27) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s
	<p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.045 s


### user does Implementation Using Collection.deque




#	Step / Hook Details	Status	Duration
1	Given user is in Queue homepage	PASSED	0.658 s
2	When user click "Implementation Using Collection.deque" second link in the Queue	PASSED	0.504 s
3	Then user clicks "Try here"	PASSED	0.537 s
4	<p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <pre>java.lang.Error: Unresolved compilation problems:  Unhandled exception type InterruptedException  Unhandled exception type InvalidFormatException     at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258)</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<p>at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)</p> <p>at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Queue.feature:37)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.060 s


### user does Implementation Using Array



#	Step / Hook Details	Status	Duration
1	Given user is in Queue homepage	PASSED	0.679 s
2	When user click "Implementation Using Array" third link in the Queue	PASSED	0.362 s
3	Then user clicks "Try here"	PASSED	0.571 s
4	<p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <p>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException</p> <p>at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258)</p> <p>at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)</p> <p>at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Queue.feature:47)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.054 s
5	And user navigate to homepage	SKIPPED	0.000 s

### user does Queue Operations




#	Step / Hook Details	Status	Duration
1	Given user is in Queue homepage	PASSED	0.661 s
2	When user click "Queue Operations" fourth link in the Queue	PASSED	0.268 s
3	Then user clicks "Try here"	PASSED	0.592 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed  java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Queue.feature:57) * Not displayable characters are replaced by '?'.	FAILED	0.004 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot	PASSED	0.042 s

#	Step / Hook Details	Status	Duration
5	And user navigate to homepage	SKIPPED	0.000 s


## user registration page




## The user is presented with error message for empty fields below Username textbox



#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.186 s
2	When The user clicks "Register" button with all fields empty  org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [96079bbdd-d9a3-4a03-8368-036f85300df1, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:27817, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 18308, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:27817/devtoo...,	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	<pre>se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 96079bbd-d9a3-4a03-8368-036f85300df1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_clicks_button_with_all_fields_empty(Register.java:40) at ?.The user clicks "Register" button with all fields empty(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:25) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.059 s
3	Then It should display an error message "Please fill out this field." below Username textbox	SKIPPED	0.000 s


The user is presented with error message for empty fields below Password textbox




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.156 s
2	<p>When The user enters "username" with other fields empty and user clicks register button</p> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;">username</div> <div style="border: 1px solid #ccc; padding: 2px; margin-bottom: 5px;">sdet95batch</div> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [96079bbdd9a3-4a03-8368-036f85300df1, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:27817, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 18308, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:27817/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 96079bbdd9a3-4a03-8368-036f85300df1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</pre>	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	<pre>at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_enters_with_other_fields_empty_and_user_clicks_register_button(Register.java:53) at ?.The user enters "username" with other fields empty and user clicks register button(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:31) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.070 s
3	Then It should display an error message "Please fill out this field." below Password textbox	SKIPPED	0.000 s


### The user is presented with error message for empty fields below confirm Password textbox




#	Step / Hook Details	Status	Duration				
1	Given The user opens Register Page	PASSED	0.237 s				
2	<p>When The user enters "username" and "password" with Password Confirmation field empty and user clicks register button</p> <table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>Numpyninja95AT</td> <td>sdet95batchAT</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [96079bbdd9a3-4a03-8368-036f85300df1, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:27817, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 18308, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true,</p>	username	password	Numpyninja95AT	sdet95batchAT	FAILED	0.031 s
username	password						
Numpyninja95AT	sdet95batchAT						

#	Step / Hook Details	Status	Duration
	<pre>moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:27817/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 96079bbd-d9a3-4a03-8368-036f85300df1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_enters_and_with_password_confirmation_field_empty_and_user_clicks_register_button(Register.java:78) at ?.The user enters "username" and "password" with Password Confirmation field empty and user clicks register button(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:39) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.111 s
3	Then It should display an error message "Please fill out this field." below Password Confirmation textbox	SKIPPED	0.000 s


The user is presented with error message for invalid username



#	Step / Hook Details	Status	Duration						
1	Given The user opens Register Page	PASSED	0.244 s						
2	<p>When The user enters a "username" with characters other than Letters, digits and @/.+/-_ with "password" and "confirm_password" and user clicks register button</p> <table border="1" data-bbox="175 611 685 674"> <tr> <td>username</td> <td>password</td> <td>confirm_password</td> </tr> <tr> <td>&amp;**&amp;**&amp;</td> <td>sdet95batchAT</td> <td>sdet95batchAT</td> </tr> </table> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [96079bbcd9a3-4a03-8368-036f85300df1, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:27817, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 18308, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:27817/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 96079bbcd9a3-4a03-8368-036f85300df1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</pre>	username	password	confirm_password	&**&**&	sdet95batchAT	sdet95batchAT	FAILED	0.019 s
username	password	confirm_password							
&**&**&	sdet95batchAT	sdet95batchAT							

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register. the_user_enters_a_with_characters_other_than_letters_digits_and_with_and_user_clicks_register_button(Register.java:96)   at ?.The user enters a "username" with characters other than Letters, digits and @/.+/-/_ with "password" and "confirm_password" and user clicks register button(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:47)   * Not displayable characters are replaced by '?'.</pre>		
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.108 s
3	Then It should display an error message "Please enter a valid username"	SKIPPED	0.000 s


### The user is presented with error message for password mismatch




#	Step / Hook Details	Status	Duration						
1	Given The user opens Register Page	PASSED	0.253 s						
2	When The user enters "username" and different passwords in "password" and "confirm_password" fields and user clicks register button <table border="1" style="margin-top: 10px;"> <tr> <td>username</td> <td>password</td> <td>confirm_password</td> </tr> <tr> <td>Numpyninja95AT</td> <td>sdet95batchAT</td> <td>password</td> </tr> </table> org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [96079bbdd9a3-4a03-8368-036f85300df1, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox,	username	password	confirm_password	Numpyninja95AT	sdet95batchAT	password	FAILED	0.020 s
username	password	confirm_password							
Numpyninja95AT	sdet95batchAT	password							

#	Step / Hook Details	Status	Duration
	<pre> browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:27817, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 18308, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:27817/devtoo... se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 96079bbd-d9a3-4a03-8368-036f85300df1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_enters_and_different_passwords_in_and_fields_and_user_clicks_register_button(Register.java:113) at ?.The user enters "username" and different passwords in "password" and "confirm_password" fields and user clicks register button(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:55) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.075 s
3	Then It should display an error message "password_mismatch:The two password fields didn't match."	SKIPPED	0.000 s


The user is presented with error message for password with characters less than 8



#	Step / Hook Details	Status	Duration						
1	Given The user opens Register Page	PASSED	0.198 s						
2	When The user enters "username" and "password" with characters less than eight and "confirm_password" and user clicks register button  <table border="1" data-bbox="175 611 707 674"> <tr> <td>username</td> <td>password</td> <td>confirm_password</td> </tr> <tr> <td>Numpyninja95AT</td> <td>sdet95</td> <td>sdet95</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [96079bbdd9a3-4a03-8368-036f85300df1, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:27817, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 18308, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:27817/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 96079bbdd9a3-4a03-8368-036f85300df1  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p>	username	password	confirm_password	Numpyninja95AT	sdet95	sdet95	FAILED	0.029 s
username	password	confirm_password							
Numpyninja95AT	sdet95	sdet95							

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_enters_and_with_characters_less_than_eight_and_and_user_clicks_register_button(Register.java:125) at ?.The user enters "username" and "password" with characters less than eight and "confirm_password" and user clicks register button(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:63) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.094 s
3	Then It should display an error message "Password should contain at least 8 characters"	SKIPPED	0.000 s


### The user is presented with error message for password with only numbers




#	Step / Hook Details	Status	Duration						
1	Given The user opens Register Page	PASSED	0.230 s						
2	When The user enters "username" and "password" with only numbers and "confirm_password" and user clicks register button <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>username</td> <td>password</td> <td>confirm_password</td> </tr> <tr> <td>Numbyninja95AT</td> <td>12345678</td> <td>12345678</td> </tr> </table> <p>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [96079bbd-d9a3-4a03-8368-036f85300df1, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:27817, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 18308, moz:profile:</p>	username	password	confirm_password	Numbyninja95AT	12345678	12345678	FAILED	0.032 s
username	password	confirm_password							
Numbyninja95AT	12345678	12345678							

#	Step / Hook Details	Status	Duration
	<pre>C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true,  moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:27817/devtoo...,  se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},  unhandledPromptBehavior: dismiss and notify} Session ID: 96079bbd-d9a3-4a03-8368-036f85300df1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_enters_and_with_only_numbers_and_and_user_clicks_register_button(Register.java:137) at ?.The user enters "username" and "password" with only numbers and "confirm_password" and user clicks register button(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:71) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p>	PASSED	0.110 s
3	Then It should display an error message "Password can't be entirely numeric."	SKIPPED	0.003 s


## Getting register into page with username and password




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.246 s
2	<p>When The user clicks Register button after entering "user95name", "sdet" and "sdet95batch"</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [96079bbdd9a3-4a03-8368-036f85300df1, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:27817, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 18308, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:27817/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 96079bbdd9a3-4a03-8368-036f85300df1</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)  at pages.registerPage.register_link(registerPage.java:147)  at StepDefinition.Register.the_user_clicks_register_button_after_entering_and(Register.java:148)  at ?.The user clicks Register button after entering "user95name", "sdet" and "sdet95batch"(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/</p>	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	src/test/resources/features/Register.feature:79) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.079 s
3	Then It should go to homepage and get message "New account created.You are logged in as Username"	SKIPPED	0.000 s


## Getting register into page with username and password




#	Step / Hook Details	Status	Duration
1	Given The user opens Register Page	PASSED	0.253 s
2	When The user clicks Register button after entering "NumPyNinja95AT", "sdet95batchAT" and "sdet95batchAT"  org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [96079bbdd9a3-4a03-8368-036f85300df1, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:27817, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 18308, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:27817/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 96079bbdd9a3-4a03-8368-036f85300df1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.031 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.register_link(registerPage.java:147) at StepDefinition.Register.the_user_clicks_register_button_after_entering_and(Register.java:148) at ?.The user clicks Register button after entering "Numpyninja95AT", "sdet95batchAT" and "sdet95batchAT"(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:79) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot 	PASSED	0.079 s
3	Then It should go to homepage and get message "New account created. You are logged in as Username"	SKIPPED	0.000 s

### The user is presented with error message for existing username




#	Step / Hook Details	Status	Duration						
1	Given The user opens Register Page	PASSED	0.190 s						
2	When The user enters a valid existing "username" with "password" and "confirm_password"  <table border="1"> <tr> <td>username</td> <td>password</td> <td>confirm_password</td> </tr> <tr> <td>Numpyninja95AT</td> <td>sdet95batchAT</td> <td>sdet95batchAT</td> </tr> </table>	username	password	confirm_password	Numpyninja95AT	sdet95batchAT	sdet95batchAT	FAILED	0.016 s
username	password	confirm_password							
Numpyninja95AT	sdet95batchAT	sdet95batchAT							
	<pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: Register For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [96079bbdd9a3-4a03-8368-036f85300df1, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 112.0.2, moz:accessibilityChecks: false, moz:buildID: 20230424110519, moz:debuggerAddress: 127.0.0.1:27817, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 18308, moz:profile: C:\Users\dadit\AppData\Loca..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:27817/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 96079bbdd9a3-4a03-8368-036f85300df1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at pages.registerPage.clickRegisterLink(registerPage.java:49) at StepDefinition.Register.the_user_enters_a_valid_existing_with_and(Register.java:168) at ?.The user enters a valid existing "username" with "password" and "confirm_password"(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Register.feature:89) * Not displayable characters are replaced by '?'.</pre>								
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.073 s						
	My screenshot								

#	Step / Hook Details	Status	Duration
			
3	Then It should display an error message "Username already exists"	SKIPPED	0.000 s


## Stack page




user navigate to Stack page and works on Operations in Stack




#	Step / Hook Details	Status	Duration
1	Given user login with username "Numpyninja95AT" and password "sdet95batchAT"	PASSED	0.705 s
2	Given user clicks "Get started" in Stack field	PASSED	0.710 s
3	When user click "Operations in Stack" first link in the Stack	PASSED	0.454 s
4	Then user clicks "Try here"	PASSED	0.425 s
5	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed	FAILED	0.002 s
	java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258)		


#	Step / Hook Details	Status	Duration
	<p>at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)</p> <p>at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Stack.feature:27)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.051 s

### user does Implementation Stack



#	Step / Hook Details	Status	Duration
1	Given user is in Stack homepage	PASSED	0.686 s
2	When user click "Implementation Stack" second link in the Stack	PASSED	0.339 s
3	Then user clicks "Try here"	PASSED	0.522 s
4	<p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <p>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException</p> <p>at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258)</p> <p>at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)</p> <p>at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Stack.feature:37)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot 	PASSED	0.063 s

**user does Applications**


#	Step / Hook Details	Status	Duration
1	Given user is in Stack homepage	PASSED	0.824 s
2	When user click "Applications" third link in the Stack	PASSED	0.378 s
3	Then user clicks "Try here"	PASSED	0.617 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed  java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Stack.feature:47) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.045 s
	My screenshot		

#	Step / Hook Details	Status	Duration
5	And user navigate to homepage	SKIPPED	0.000 s


## Tree page




user navigate to Tree page and works on Overview of Trees 1st link in the Tree




#	Step / Hook Details	Status	Duration
1	Given user login with username "Numpyninja95AT" and password "sdet95batchAT"	PASSED	0.711 s
2	Given user clicks "Get started" in Tree field	PASSED	0.796 s
3	When user click "Overview of Trees" first link in the Tree	PASSED	0.308 s
4	Then user clicks "Try here"	PASSED	0.908 s
5	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed	FAILED	0.004 s
	java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258)		


#	Step / Hook Details	Status	Duration
	<p>at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)</p> <p>at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:27)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.037 s

### user does Terminologies in Trees




#	Step / Hook Details	Status	Duration
1	Given user is in Tree homepage	PASSED	1.083 s
2	When user click "Terminologies" 2nd link in the Tree	PASSED	0.382 s
3	Then user clicks "Try here"	PASSED	0.469 s
4	<p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <p>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException</p> <p>at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258)</p> <p>at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)</p> <p>at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:36)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot 	PASSED	0.058 s

**user does Types of Trees**


#	Step / Hook Details	Status	Duration
1	Given user is in Tree homepage	PASSED	0.773 s
2	When user click "Types of Trees" 3rd link in the Tree	PASSED	0.316 s
3	Then user clicks "Try here"	PASSED	1.168 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed  java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:45) * Not displayable characters are replaced by '?'.  AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)	FAILED	0.001 s
	My screenshot	PASSED	0.093 s


#	Step / Hook Details	Status	Duration

**user does Tree Traversals**


#	Step / Hook Details	Status	Duration
1	Given user is in Tree homepage	PASSED	0.710 s
2	When user click "Tree Traversals" 4th link in the Tree	PASSED	0.364 s
3	Then user clicks "Try here"	PASSED	0.499 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed  java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:55) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.049 s


## user does Traversal-Illustration




#	Step / Hook Details	Status	Duration
1	Given user is in Tree homepage	PASSED	0.697 s
2	When user click "Traversal-Illustration" 5th link in the Tree	PASSED	0.618 s
3	Then user clicks "Try here"	PASSED	0.562 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed  java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:65) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.047 s


## user does Binary Trees




#	Step / Hook Details	Status	Duration
1	Given user is in Tree homepage	PASSED	0.728 s
2	When user click "Binary Trees" 6th link in the Tree	PASSED	0.410 s
3	Then user clicks "Try here"	PASSED	0.441 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed  java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:75) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.063 s
5	And user navigate to homepage	SKIPPED	0.000 s


**user does Types of Binary Trees**




#	Step / Hook Details	Status	Duration
1	Given user is in Tree homepage	PASSED	0.701 s
2	When user click "Types of Binary Trees" 7th link in the Tree	PASSED	0.528 s
3	Then user clicks "Try here"	PASSED	0.727 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:85) * Not displayable characters are replaced by '?'.	FAILED	0.009 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.040 s


**user does Implementation in Python**




#	Step / Hook Details	Status	Duration
1	Given user is in Tree homepage	PASSED	0.827 s
2	When user click "Implementation in Python" 8th link in the Tree	PASSED	0.368 s
3	Then user clicks "Try here"	PASSED	0.582 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:95) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.047 s


**user does Binary Tree Traversals**




#	Step / Hook Details	Status	Duration
1	Given user is in Tree homepage	PASSED	0.771 s
2	When user click "Binary Tree Traversals" 9th link in the Tree	PASSED	0.371 s
3	Then user clicks "Try here"	PASSED	0.529 s
4	<p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <pre>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException     at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258)     at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)     at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:105) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s
	<p>AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)</p> <p>My screenshot</p> 	PASSED	0.048 s


**user does Implementation of Binary Trees**




#	Step / Hook Details	Status	Duration
1	Given user is in Tree homepage	PASSED	0.803 s
2	When user click "Implementation of Binary Trees" 10th link in the Tree	PASSED	0.367 s
3	Then user clicks "Try here"	PASSED	0.568 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed  java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:115) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.063 s
5	And user navigate to homepage	SKIPPED	0.000 s


**user does Applications of Binary Trees**




#	Step / Hook Details	Status	Duration
1	Given user is in Tree homepage	PASSED	0.709 s
2	When user click "Applications of Binary Trees" 11th link in the Tree	PASSED	0.363 s
3	Then user clicks "Try here"	PASSED	0.449 s
4	<p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <pre>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException     at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258)     at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)     at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:125) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.007 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario) My screenshot 	PASSED	0.064 s

**user does Binary Search Trees**



#	Step / Hook Details	Status	Duration
1	Given user is in Tree homepage	PASSED	0.663 s
2	When user click "Binary Search Trees" 12th link in the Tree	PASSED	0.712 s
3	Then user clicks "Try here"	PASSED	0.526 s
4	<p>Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed</p> <pre>java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException     at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258)     at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194)     at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:135) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.037 s
	My screenshot		
			

**user does Implementation of BST**



#	Step / Hook Details	Status	Duration
1	Given user is in Tree homepage	PASSED	0.698 s
2	When user click "Implementation of BST" 13th link in the Tree	PASSED	0.220 s
3	Then user clicks "Try here"	PASSED	0.412 s
4	Then user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed  java.lang.Error: Unresolved compilation problems: Unhandled exception type InterruptedException Unhandled exception type InvalidFormatException at pages.CollectionsPage.enterPythonCode(CollectionsPage.java:258) at StepDefinition.Collections.user_enters_code_in_try_editor_from_sheet_number_and_then_click_run_output_is_printed(Collections.java:194) at ?.user enters code in tryEditor from "pythonCode" and 0 then click run , output is printed(file:///C:/Users/dadit/eclipse-workspace/DS-Algo/src/test/resources/features/Tree.feature:144) * Not displayable characters are replaced by '?'.	FAILED	0.014 s
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)  My screenshot  	PASSED	0.049 s
5	And user navigate to homepage	SKIPPED	0.000 s